

dbhydroR: An R package to access the DBHYDRO Environmental Database

Joseph Stachelek

June 8, 2015

1 Introduction

This document introduces the `dbhydroR` package and its associated functions. These functions are aimed at improving programmatic workflows that query the DBHYDRO Environmental Database. HTTP requests are facilitated by the `httr` (Wickham 2015) and `RCurl` (Lang 2015) packages.

2 Package installation

The R package `dbhydroR` is distributed via a `.tar.gz` (analagous to `.zip`) package archive file. This package contains the source code for package functions. In RStudio, it can be installed by navigating to **Tools -> Install Packages... -> Install from: -> Package Archive File**. Computers running the Windows operating system can only install binary `.zip` package archive files unless they have additional compiler software installed. The `dbhydroR` binary package can be installed by running the following command from the R console:

```
install.packages(  
  "B:\\restoration_sciences\\projects\\joe_stachelek\\R\\dbhydroR_0.1-1.zip"  
  ,type="win.binary",repos=NULL,dependencies=TRUE)
```

Once installed, the package can be loaded using the following command:

```
> library(dbhydroR)
```

3 Composing database queries

3.1 Water quality data

The workhorse `dbhydroR` function is `dbydro_get`. This function takes four required arguments. The user must specify a station ID, a test name, and a date range. Station IDs can be located on the [SFWMD Google Earth portal](#). A list of available test names can be found in the [Appendix](#) to this document. Dates must be specified in YYYY-MM-DD format (e.g. 2015-02-26). The following set of examples retrieve measurements between March 2011 and May 2012. They can be run from the R console by issuing the command:

```
> example(getwq)
```

- One variable at one station

```
> getwq(station_id="FLAB08", date_min="2011-03-01",  
+       date_max="2012-05-01", test_name="CHLOROPHYLLA-SALINE")
```

- One variable at multiple stations

```
> getwq(station_id=c("FLAB08", "FLAB09"), date_min="2011-03-01",  
+       date_max="2012-05-01", test_name="CHLOROPHYLLA-SALINE")
```

- One variable at a wildcard station

```
> getwq(station_id=c("FLAB0%"), date_min="2011-03-01",  
+       date_max="2012-05-01", test_name="CHLOROPHYLLA-SALINE")
```

- Multiple variables at multiple stations

```
> getwq(station_id=c("FLAB08", "FLAB09"), date_min="2011-03-01",  
+       date_max="2012-05-01", test_name=c("CHLOROPHYLLA-SALINE",  
+                                           "SALINITY"))
```

By default, `getwq` returns a "cleaned output". First, the cleaning function `cleanwq` converts the raw output from native DBHYDRO "long" format (each piece of data on its own row) to "wide" format (each site x variable combination in its own column) using the `reshape2` package ([Wickham 2007](#)). Next, the QA blanks/flags and DBHydro database identifiers are stripped. Setting the `raw` flag to `TRUE` will force `getwq` to retain this information. An example query that retains this information is shown below.

```
> getwq(station_id="FLAB08", date_min="2011-03-01",  
+       date_max="2011-05-01", test_name="CHLOROPHYLLA-SALINE",  
+       raw=TRUE)
```

3.2 Hydrologic data

Hydrologic time series data can be retrieved using the `gethydro` function. `gethydro` is a little more involved than `getwq` because there is no ability to perform wildcard matching and stations are identified not by name but by their "dbkey". The user must find the dbkey manually by navigating through the [DBHYDRO Browser](#). In addition to a dbkey, users must specify a date range. Dates must be entered in YYYY-MM-DD format (e.g. 2015-02-26). The following set of examples retrieve wind speed measurements between January and February 2013. They can be run from the R console by issuing the command:

```
> example(gethydro)
```

- One variable/station time series

```
> gethydro(dbkey="15081",  
+          date_min="2013-01-01",date_max="2013-02-02")
```

- Multiple variable/station time series

```
> gethydro(dbkey=c("15081","15069"),  
+          date_min="2013-01-01",date_max="2013-02-02")
```

4 Plotting

Once data has been retrieved with `getwq` or `gethydro` in non-raw form (or raw water quality data that has been cleaned with `cleanwq`), and assigned to an R object, plots can be produced using the `dbhydro_plot` function. This function will create a dedicated panel of figures for each of the available variables. The following set of examples can be run from the R console by issuing the command:


```
> example(dbhydro_plot)
```

- Water quality

```
> dt<-getwq(station_id=c("FLAB08","FLAB09"),  
+           date_min="2011-03-01",date_max="2014-05-01",  
+           test_name=c("CHLOROPHYLLA-SALINE","SALINITY"))  
> dbhydro_plot(dt,label="bottomleft",abb=3)
```

- Hydrologic

```
> dt<-gethydro(dbkey=c("15081","15069"),  
+             date_min="2013-01-01",date_max="2013-02-02")  
> dbhydro_plot(dt)
```



5 Appendix

5.1 Test names

There are many test names available in DBHYDRO. These are detailed in the following table.

Code
ALKALINE PHOSPHATASE
AMMONIA-N
CARBON, TOTAL ORGANIC
CAROTENOIDS
CHLOROPHYLL-A
CHLOROPHYLL-A(LC)
CHLOROPHYLL-A, CORRECTED
CHLOROPHYLL-B
CHLOROPHYLL-B(LC)
CHLOROPHYLL-C

CHLOROPHYLLA-SALINE DEPTH,TOTAL DISSOLVED OXYGEN KJELDAHL NITROGEN,TOTAL NITRATE+NITRITE-N NITRITE-N ORP PAR-LIGHT ATTEN COEF PH,FIELD PHEOPHYTIN PHEOPHYTIN-A(LC) PHOSPHATE,ORTHO AS P PHOSPHATE,TOTAL AS P SALINITY SECCHI DISK DEPTH SILICA SP CONDUCTIVITY,FIELD SP CONDUCTIVITY,LAB TEMP TOTAL NITROGEN TURBIDITY
--

5.2 Further reading

See section on URL-based data access in the [DBHYDRO Browser User's Guide](#)

References

- Duncan Temple Lang. *RCurl: General network (HTTP/FTP/...) client interface for R*, 2015. URL <http://CRAN.R-project.org/package=RCurl>. R package version 1.95-4.6.
- Hadley Wickham. Reshaping data with the reshape package. *Journal of Statistical Software*, 21(12):1–20, 2007. URL <http://www.jstatsoft.org/v21/i12/>.
- Hadley Wickham. *httr: Tools for Working with URLs and HTTP*, 2015. URL <http://CRAN.R-project.org/package=httr>. R package version 0.6.1.