

Lakitu7's Tremulous 1.1 Game.qvm

Current Version: 5.2

1 Download Links

<http://www.mercenariesguild.net/patches/index.php?project=2>

2 Intro

While playing on and administrating Tremulous servers, I found a distinct lack of a server package that a) Contains all of the features that I want b) Doesn't have any stupid crap that ruins the game as it was meant to be played.

Thus, like many server owners, I began the task of making my own. While I originally intended to just put something together from existing patches, I quickly found that patches for many things that I wanted either didn't exist or weren't available.

By the time I'd finished tracking down, separating, and creating my own patches, I'd done enough work to feel that I should distribute this QVM. Thanks to the encouragement of my friends asking for it, I eventually finished getting it to a releasable state.

Nowadays, it's very difficult to find an American server that isn't running my QVM or one of the very many that have forked from it (mostly to add said stupid crap, but oh well...). Thus, I guess I'm doing something right. I continue to develop this package, leading the way in creating and incorporating all the code worth having, but none of the rest.

3 Upgrade Install

Upgrade install: Just drop the new game.qvm in place of the old one. Set new admin flags and cvars where applicable.

4 Install

4.1 Easy way

Follow TJW's instructions at <http://tjw.org/tremulous/SETUP.txt>, but wget a URL for my QVM instead of his. My QVM DOES use TJW's Tremded executable, so get it from <http://tjw.org/tremulous/>.

4.2 Harder way

First, Download TJW's tremded, as above. Then,

1. Download SVN revision 966 (svn svn://svn.icculus.org/tremulous/trunk -r966)
2. Apply my .patch
3. make

If you're using linux, you should already know how to compile things.

If you're using Windows, use either of the excellent build guides at <http://tremulous.net/phpBB2/viewtopic.php?t=3408> or <http://tremulous.net/phpBB2/viewtopic.php?t=2672>.

4.3 Tremded Addendum

There's a few bugs in TJW's tremded that have become widely known nowadays, so I can't really recommend using it anymore. Since my source now includes a tremded backport patch and thus will generate a compatible teremded, feel free to compile one for your target machine that way.

5 Development

Development is now (relatively) public. You are free to use the latest SVN version and test out things I've added before they get released. I guarantee that I at least test each thing once by myself before committing. After that, it goes in and begins testing on Puretrem and other servers. If you'd like to test as well, go for it. Just please report issues if you find them.

Bug tracker: <http://www.mercenariesguild.net/patches/index.php?project=2&do=index> SVN: [svn: //source.mercenariesguild.net/lakitu7-qvm/](http://source.mercenariesguild.net/lakitu7-qvm/) You can also view the revision log here, so you know what's changed: <http://source.mercenariesguild.net/lakitu7-qvm/>

6 Contact Information

- Forums: The Lakitu7's 1.1 QVM thread, tremulous.net forums, mods subforum
- IRC: Lakitu7 on Freenode, Dorksnet, or Synirc
- In-Game: }MG{Lakitu7, probably on Puretrem

7 FAQ

I want a QVM with features x and y, but not z. Will you compile one for me? Unless you're a good friend of mine and you have a darn good reason why you can't do it yourself, no. If you're running Linux, I'm sure you know how to compile your own anyway. If you're running Windows, see either of the excellent build guides linked in "harder way." If you ask nicely and put forth the effort to learn to do things yourself, I may help you, but I won't do it for you.

I don't want your QVM, but I do want patch X from it I've made EVERY patch that I have used available here: <http://browsingtheinternet.com/trem/patches/>

I found a bug Well damn, tell me. Use the contact information above or report it at the bug tracker: <http://www.mercenariesguild.net/patches/index.php?project=2&do=index>. If it's part of a patch that I didn't make, then I'll still fix it, or I'll whine at whoever did to to fix it instead.

I have a suggestion for a new feature. Maybe. If I don't see myself using something, I won't code it for you. But if the idea is good and I'd like to have it, perhaps. BUT, I have no interest in doing any fullscale mods that make sweeping gameplay changes. I do not have any interest in making any "balance" changes. If your suggestion is nice and can be implemented with a reasonable degree of effort, I'll think about it. You can make submissions either directly or via the bug tracker link above.

You should add the Protoss/Predator/MDriver Turret/M4A1 Abrams Tank/BFG9000 Hay man that's so cool how about you make it yourself and then post it on the forums.

Update this for newer SVN revisions No, the code size has grown so large that it's basically impossible now. After this release (5.2), I will begin directly incorporating the SVN revisions that fix bugs in game.qvm. However, I will not be merging EVERYTHING for no tangible benefit. That'd just entirely burn me out of doing this very quickly and that just wouldn't be very good for anyone.

8 Patch/Feature List

I have mirrored every patch that I've used here: <http://browsingtheinternet.com/trem/patches>. The ones that I have made I've also mostly submitted to <http://www.mercenariesguild.net/patches>. You may use any patches that I have made for whatever you wish, but as with all GPLed code, follow the license: you must keep it open source. Other patches are available from their given sources. Patches that have multiple things are together because they don't apply together in their separate forms. I have linked their original separated versions where applicable.

8.1 Engine

8.1.1 svn_950_to_tjw_s_tremded.patch

Description: Backports SVN code to be compatible with 1.1 clients. QVMs generated are to be used with TJW's Tremded

Author: vcxzet

Source: http://www.mercenariesguild.net/patches/?do=details&task_id=2

8.1.2 backport-tremded-up-to-1011.patch

Description: Backports tremded (svn 1011 or less) to be compatible with 1.1 game.qvms. This has now been included so that you can use it to build a compatible tremded yourself. If you'd prefer to use your own, that's fine, but I wouldn't keep using TJW's anymore, since there's some bugs in that which are pretty nasty.

Author: Me, with much help from Kevlarman

8.2 Gameplay

8.2.1 tjw-poison-system.patch tjw-no_chomp_during_pounce.patch

Description: Balance changes from TJW's 1.1 QVM. You're likely used to all of them

Author: TJW

Source: <http://tjw.org/tremulous/> (separated out by me) Info here: <http://tjw.org/tremulous/FEATURES.txt>

8.2.2 dretchPunt+no_pounce_trample_ff.patch

Dretchpunt: everyone knows what this is already

Author: TJW

Source: <http://tjw.org/tremulous/> (separated out by me)

No Pounce and Trample FF: turn friendly fire on pounce/trample on and off by g_friendlyFireMovementAttacks.

Irrelevant if g_friendlyFire is off.

Idea: Norfenstein/TJW. Rewritten for 1.1 by me

Source: trem.tjw.org server autownload

8.2.3 mnp-share+risujin-donate.patch

Authors: Martin Doucha, Risujin

Source: <http://tremulous.net/phpBB2/viewtopic.php?t=3014>, https://bugzilla.icculus.org/show_bug.cgi?id=2896

Please turn these off. They ruin the game. g_allowShare 0 will turn off BOTH of them. I just have them because they're so damn popular that I can't not do it anymore.

8.2.4 risujin-retribution.patch

Teamkillers pay their victims for the price of their equipment.

Author: Risujin

Source: <http://tremulous.net/phpBB2/viewtopic.php?t=3014> Separated out by me

8.2.5 benmachine-antiblock940-5.patch

Forcibly bumps players out of the way when they are blocking the spawn. This patch is disabled by default, for now. Set g_antiSpawnBlock 150 to try it out.

Author: benmachine

Source: http://www.mercenariesguild.net/patches/?do=details&task_id=70

8.2.6 lakitu7-g_deconDead.patch

Adds g_deconDead, which controls the ability to decon structures that have 0 health and are about to explode, causing damage. This was possible before g_markdeconstruct (r880), but was regardless of g_markdeconstruct's setting. g_deconDead defaults to 0 (svn behavior, cannot decon dead structures). g_deconDead reverts to the pre-880 behavior.

Author: Me

8.2.7 r1ch-team_imbalance_warnings.patch

Sends a notice every g_teamImbalanceWarnings when the playercount between teams differs by at least 3. It also allows people to switch teams without losing their credits/kills during this circumstance.

Author: R1CH (ported by me)

Source: svn.quakdev.net

8.2.8 das-iro.no-shove-for-placing-builder.patch

Prevents shoving the builder when he is trying to place a building. No effect when g_shove is off.

Author: Das-Iro

Source: <http://das-iro.de/tremulous/>

8.2.9 Lakitu7+tjw-teamkill_messages_with_dmg_done+logging.patch

Teamkill messages now have the amount of damage done by the killer to the killed. This is a sum over multiple hits, if applicable, and can be larger than the player's max health if it was done throughout healings/regen. This is so that admins and players alike can differentiate between "grazed your foot with a rifle" teamkills and "hit you in the head repeatedly with a luci" teamkills.

Author: tjw (original tk messages patch), Me

8.2.10 Lakitu7-ff_percentage.patch

Friendly Fire cvars (g_friendlyfire, g_friendlybuildablefire, g_friendlyfiremovementattacks, g_friendlyfirehumans, g_friendlyfirealiens) are all now floating points. 0 is still off. 1 is still on, so you do not have to change anything to upgrade. However, values between 0 and 1 will multiply the damage by that amount, allowing friendly fire to be, for instance, on but half damage.

Author: me

8.2.11 Lakitu7+kevlarman-g_forceautoselect.patch

When g_forceautoselect=1, players can only use autoselect to join a team. This is for use with servers where all players tend to go to one side or the other.

Author: Kevlarman + me

Idea: Khalsa

8.2.12 googles+rezyn+lakitu7-builder_(requires_buildlog).patch

Adds the /builder command. Players (and admins) can look at a building and use /builder to find out who built it. Admins with access to use !buildlog will also see the buildlog number of the item. This is useful for the !revert #number functionality, particularly in removing glitched buildings outside the map. It can also be used in free spec. The use of this command does not require any flag, unlike previous implementations.

Author: Googles, Improved by Rezyn, then further improved by me

8.3 Admin System

8.3.1 Lakitu7-listadmins_minlevel_parameter.patch

Listadmins takes a second number parameter allowing you to filter results by admin level

Author: me Requested by: many people

Examples:

!listadmins 0 2

Lists all admins of level 2 and up, skipping none

!listadmins 21 2

Lists all admins of level 2 and up, starting at number 21.

!listadmins lak 3

Lists all admins with containing "lak," level 3 and up.

8.3.2 Lakitu7-register.patch

Adds the !register command with admin flag R. When given to L0s, it allows them to become level 1 with !register. If they don't have a GUID, it tells them where to get one. When given to level1 and up, it allows them to update their "admin name" to their current one by !setlevel-ing them to their current admin level.

Author: me

8.3.3 Lakitu7-sees-full-listplayers-flag.patch

Adds an admin flag \$. People with this flag see the regular information in !listplayers. Those without only see ID, Team, mute/denybuild/etc., and Name. Makes it more difficult for random players to tell if there are admins present, removing the need for servers that have either removed !listplayers from l0s (bad idea) or given all admins the hide flag (which has the side effect of making them invisible to each other too)

Author: me

8.3.4 gate-!warn.patch

!warn user reason

Author: Gate Displays a big ol' message to your target that tells them that an admin is warning them for reason: reason and they should stop whatever they are doing and comply. I feel this is a much less abusable alternative to !slap

8.3.5 benmachine-info-12.patch

Adds !info <topic> admin command, usable by those with flag H. It Returns the text of a file from /info/info-topic.txt. See source and docs for more info.

Docs: <http://www.bandstand.org.uk/~benm/coding/done.php#buildlog-revert>

Author: benmachine

Source: http://www.mercenariesguild.net/patches/?do=details&task_id=43

8.3.6 Lakitu7-admin-true-name-in-banlog.patch

Save admin's "true" name in the ban logs. "True" name is the one that shows up in !listplayers when they are using something else

Author: Me

8.3.7 lakitu7-l1command.patch

Adds command !L1, usable by admin levels with flag S. !L1 user sets a level 0 user to level 1. Made to be used with g_minLevelToJoinTeam.

Author: Me

8.3.8 L0 command

Adds command !L0, which sets a level-1 player back to level-0. This is designed to eliminate the frequent problem of people using !register on their name and then losing their GUID having to wait around for a high-level admin who can use !setlevel to help them out.

Source: p-g-QVM

Idea: Frequently requested by many

8.3.9 avenger-mute_enhancements.patch

Muted people can't change names, vote, or send PMs (or get around that with /tell)

Author: Avenger (consolidated by me)

Source: https://bugzilla.icculus.org/show_bug.cgi?id=2931

8.3.10 avenger-adjustban-r948.patch and tjw-tremulous-svn939-ban.patch

Fix the SVN 910 ban bug. !Adjustban command is now needed to change ban lengths on existing bans

Author: Avenger, TJW

Source: https://bugzilla.icculus.org/show_bug.cgi?id=3096

8.3.11 Lakitu7-admfforceteamchange_overrides_locked_teams.patch

Admin flag 5 can override locked teams

Author: me

8.3.12 Lakitu7-denybuild-denies-grangerclasses.patch

Patches !denybuild so that it denies targets from using the granger/advgranger class as a whole so that it can be used against battle grangers. (As of 5.1, this actually works)

Author: me

8.3.13 Lakitu7-g_adminSayFilter.patch

When g_adminSayFilter 1, filters display of !commands that were typed into the chat.

Author: me. Idea: CU—Dyin

8.3.14 kevlarman-specme999.patch

!specme

Author: Kevlarman I modified this to !specme instead because that seems to be what most people expect it to be called. Personally, I don't see why people can't just use /team spectate, but it's requested a lot, so here it is.

8.3.15 Lakitu7+benmachine-pause.patch

Adds the !pause command that allows you to pause and unpause the game in progress. People can only chat and use admin commands, while the game is paused. This is mostly useful in conjunction with buildlog/revert.

Author: Benmachine, Me Idea: Benmachine

8.3.16 benmachine - buildlog-17.patch

Benmachine's masterwork, !buildlog and !revert: both improved for functionality and usability and included here officially for the first time. I suggest using these while the game is !paused, while you get the hang of them. See Ben's docs here: <http://www.bandstand.org.uk/~benm/coding/done.php#buildlog-revert>

Author: benmachine

8.3.17 rezyn-listmaps+maplog.patch

Creates two new commands !listmaps and !maplog.

!listmaps lists the maps on the server so that players can know which ones can be used for /callvote map. It can also take a parameter of some text to search for, eg. !listmaps atcs.

!maplog shows the results of the last 5 maps. This is nice for folks that go take a break and come back to be like "Who won last map?" or to see whether folks have been stacking a particular teams for the last hour.

Author: Rezyn

Source: p-g-QVM

8.3.18 rezyn-showbans_search.patch

Allows !showbans to be given a parameter to search the list by name or IP. eg: !showbans unnamedplayer or !showbans 64.129.

Author: Rezyn

Source: p-g-QVM

8.3.19 googles-banNotice.patch

Appends the text of g.banNotice to the text of every ban reason as it is sent to the player (meaning that the banned players will see it, but you won't see it when viewing reasons in !showbans or admin.dat). Default is blank (off). The suggested use for this setting is to include a link to your forums etc. where people may appeal the ban.

8.3.20 rezyn-g_adminMaxBan.patch

Admins without flag 8 (can_perm.ban) can ban for a maximum of the time set by g_adminMaxBan. Bans by these admins for longer durations are shortened to this time. By my own addition, admins without the flag who do not specify any duration for bans will ban for this duration (instead of receiving an error message). Previously, these admins could still ban for something like 52 years, making the flag kind of useless. Default: 2w (2 weeks).

Author: Rezyn

Source: p-g-QVM

8.3.21 Lakitu7+Amanieu-admin_stealth.patch

Creates the new admin flag &. For admins with this flag, the announcement of their admin actions will use their registered admin name instead of whatever name they are currently playing as. This both gives accountability to the admin (so that players know which admin to complain about, instead of some alias) and allows the admin to hide the alias he may be using. There's no "toggle" for this because it is assumed that a player will use his admin name under most circumstances and use !register to keep that up-to-date.

Author: Amanieu and I came up with this idea independently. He made it first, but I didn't like his implementation, so I remade it from scratch.

8.4 New Text Modes

8.4.1 Lakitu7-sayadmins3.patch

I can't think of how many times I've wanted this feature, so I went ahead and made it. Admins frequently want to talk amongst themselves to make a decision without the whole server hearing it. Adds commands: /say_admins, /a It also works in chat and in server console/rcon Use of the command and receipt of its messages is governed by the cflag ?, given to levels 3, 4, and 5 (via *) by default. Server owners can choose whether or not regular players can use the command to send messages to active admins. This is set by g_publicSayadmins

Author: me

8.4.2 Lakitu7+Amanieu-admin_messages.patch

Sends admins (those with the say_admins flag) a notice informing them when someone attempts to callvote against an admin, or tries to use an admin command they lack access to. When a teamvote kick or denybuild is called, admins not on that team also receive notice of it via this system.

Author: Amanieu, Me Idea: Collected

8.4.3 rezyn-ban_check_fixes.patch

(Re)adds a notice via the admin_messages system when a banned player tries to connect, now with flood protection to stop admins from getting spammed by this.

Author: Rezyn

8.4.4 avenger-say_area.patch

Adds /say_area to send text only to teammates that are nearby. Use it for binds that aren't relevant to people not near you (nade!, retreating to base! etc.)

Author: Avenger

Source: none?

8.4.5 benmachine-me-action939-4.patch

Adds IRC-like /me command. It's useless, but fun. g_allowActions disables it. g_actionPrefix changes the text that appears before an action to denote that it is an action.

Author: benmachine

Source: http://www.mercenariesguild.net/patches/?do=details&task_id=5

8.4.6 Lakitu7+googles+rezyn+benmachine-admin_cp+cp_to_team+newlines+wordwrap.patch

This patch combines a bunch of functionality and patches related to CP (center-print):

benmachine-cp1003M-1.patch Makes CP parse \\ into \ and \n into a newline. Author: Benmachine

googles-admin_cp Creates a !cp command (flag Z) that admins can use to send CP (center print) messages. Author: Googles, with a few improvements by Rezyn.

Lakitu7-cp_to_team !cp (and the console CP command) now takes an optional argument to specify team(s) to send the text to. Author: me
Examples:

!cp -h Did you guys just get deconned?

!cp -s The server is full. Specs need to make room or leave

!cp -as Only aliens and spectators can see this text

Lakitu7-cp_wordwrap Makes cp (and the console CP command) automatically add newlines to word-wrap text instead of cutting it off. Word-wrapping is done intelligently at spaces between words whenever possible. Newlines inserted manually with \n are still respected. Author: me

8.5 Callvote-Related

8.5.1 Lakitu7-tjw-avenger-martindoucha_sdmodes+sdvotes+poll+designate959.patch

Description: g_suddenDeath, Sudden Death Modes, Poll (formerly custom), !Designate, vote designate. Denybuild and vote mute are now in SVN and thus are also included here.

SDModes Adds different methods of sudden death. Author: TJW

Source: <http://tjw.org/tremulous/> (separated out by me) Info here: <http://tjw.org/tremulous/FEATURES.txt>

SD Votes Allows /callvote sudden_death Author: Avenger

Source: https://bugzilla.icculus.org/show_bug.cgi?id=2920 (modified heavily by me)

g_suddenDeathVotePercent Author: me Percentage required to vote yes for Sudden Death votes to pass. This is in an effort to balance them. Set to 0 if you want to DISABLE them entirely. Defaults to 75

g_mapVotesPercent Author: me Percentage required to vote yet for map, nextmap, and map_restart votes to pass.

Poll Votes: /callvote poll String goes here Allows the calling poll votes. Before r858, people would use /callvote map “Is unnamedPlayer an idiot?” Since that’s disabled now by a check to verify that “is unnamed player an idiot.bsp” exists before calling the vote, I replaced it with poll. They DO nothing, but can be useful for an admin to ask a question of users on their server. Also has /callteamvote poll String goes here for things like /callteamvote poll Move to window room? Idea for teamvote version thanks to Benmachine. Quotes no longer need to be places around the text.

Author: Me

As of 5.1 you no longer automatically vote yes to poll votes

Designate: Creates designated builders. Structures built by designed builders (or /protect -ed by them) cannot be deconned except by then or by another designated builder. Admins with flag # are perma-designated. Designate votes for players are enabled with g_designateVotes 1.

Author: Martin Doucha (ported by me)

Source: https://bugzilla.icculus.org/show_bug.cgi?id=2857

8.5.2 Lakitu7-callvote-multiple-name-matches.patch

Makes /callvote return a list of partial name matches when there are multiple matches for a string

Author: me

8.5.3 Lakitu7-teamvote_majority_wins.patch

Teamvotes as they are in svn / as they were required a majority of people ON THE TEAM to pass. This patch makes them pass if the majority of voters voted yes, instead of having votes fail 4 yes - 1 no because the majority of the team didn’t vote. At least 2 yes votes are still required to prevent a vote from passing 1-0.

Author: me

8.5.4 Lakitu7-vote2teamvote.patch

When a player uses /vote and there is a teamvote occurring, but no global vote, forward their vote as a /teamvote. I hate making and including this patch, but it’s a necessary evil because most players terribly fail at using anything that’s not bound to a key by default. This won’t be necessary anymore in 1.2, but for now, it’s so that teamvotes actually have a prayer of passing, especially when combined with the above.

Author: Me

8.5.5 Rociante-vote_times3.patch

Players cannot call a vote until they have been connected for g_voteMinTime seconds

Players cannot call for a map change after g_mapvoteMaxTime seconds

For both, setting the cvar to 0 disables. The restrictions are ignored for admins with no_vote_limit and when the player is the only one on the server. This patch is to cut down on the number of idiots that join a game just to spam a vote for atcs.

Author: Rocinante

8.5.6 Lakitu7-VoteReasons.patch

It’s back again, but now with less brokenness from people having spaces in their names. The syntax is: /callvote (whatever) -r reason. Spaces/multiple words are allowed in both the player name and the reason without issue. The reason may optionally be added to ANY type of vote. If g_requireVoteReasons=1,

then reasons will be required for /callvote kick and /callteamvote kick.

Examples:

/callvote kick unnamed player -r this guy is deconning the base

/callvote draw -r this map sucks

/callteamvote denybuild newbie builder -r deconning turrets for teslas

Author: me

Idea: Risujin

8.6 Clan Scrim/Match/Practice Features

8.6.1 lakitu7-restart_keepteams_switchteams+lock.patch

Adds !restart keepteams, !restart switchteams, !restart keepteamslock, !restart switchteamslock

Author: Me Useful for clan matches when you want to set things up, then !restart the round while keeping people on the teams they've just joined. Put "lock" afterward to auto-lock teams after the restart

8.6.2 lakitu7-devmapNoGod+devmapNoStructDmg.patch

g_devmapNoGod: Disables use of /god, /noclip, and /give health during /devmap. Useful during practices

g_devmapNoStructDmg: Prevents damaging structures during /devmap. Useful during practices

Author: Me

8.6.3 lakitu7-g_minLevelToSpecMM1.patch

Spectators with admin level `j` g_minLevelToSpecMM1 can only speak to other spectators. (/say_team, but not /say) Combine with g_privateMessages 0 to be uninterrupted by spectators during clan matches

Author: Me

8.6.4 lakitu7-g_minLevelToJoinTeam.patch

Only users with admin level `i` g_minLevelToJoinTeam can join a team. Otherwise, they are forced to spectate.

This can be used to quickly create a private server.

Author: Me

8.6.5 benmachine-notarget948-1.patch

Makes the /notarget cheat work during devmap by having you be ignored by turrets and such when it's on.

Author: benmachine

Source: https://bugzilla.icculus.org/show_bug.cgi?id=3243

8.6.6 Lakitu7-devmapKillerHP.patch

When you die, tells you your killer's HP... but only in cheat mode (devmap) because I don't believe this should be given in real games. set g_devmapKillerHP 1 to enable.

Author: me

8.7 Misc.

8.7.1 tjw+mkp+lakitu7+r1ch-follow-teammates-when-dead+stickyspec.patch

When they are dead (and while in the spawn queue), players can spectator-follow their teammates. To activate, press button3 (by default, return or mouse3). This patch also includes sticky spectator functionality (which I had to mostly rewrite to work with dead-spec). As an aside, this patch is really really huge and was a giant pain in the ass, so please enjoy it. Idea: tjw, R1CH

Author: tjw, Undeferece, R1CH, Me

8.7.2 wireddd+Amanieu.countdown+warmupmodes.patch

Adds some minor enhancements to warmup time. A countdown is displayed in CP during warmup indicating how long until the the game begins (3 2 1 GO!). Also adds g.warmupmode. In mode 1 (default), players cannot join a team during warmup. That's how it's always been. In mode 2, players can join a team during warmup, but will not spawn until the game begins.

Author: Wireddd, cleaned up by Amanieu

Source: http://www.mercenariesguild.net/patches/index.php?do=details&task_id=164&project=2

8.7.3 Wraths' patches

002.tjw.www_download.patch

009.peoro.building_messages.patch

Lakitu7+peoro-change_team_messages.patch (peoro's patch, now with logging to games.log)

014.peoro.namelog_shows_prohibition.patch

017.npa.privmsg_to_console.patch

022.kristall.nojoin_warmup_time.patch

027.napkin.more_info_to_flag4.patch

034.risujin.ckit_recovers_with_blaster.patch

031.napkin.log_to_file_only.patch

032.wolfwings.tremstats_log_team_class.patch

035.pierre.realtime_stamp_at_mapstart.patch

All of these are from <http://wraths.dyndns.org/games/tremulous/patches/svn901> and their authors/functions are obvious from the filenames. Several notes:

Black Names Fix: Fixes the bug with white and black names. Black names are disallowed by this fix, as was intended by the original code.

8.7.4 Lakitu7-disable-difficult-names2.patch

Disallows names that are problematic: those that begin with numbers or contain // or /* As of version 5.2, this also disallows names that contain characters which cannot be typed in-game, including control characters, extended ascii, ' , and ~. Furthermore, it also disables names that begin with -, or contain a space followed by a -. That is, "some-idiot" is fine, but "some -idiot" is not. This change is allow the use of unix style command arguments that use - without confusion with player names.

Author: me

8.7.5 Lakitu7-mystats.patch

Adds the /mystats command. Players can use it once per minute and during intermission Shows a variety of useful personal statistics that are tracked per-game such as builds, building kills, damage dealt, feeds, etc.

Author: me

8.7.6 foobar-NewbieNaming-0.90-899.patch

Auto-renaming of unnamedPlayers to your choice + numbers

Author: Foobar <http://tremulous.net/phpBB2/viewtopic.php?t=3738>

8.7.7 rezyn-newbienam_noregister.patch

Prevents names used by NewbieNaming from being !registered

Author: Rezyn

Source: p-g-QVM

8.7.8 r1ch-unnamedplayer_join_warning.patch

Prevents unnamedplayers from joining a team, instead telling them how to set a name. This does not affect players who have been renamed by newbienaming, as it is an alternative to newbienaming

Author: R1CH (ported by me)

Source: svn.quakedev.net

8.7.9 risujin-svn929-admin_layout.patch

Adds !devmap and !savelayou back to g_admin. Works with the existing implementation of !layout in SVN

Author: Risujin

Source: http://v1.risujin.org/pub/tremulous/admin_layout-svn929.patch.tar.gz

8.7.10 avenger-g_maxGameClients.patch

Do not allow more than g_maxGameClients to join a team. Connected clients beyond this amount can only spectate, creating spectator slots, R1Admin style.

Author: Avenger

Source: https://bugzilla.icculus.org/show_bug.cgi?id=2969

8.7.11 philbordon-floodprotection+lakitu7-enhancements.patch

Prevents flooding of chat commands. Controled by g_floodMinTime. 0=off. Default: 2000. Admins with admin permission #2 (immune to flood protection & censorship) are immune. This permission was already in the admin system, but didn't do anything because it wasn't implemented yet. All forms of /say are protected by flood protection, along with PMs and admin commands. g_floodMaxDemerits lets you fine tune the harshness of the protection somewhat. See the source link for details. I defaulted it to 5000.

Author: Phil Bordon (Updated and given a few more features by me)

Source (Original): https://bugzilla.icculus.org/show_bug.cgi?id=2811

8.7.12 Lakitu7-g_clientUpgradeNotice.patch

When g_clientUpgradeNotice 1, it informs players without a GUID that they should upgrade their client to receive faster map downloads and obtain a GUID, along with a link to where to get it (tjw's site). Notice is sent at connect and once per map change.

8.7.13 trem-servers-prefixes for flag4.patch

Adds [H][A][S] prefixes to team chat visible to admins with flag 4

Author: www.trem-servers.com

Source: ??

8.7.14 Lakitu7-remove-boost-warning-messages.patch

Removes "must be on humans / must be alive to use this command" messages for BOOST

Author: me

8.8 Logging

8.8.1 Lakitu7+benmachine-g_decolourLogfiles.patch

Strips colors from games.log and admin.log to make them more human readable, machine searchable and take up less space. Controled via g_decolourLogfiles. 0 = off. 1 = on, but adds an extra parameter to clientconnect and clientrename messages that contains the names still in color. I hope that stats script can

be updated to use this to allow them to continue to have colored names. 2 = on, without the modification to those lines by 1. This is “compatability mode.” Use it if your existing stats script breaks (but you don’t mind it being decoloured, if applicable). Regardless of which option you use, this patch fixes color bleeding in console messages when using ttycon_ansicolor

Author: Benmachine, Me

8.8.2 Logging Patches

Lakitu7-log_callvotes.patch

Lakitu7-log_stageups.patch

Lakitu7-mirror_adminlog_to_gameslog.patch

Logs stage inreases, vote (and teamvote) calling, and vote (and teamvote) final results to games.log. Individual players’ votes are NOT logged. Use of admin commands are also shown in games.log

Author: me

8.9 Bugfixes

8.9.1 Lakitu7-luci-exploit-fix.patch

My hacky, but working fix for Bug 3302

Author: me

8.9.2 Lakitu7-console-ignores-@-in-listplayers.patch

Console/rcon doing !listplayers is not affected by admins with flag @

Author: me

8.9.3 rezyn-sayargsoverrunfix.patch

Fixes a buffer overrun bug that causes buffer text to be repeated/sent to the wrong players under certain circumstances I don’t need to mention here. Rezyn fixed this before anyone even knew there was still a way to trigger it, then one was found, so it suddenly became useful.

Author: Rezyn

Appendix A: COMPLETE list of admin commands and flags

1	cannot be vote kicked, vote muted
2	cannot be censored or flood protected TODO
3	never loses credits for changing teams
4	can see team chat as a spectator
5	can switch teams any time, regardless of balance
6	does not need to specify a reason for a kick/ban
7	can call a vote at any time (regardless of a vote being disabled or voting limitations)
8	does not need to specify a duration for a ban
9	can run commands from team chat
0	inactivity rules do not apply to them
!	admin commands cannot be used on them
@	does not show up as an admin in !listplayers
\$	sees all information in !listplayers
#	permanent designated builder
&	uses admin stealth

?	sees and can use adminchat
B	!showbans display a (partial) list of active bans
C	!time show the current local server time
D	!listadmins display a list of all server admins and their levels
G	!readconfig reloads the admin config file and refreshes permission flags
H	!info read the servers information files
K	!lock lock a team to prevent anyone from joining it
K	!unlock unlock a locked team
L	!devmap load a map with cheats (and optionally force layout)
L	!layoutsave save a map layout
L	!listlayouts display a list of all available layouts for a map
M	!map load a map (and optionally force layout)
N	!rename rename a player
P	!spec999 move 999 pingers to the spectator team
R	!register Registers your name to protect it from being used by others or updates your admin name to your current name.
S	!pause Pause (or unpause) the game.
U	!buildlog display a list of recent builds and deconstructs
V	!passvote pass a vote currently taking place
a	!admintest display your current admin level
b	!ban ban a player by IP and GUID with an optional expiration time and reason.
b	!adjustban change the length or reason of a ban. time is specified as numbers followed by units w (weeks) d (days) h (hours) or m (minutes) or seconds if no units are specified
b	!unban unbans a player specified by the slot as seen in showbans
c	!cancelvote cancel a vote taking place
d	!allowbuild restore a players ability to build
d	!denybuild take away a players ability to build
e	!namelog display a list of names used by recently connected players
g	!designate give the player designated builder privileges
g	!undesignate revoke designated builder privileges
h	!help display commands available to you or help on a specific command
h	!specme moves you to the spectators
i	!listplayers display a list of players their client numbers and their levels
j	!listmaps Lists the maps on the server that are available for map votes
k	!kick kick a player with an optional reason
l	!L0 Sets a level 1 to level 0
l	!L1 Sets a level 0 to level 1
m	!unmute unmute a muted player
m	!mute mute a player
n	!nextmap go to the next map in the cycle
o	!maplog List the last several maps and their outcomes
p	!putteam move a player to a specified team
r	!restart restart the current map (optionally using named layout or keeping/switching teams)
s	!setlevel sets the admin level of a player
v	!revert revert one or more buildlog events
y	!allready makes everyone ready in intermission
w	!warn Warn a player to cease or face admin intervention
Z	!cp display a CP message to users, optionally specifying team(s) to send to

8.10 Default admin flags (if you do not create an admin.dat)

5: * (everything)
4: iahCpPkmBbwd?\$
3: iahCpPkmwd?\$
2: iahCpPwd
1: iahC
0: iahC

Appendix B: New Cvars that were added

g_lockTeamsAtStart	Used by !restart lock options. Don't mess with it yourself. I don't even think you can anyway
g_designateVotes	Default 0. 1 to enable /teamvote designate and /teamvote undesignate
g_clientUpgradeNotice	Default 1. 1 to enable, 0 to disable the notice
g_teamImbalanceWarnings	Default 30 (every 30 seconds)
g_adminSayFilter	Default 0 (off)
g_myStats	Enables /mystats. Default 1 (on)
g_publicSayadmins	Lets non-admins use say_admins to message active admins. Default 1 (on)
g_devmapKillerHP	Default 0 (off)
g_newbieNumbering	Default 0 (off)
g_newbieNamePrefix	Default "Newbie#"
g_suddenDeath	Used by SD votes. May break things if you modify via rcon manually
g_suddenDeathMode	Default 1 (off / default 1.1 behavior)
g_friendlyFireMovementAttacks	Default 1 for compatability, Recommended 0 (turns off pounce/trample damage)
g_retribution	Default 0 (off)
g_suddenDeathVotePercent	Default 75. (3/4ths must vote yes to pass) Set to 0 to disable SD votes entirely.
g_mapVotesPercent	Default 50.
g_allowShare	Default 0. Also controls /donate. Please leave this off, it ruins the game :(
g_minLevelToJoinTeam	Default 0
g_minLevelToSpecMM1	Default 0
g_dretchPunt	Default 1
g_devmapNoGod	Default 0
g_devmapNoStructDmg	Default 0
g_maxGameClients	Default 0 (no limit)
g_actionPrefix	Default "* ". Set to blank to disable actions.
g_antiSpawnBlock	Default 0 (disabled). Set to 150 to turn on.
g_deconDead	Default 0 (disallow deconning dead structures)
g_floodMinTime	Default 2000. Set to 0 to turn off flood protection
g_floodMaxDemerits	Default 5000. Fine tuning of flood protection. See docs for more info.
g_decolourLogfiles	Default 0 (off). Settings: 1 (on) 2(on, stats script compatibility mode). See docs for more info.
g_voteMinTime	Players cannot call a vote until they have been connected to the server for at least this many seconds. 0 to disable.
g_mapvoteMaxTime	Players cannot call a map vote after this many seconds of play. 0 to disable.
g_warmupMode	1 (default): Players cannot join until end of warmup 2: Players can join a team, but cannot spawn until end of warmup

g_requireVoteReasons	0 (default): off 1: Require players to specify a reason when calling kickvotes
g_forceautoselect	0 (default): off 1: Players may only select a team using autoselect
g_buildLogMaxLength	Controls the max length of the buildlog. Default 50.
g_banNotice	Appends this text to the end of every ban message as it's sent to the player. Default: (blank)
g_adminMaxBan	Admins without flag 8 can ban for a maximum of this length. Default: 2w

Appendix C: New Commands that were added

/me /me_team
 /share
 /donate
 /say_area
 /say_admins /a (same thing)
 /protect /resign (designated builder stuff)
 /mystats

9 Changelog

The full changelog is no longer included here. Please see the accompanying changelog.txt. You may also wish to view <http://source.mercenariesguild.net/lakitu7-qvm?view=rev> for the SVN logs (which begin during version 5.2 development).

10 Credits

The following people contributed code, created included code, or provided help to make this possible: kevlar-man, vcxzet, Napkin, Avenger, Risujin, rlch, peoro, tjw, pierre, Khalsa, foobar, gate, Martin Doucha, Wolfwings, benmachine, Phil Bordelon, trem-servers.com, tuple, Das-Iro, Mexel, Techhead, Rocinante, Amanieu, Rezyn, Googles

Also all of the MG/Puretremulous servers and communities, who put up with my constant updating and testing and breaking of things :)