

LazyConv1d#

<https://pytorch.org/docs/stable/generated/torch.nn.LazyConv1d.html>

Description:

A `torch.nn.Conv1d` module with lazy initialization of the `in_channels` argument. The `in_channels` argument of the `Conv1d` is inferred from the `input.size(1)`. The attributes that will be lazily initialized are `weight` and `bias`. Check the `torch.nn.modules.lazy.LazyModuleMixin` for further documentation on lazy modules and their limitations.

`out_channels` (int) – Number of channels produced by the convolution
`kernel_size` (int or tuple) – Size of the convolving kernel

Function Signature

```
class torch.nn.LazyConv1d(out_channels, kernel_size,
stride=1, padding=0, dilation=1, groups=1, bias=True,
padding_mode='zeros', device=None, dtype=None)[source]#
```

Parameters

```
cls_to_become[source]#
```

Notes & Warnings

NOTE

See also `torch.nn.Conv1d` and `torch.nn.modules.lazy.LazyModuleMixin`

Detailed Documentation

Documentation

A `torch.nn.Conv1d` module with lazy initialization of the `in_channels` argument.

The `in_channels` argument of the `Conv1d` is inferred from the `input.size(1)`. The attributes that will be lazily initialized are weight and bias.

Check the `torch.nn.modules.lazy.LazyModuleMixin` for further documentation on lazy modules and their limitations.

`out_channels` (int) – Number of channels produced by the convolution

`kernel_size` (int or tuple) – Size of the convolving kernel

`stride` (int or tuple, optional) – Stride of the convolution. Default: 1

`padding` (int or tuple, optional) – Zero-padding added to both sides of the input. Default: 0

`dilation` (int or tuple, optional) – Spacing between kernel elements. Default: 1

`groups` (int, optional) – Number of blocked connections from input channels to output channels. Default: 1

`bias` (bool, optional) – If True, adds a learnable bias to the output. Default: True

`padding_mode` (str, optional) – 'zeros', 'reflect', 'replicate' or 'circular'. Default: 'zeros'

`torch.nn.Conv1d` and `torch.nn.modules.lazy.LazyModuleMixin`

