

torch.sinh#

<https://pytorch.org/docs/stable/generated/torch.sinh.html>

Description:

Returns a new tensor with the hyperbolic sine of the elements of input.

input (Tensor) – the input tensor. out (Tensor, optional) – the output tensor.

Function Signature

```
torch.sinh(input, *, out=None) → Tensor#
```

Parameters

Keyword Arguments

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> a = torch.randn(4)
>>> a
tensor([ 0.5380, -0.8632, -0.1265,  0.9399])
>>> torch.sinh(a)
tensor([ 0.5644, -0.9744, -0.1268,  1.0845])
```

Notes & Warnings

NOTE

Note When input is on the CPU, the implementation of `torch.sinh` may use the Sleef library, which rounds very large results to infinity or negative infinity. See [here](#) for details.

Detailed Documentation

Documentation

Returns a new tensor with the hyperbolic sine of the elements of input.

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.

When input is on the CPU, the implementation of `torch.sinh` may use the Sleef library, which rounds very large results to infinity or negative infinity. See [here](#) for details.

Returns a new tensor with the hyperbolic sine of the elements of input.

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.

When input is on the CPU, the implementation of `torch.sinh` may use the Sleef library, which rounds very large results to infinity or negative infinity. See [here](#) for details.