



UNIVERSIDAD NACIONAL DE EDUCACIÓN A DISTANCIA
ESCUELA TÉCNICA SUPERIOR DE INGENIERÍA INFORMÁTICA

Proyecto de fin de Grado en Ingeniería Informática

Planificación eficiente de infraestructuras virtuales basadas en docker y kubernetes para el streaming de vídeo

Ángel Roberto García Serpa

Dirigido por: Agustín Carlos Caminero Herráez

Curso 2022/2023, convocatoria junio



Planificación eficiente de infraestructuras virtuales basadas en docker y kubernetes para el streaming de vídeo

Proyecto de fin de Grado en Ingeniería Informática
de modalidad genérica

Realizado por: Ángel Roberto García Serpa

Dirigido por: Agustín Carlos Caminero Herráez

Fecha de lectura y defensa: Fecha de lectura

Agradecimientos

Incluir todos los agradecimientos

Resumen

Se pretende realizar despliegue y evaluación de diversas tecnologías de servidores de streaming de video sobre contenedores ligeros. Para la consecución del objetivo principal, se deberán realizar los siguientes:

- Creación de las infraestructuras paralelas distribuidas.
- Recopilación de información sobre servidores de streaming de video.
- Puesta en marcha y evaluación de prestaciones de los servidores de vídeo seleccionados.
- Generación de documentación para el despliegue de los servidores utilizados tanto en local como en la nube.

Abstract

Resumen del PFG en inglés.

Palabras clave

video, distribuido, Kubernetes

Keywords

video, distributed, Kubernetes

Índice

Índice de tablas	XIII
Índice de figuras	XV
1. Introducción	1
2. Estado del arte	3
3. Propuesta	5
4. Diseño	7
5. Desarrollo del proyecto	9
6. Pruebas	11
7. Conclusiones	13
Bibliografía	15
A.	17
B.	19
B.1. VirtualBox	19
B.1.1. instalación	19
B.1.2. Guest Additions	19
B.2. Instalación de Ansible and sshpass	19
B.3. Creación del cluster	24
B.3.1. configuración de la red de los equipos:	24
B.3.2. instalación kubectl	24
B.3.3. Instalación de docker Engine	26

B.4. Instalar programas de obs 28

 B.4.1. install obs studio 28

Índice de tablas

Índice de figuras

Capítulo 1

Introducción

La utilización de "nuevas tecnologías" para la educación es uno de los temas centrales de las universidades y centros educativos en todo el mundo. Con la aparición de internet a finales de la década de los 90 con la idea de compartir información de forma más rápida. La UNED ha conseguido acercar la experiencia de la formación presencial a la modalidad remota mediante la utilización de herramientas que se han ido modernizando con el paso del tiempo. Desde el uso de la radio y vídeos, pasando por televisión y más recientemente las clases online, la UNED siempre ha intentado poner a disposición de sus alumnos material audiovisual que ayudara al alumnado a la obtención de los conocimientos necesarios. Actualmente la utilización de diversas plataformas online ayudan a conseguir dicho objetivo. Una de las maneras en que se puede mejorar la calidad de la educación a distancia es mediante las clases online con streaming de vídeo. En este momento esta es una de las herramientas utilizadas por nuestra universidad y por ello es interesante conocer herramientas que puedan ayudar.

En este TFG he intentado revisar algunas tecnologías que ayuden a realizar el lema de nuestra UNED "Que la sabiduría se mueva más que las cosas que se mueven". Para ello he llevado a cabo pruebas de rendimiento sobre servidores de vídeo que puedan ayudar a realizar eficientemente streaming de vídeo y que esto se convierta en una herramienta más que ayude a la transferencia de información del profesorado al alumnado.

Capítulo 2

Estado del arte

Capítulo 3

Propuesta

Contenido del capítulo...

Capítulo 4

Diseño

Contenido del capítulo...

Capítulo 5

Desarrollo del proyecto

Contenido del capítulo...

Capítulo 6

Pruebas

Contenido del capítulo...

Capítulo 7

Conclusiones

Contenido del capítulo...

Bibliografía

- [1] G. Sayfan, *Compiladores: Principios, técnicas y herramientas*. Pearson Addison-Wesley, 2008.
- [2] J. M. Díaz Martínez, *Fundamentos básicos de los sistemas operativos*. Sanz y Torres S.L., 2011.
- [3] A. project Contributors. (2023, 03) Installing ansible.
- [4] T. K. Authors. (2017) Installing kubernetes.
- [5] D. Inc. (2017) Install docker engine.

Apéndice A

Contenido del anexo...

Apéndice B

Instalaciones y Configuraciones

B.1. VirtualBox

B.1.1. instalación

B.1.2. Guest Additions

<https://www.makeuseof.com/tag/virtualbox-guest-additions-what-they-are-and-how-to-install-them/>

B.2. Instalación de Ansible and sshpass

Installing Ansible and sshpass. checking ansible version

```
tfg@mint01:~$ sudo apt update && sudo apt install software-properties-common
&& sudo add-apt-repository --yes ppa:ansible/ansible && sudo apt install
ansible
Hit:1 http://mirror.tedra.es/ubuntu jammy InRelease
Hit:2 http://mirror.tedra.es/ubuntu jammy-updates InRelease
Hit:3 http://mirror.tedra.es/ubuntu jammy-backports InRelease
Get:4 http://security.ubuntu.com/ubuntu jammy-security InRelease [110 kB]
Ign:5 https://mirrors.ptisp.pt/linuxmint vera InRelease
Hit:6 https://mirrors.ptisp.pt/linuxmint vera Release
Hit:8 https://download.sublimetext.com apt/stable/ InRelease
Get:9 http://security.ubuntu.com/ubuntu jammy-security/main amd64 DEP-11
Metadata [41,4 kB]
Get:10 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 DEP-11
Metadata [18,5 kB]
Fetched 170 kB in 1s (214 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
7 packages can be upgraded. Run 'apt list --upgradable' to see them.
W: https://download.sublimetext.com/apt/stable/InRelease: Key is stored in
legacy trusted.gpg keyring (/etc/apt/trusted.gpg), see the DEPRECATION
section in apt-key(8) for details.
Reading package lists... Done
```

```

Building dependency tree... Done
Reading state information... Done
The following NEW packages will be installed:
software-properties-common
0 upgraded, 1 newly installed, 0 to remove and 7 not upgraded.
Need to get 9.712 B of archives.
After this operation, 16,4 kB of additional disk space will be used.
Get:1 https://mirrors.ptisp.pt/linuxmint vera/upstream amd64 software-
properties-common all 2.2.1 [9.712 B]
Fetched 9.712 B in 0s (26,5 kB/s)
Selecting previously unselected package software-properties-common.
(Reading database ... 610456 files and directories currently installed.)
Preparing to unpack .../software-properties-common_2.2.1_all.deb ...
Unpacking software-properties-common (2.2.1) ...
Setting up software-properties-common (2.2.1) ...
You are about to add the following PPA:
Ansible is a radically simple IT automation platform that makes your
applications and systems easier to deploy. Avoid writing scripts or custom
code to deploy and update your applications automate in a language that
approaches plain English, using SSH, with no agents to install on remote
systems.

http://ansible.com/

If you face any issues while installing Ansible PPA, file an issue here:
https://github.com/ansible-community/ppa/issues
More info: https://launchpad.net/~ansible/+archive/ubuntu/ansible
gpg: directory '/root/.gnupg' created
gpg: keybox '/root/.gnupg/pubring.kbx' created
gpg: /root/.gnupg/trustdb.gpg: trustdb created
gpg: keybox '/etc/apt/keyrings/6125E2A8C77F2818FB7BD15B93C4A3FD7BB9C367.
keyring' created
gpg: key 93C4A3FD7BB9C367: public key "Launchpad PPA for Ansible, Inc."
imported
gpg: Total number processed: 1
gpg: imported: 1
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
python-babel-localedata python3-argcomplete python3-babel python3-distutils
python3-dnspython python3-jinja2 python3-jmespath python3-kerberos
python3-lib2to3 python3-libcloud python3-lockfile python3-ntlm-auth
python3-pycryptodome python3-requests-kerberos python3-requests-ntlm
python3-requests-toolbelt python3-selinux python3-simplejson python3-tz
python3-winrm python3-xlrd python3-xlwt
Suggested packages:
cowsay sshpass python3-sniffio python3-trio python-jinja2-doc
python-lockfile-doc
The following NEW packages will be installed:
ansible python-babel-localedata python3-argcomplete python3-babel
python3-distutils python3-dnspython python3-jinja2 python3-jmespath
python3-kerberos python3-lib2to3 python3-libcloud python3-lockfile
python3-ntlm-auth python3-pycryptodome python3-requests-kerberos
python3-requests-ntlm python3-requests-toolbelt python3-selinux
python3-simplejson python3-tz python3-winrm python3-xlrd python3-xlwt
0 upgraded, 22 newly installed, 0 to remove and 7 not upgraded.
Need to get 26,1 MB of archives.

```

```

After this operation, 259 MB of additional disk space will be used.
Do you want to continue? [Y/n] Y
Get:1 http://mirror.tedra.es/ubuntu jammy/main amd64 python-babel-localedata
  all 2.8.0+dfsg.1-7 [4.982 kB]
Get:2 http://mirror.tedra.es/ubuntu jammy-updates/main amd64 python3-tz all
  2022.1-1ubuntu0.22.04.0 [33,4 kB]
Get:3 http://mirror.tedra.es/ubuntu jammy/main amd64 python3-babel all 2.8.0+
  dfsg.1-7 [85,1 kB]
Get:4 http://mirror.tedra.es/ubuntu jammy/main amd64 python3-jinja2 all
  3.0.3-1 [108 kB]
Get:5 http://mirror.tedra.es/ubuntu jammy/main amd64 python3-pycryptodome
  amd64 3.11.0+dfsg1-3build1 [1.027 kB]
Get:6 http://mirror.tedra.es/ubuntu jammy-updates/main amd64 python3-lib2to3
  all 3.10.6-1~22.04 [77,6 kB]
Get:7 http://mirror.tedra.es/ubuntu jammy-updates/main amd64 python3-distutils
  all 3.10.6-1~22.04 [139 kB]
Get:8 http://mirror.tedra.es/ubuntu jammy/main amd64 python3-dnspython all
  2.1.0-1ubuntu1 [123 kB]
Get:9 http://mirror.tedra.es/ubuntu jammy/universe amd64 ansible all 2.10.7+
  merged+base+2.10.8+dfsg-1 [17,5 MB]
Get:10 http://mirror.tedra.es/ubuntu jammy/universe amd64 python3-argcomplete
  all 1.8.1-1.5 [27,2 kB]
Get:11 http://mirror.tedra.es/ubuntu jammy/main amd64 python3-jmespath all
  0.10.0-1 [21,7 kB]
Get:12 http://mirror.tedra.es/ubuntu jammy/universe amd64 python3-kerberos
  amd64 1.1.14-3.1build5 [23,0 kB]
Get:13 http://mirror.tedra.es/ubuntu jammy/main amd64 python3-lockfile all
  1:0.12.2-2.2 [14,6 kB]
Get:14 http://mirror.tedra.es/ubuntu jammy/main amd64 python3-simplejson amd64
  3.17.6-1build1 [54,7 kB]
Get:15 http://mirror.tedra.es/ubuntu jammy/universe amd64 python3-libcloud all
  3.2.0-2 [1.554 kB]
Get:16 http://mirror.tedra.es/ubuntu jammy/universe amd64 python3-ntlm-auth
  all 1.4.0-1 [20,4 kB]
Get:17 http://mirror.tedra.es/ubuntu jammy/universe amd64 python3-requests-
  kerberos all 0.12.0-2 [11,9 kB]
Get:18 http://mirror.tedra.es/ubuntu jammy/universe amd64 python3-requests-
  ntlm all 1.1.0-1.1 [6.160 B]
Get:19 http://mirror.tedra.es/ubuntu jammy/main amd64 python3-requests-
  toolbelt all 0.9.1-1 [38,0 kB]
Get:20 http://mirror.tedra.es/ubuntu jammy/universe amd64 python3-selinux
  amd64 3.3-1build2 [159 kB]
Get:21 http://mirror.tedra.es/ubuntu jammy/universe amd64 python3-xlrdict
  all 0.12.0-2 [12,6 kB]
Get:22 http://mirror.tedra.es/ubuntu jammy/universe amd64 python3-winrm all
  0.3.0-2 [21,7 kB]
Fetched 26,1 MB in 3s (8.628 kB/s)
Selecting previously unselected package python-babel-localedata.
(Reading database ... 610459 files and directories currently installed.)
Preparing to unpack .../00-python-babel-localedata_2.8.0+dfsg.1-7_all.deb ...
Unpacking python-babel-localedata (2.8.0+dfsg.1-7) ...
Selecting previously unselected package python3-tz.
Preparing to unpack .../01-python3-tz_2022.1-1ubuntu0.22.04.0_all.deb ...
Unpacking python3-tz (2022.1-1ubuntu0.22.04.0) ...
Selecting previously unselected package python3-babel.
Preparing to unpack .../02-python3-babel_2.8.0+dfsg.1-7_all.deb ...
Unpacking python3-babel (2.8.0+dfsg.1-7) ...
Selecting previously unselected package python3-jinja2.

```



```

Preparing to unpack .../03-python3-jinja2_3.0.3-1_all.deb ...
Unpacking python3-jinja2 (3.0.3-1) ...
Selecting previously unselected package python3-pycryptodome.
Preparing to unpack .../04-python3-pycryptodome_3.11.0+dfsg1-3build1_amd64.deb
...
Unpacking python3-pycryptodome (3.11.0+dfsg1-3build1) ...
Selecting previously unselected package python3-lib2to3.
Preparing to unpack .../05-python3-lib2to3_3.10.6-1~22.04_all.deb ...
Unpacking python3-lib2to3 (3.10.6-1~22.04) ...
Selecting previously unselected package python3-distutils.
Preparing to unpack .../06-python3-distutils_3.10.6-1~22.04_all.deb ...
Unpacking python3-distutils (3.10.6-1~22.04) ...
Selecting previously unselected package python3-dnspython.
Preparing to unpack .../07-python3-dnspython_2.1.0-1ubuntu1_all.deb ...
Unpacking python3-dnspython (2.1.0-1ubuntu1) ...
Selecting previously unselected package ansible.
Preparing to unpack .../08-ansible_2.10.7+merged+base+2.10.8+dfsg-1_all.deb
...
Unpacking ansible (2.10.7+merged+base+2.10.8+dfsg-1) ...
Selecting previously unselected package python3-argcomplete.
Preparing to unpack .../09-python3-argcomplete_1.8.1-1.5_all.deb ...
Unpacking python3-argcomplete (1.8.1-1.5) ...
Selecting previously unselected package python3-jmespath.
Preparing to unpack .../10-python3-jmespath_0.10.0-1_all.deb ...
Unpacking python3-jmespath (0.10.0-1) ...
Selecting previously unselected package python3-kerberos.
Preparing to unpack .../11-python3-kerberos_1.1.14-3.1build5_amd64.deb ...
Unpacking python3-kerberos (1.1.14-3.1build5) ...
Selecting previously unselected package python3-lockfile.
Preparing to unpack .../12-python3-lockfile_1%3a0.12.2-2.2_all.deb ...
Unpacking python3-lockfile (1:0.12.2-2.2) ...
Selecting previously unselected package python3-simplejson.
Preparing to unpack .../13-python3-simplejson_3.17.6-1build1_amd64.deb ...
Unpacking python3-simplejson (3.17.6-1build1) ...
Selecting previously unselected package python3-libcloud.
Preparing to unpack .../14-python3-libcloud_3.2.0-2_all.deb ...
Unpacking python3-libcloud (3.2.0-2) ...
Selecting previously unselected package python3-ntlm-auth.
Preparing to unpack .../15-python3-ntlm-auth_1.4.0-1_all.deb ...
Unpacking python3-ntlm-auth (1.4.0-1) ...
Selecting previously unselected package python3-requests-kerberos.
Preparing to unpack .../16-python3-requests-kerberos_0.12.0-2_all.deb ...
Unpacking python3-requests-kerberos (0.12.0-2) ...
Selecting previously unselected package python3-requests-ntlm.
Preparing to unpack .../17-python3-requests-ntlm_1.1.0-1.1_all.deb ...
Unpacking python3-requests-ntlm (1.1.0-1.1) ...
Selecting previously unselected package python3-requests-toolbelt.
Preparing to unpack .../18-python3-requests-toolbelt_0.9.1-1_all.deb ...
Unpacking python3-requests-toolbelt (0.9.1-1) ...
Selecting previously unselected package python3-selinux.
Preparing to unpack .../19-python3-selinux_3.3-1build2_amd64.deb ...
Unpacking python3-selinux (3.3-1build2) ...
Selecting previously unselected package python3-xltdict.
Preparing to unpack .../20-python3-xltdict_0.12.0-2_all.deb ...
Unpacking python3-xltdict (0.12.0-2) ...
Selecting previously unselected package python3-winrm.
Preparing to unpack .../21-python3-winrm_0.3.0-2_all.deb ...

```

```

Unpacking python3-winrm (0.3.0-2) ...
Setting up python3-lockfile (1:0.12.2-2.2) ...
Setting up python3-requests-toolbelt (0.9.1-1) ...
Setting up python3-ntlm-auth (1.4.0-1) ...
Setting up python3-pycryptodome (3.11.0+dfsg1-3build1) ...
Setting up python3-kerberos (1.1.14-3.1build5) ...
Setting up python3-tz (2022.1-1ubuntu0.22.04.0) ...
Setting up python-babel-localedata (2.8.0+dfsg.1-7) ...
Setting up python3-simplejson (3.17.6-1build1) ...
Setting up python3-xlrd (0.12.0-2) ...
Setting up python3-jmespath (0.10.0-1) ...
Setting up python3-requests-kerberos (0.12.0-2) ...
Setting up python3-dnspython (2.1.0-1ubuntu1) ...
Setting up python3-selinux (3.3-1build2) ...
Setting up python3-argcomplete (1.8.1-1.5) ...
Setting up python3-lib2to3 (3.10.6-1~22.04) ...
Setting up python3-distutils (3.10.6-1~22.04) ...
Setting up python3-requests-ntlm (1.1.0-1.1) ...
Setting up python3-babel (2.8.0+dfsg.1-7) ...
update-alternatives: using /usr/bin/pybabel-python3 to provide /usr/bin/
pybabel
(pybabel) in auto mode
Setting up python3-libcloud (3.2.0-2) ...
Setting up python3-jinja2 (3.0.3-1) ...
Setting up python3-winrm (0.3.0-2) ...
Setting up ansible (2.10.7+merged+base+2.10.8+dfsg-1) ...
Processing triggers for man-db (2.10.2-1) ...
tfg@mint00:~$ ansible --version
ansible 2.10.8
config file = None
configured module search path = ['/home/tfg/.ansible/plugins/modules', '/usr/
share/ansible/plugins/modules']
ansible python module location = /usr/lib/python3/dist-packages/ansible
executable location = /usr/bin/ansible
python version = 3.10.6 (main, Mar 10 2023, 10:55:28) [GCC 11.3.0]

tfg@Mint03:~$ sudo apt-get install sshpass
[sudo] password for tfg:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following NEW packages will be installed:
sshpass
0 upgraded, 1 newly installed, 0 to remove and 8 not upgraded.
Need to get 11,7 kB of archives.
After this operation, 35,8 kB of additional disk space will be used.
Get:1 http://mirror.tedra.es/ubuntu jammy/universe amd64 sshpass amd64 1.09-1
[11,7 kB]
Fetched 11,7 kB in 0s (214 kB/s)
Selecting previously unselected package sshpass.
(Reading database ... 649950 files and directories currently installed.)
Preparing to unpack .../sshpass_1.09-1_amd64.deb ...
Unpacking sshpass (1.09-1) ...
Setting up sshpass (1.09-1) ...
Processing triggers for man-db (2.10.2-1) ...

```

instalar dependencias de ansible

```
sudo apt-get install ansible-core
```

B.3. Creación del cluster

instalamos el master en mint00 y los otros 3 serán slaves del master

B.3.1. configuración de la red de los equipos:

se crea una conexión de tipo *bridge* y se le da una IP fija a cada equipo, de esta manera las VM tienen conexión a Internet y una red dedicada.

- mint00 192.168.1.100
- mint01 192.168.1.101
- mint02 192.168.1.102
- mint03 192.168.1.103

B.3.2. instalación kubectl

se descarga la última release:

```
curl -LO https://storage.googleapis.com/kubernetes-release/release/$(curl -s
https://storage.googleapis.com/kubernetes-release/release/stable.txt)/bin/
linux/amd64/kubectl
```

hacemos que el archivo sea ejecutable

```
chmod +x kubectl
```

movemos el binario al path del usuario para ejecutarlo directamente desde la consola.

```
sudo mv kubectl /usr/local/bin/kubectl
```

probamos que se ha instalado ejecutando el comando, comprobando que muestra su ayuda

```
tfg@mint01:~$ kubectl
kubectl controls the Kubernetes cluster manager.

Find more information at: https://kubernetes.io/docs/reference/kubectl/

Basic Commands (Beginner):
create      Create a resource from a file or from stdin
expose      Take a replication controller, service, deployment or pod and
```

```
expose it as a new Kubernetes service
run          Run a particular image on the cluster
set          Set specific features on objects

Basic Commands (Intermediate):
explain      Get documentation for a resource
get          Display one or many resources
edit         Edit a resource on the server
delete       Delete resources by file names, stdin, resources and names, or
by resources and label selector

Deploy Commands:
rollout      Manage the rollout of a resource
scale        Set a new size for a deployment, replica set, or replication
controller
autoscale    Auto-scale a deployment, replica set, stateful set, or
replication controller

Cluster Management Commands:
certificate   Modify certificate resources.
cluster-info  Display cluster information
top           Display resource (CPU/memory) usage
cordon        Mark node as unschedulable
uncordon      Mark node as schedulable
drain         Drain node in preparation for maintenance
taint         Update the taints on one or more nodes

Troubleshooting and Debugging Commands:
describe      Show details of a specific resource or group of resources
logs          Print the logs for a container in a pod
attach        Attach to a running container
exec          Execute a command in a container
port-forward  Forward one or more local ports to a pod
proxy         Run a proxy to the Kubernetes API server
cp            Copy files and directories to and from containers
auth          Inspect authorization
debug         Create debugging sessions for troubleshooting workloads and
nodes
events        List events

Advanced Commands:
diff          Diff the live version against a would-be applied version
apply         Apply a configuration to a resource by file name or stdin
patch         Update fields of a resource
replace       Replace a resource by file name or stdin
wait          Experimental: Wait for a specific condition on one or many
resources
kustomize     Build a kustomization target from a directory or URL

Settings Commands:
label         Update the labels on a resource
annotate      Update the annotations on a resource
completion    Output shell completion code for the specified shell (bash,
zsh, fish, or powershell)

Other Commands:
api-resources Print the supported API resources on the server
api-versions  Print the supported API versions on the server, in the form of
```

```
"group/version"
config          Modify kubeconfig files
plugin          Provides utilities for interacting with plugins
version         Print the client and server version information

Usage:
kubectl [flags] [options]

Use "kubectl <command> --help" for more information about a given command.
Use "kubectl options" for a list of global command-line options (applies to all
commands).
```

podemos ejecutar los 4 comandos a la vez:

```
curl -LO https://storage.googleapis.com/kubernetes-release/release/$(curl -s
https://storage.googleapis.com/kubernetes-release/release/stable.txt)/bin/
linux/amd64/kubectl && chmod +x ./kubectl && sudo mv ./kubectl /usr/local/
bin/kubectl && kubectl
```

B.3.3. Instalación de docker Engine

B.3.3.1. Configuración del repositorio

actualizamos el paquete apt e instalamos certificados necesarios

```
sudo apt-get update
sudo apt-get install \
ca-certificates \
curl \
gnupg
```

Añadimos la GPG key oficial de docker

```
sudo install -m 0755 -d /etc/apt/keyrings
curl -fsSL https://download.docker.com/linux/ubuntu/gpg | sudo gpg --dearmor -o
/etc/apt/keyrings/docker.gpg
sudo chmod a+r /etc/apt/keyrings/docker.gpg
```

configuramos el repositorio para descarga y configuración de docker

```
echo \
"deb [arch="$(dpkg --print-architecture)" signed-by=/etc/apt/keyrings/docker.gpg
] https://download.docker.com/linux/ubuntu \
"$(. /etc/os-release && echo "$VERSION_CODENAME)" stable" | \
sudo tee /etc/apt/sources.list.d/docker.list > /dev/null
```

ejecutamos un update para instalar docker.

```
sudo apt-get update
```

En este punto puede ser que de un error al no existir versión de Docker para nuestra distribución de Linux.

```
sudo apt-get update
Ign:1 https://ftp.crifo.org/mint-packages vera InRelease
Hit:2 https://ppa.launchpadcontent.net/ansible/ansible/ubuntu jammy InRelease
Hit:3 https://ftp.crifo.org/mint-packages vera Release
Hit:4 http://archive.ubuntu.com/ubuntu jammy InRelease
Hit:5 http://security.ubuntu.com/ubuntu jammy-security InRelease
Ign:7 https://download.docker.com/linux/ubuntu vera InRelease
Hit:8 http://archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:9 http://archive.ubuntu.com/ubuntu jammy-backports InRelease
Err:10 https://download.docker.com/linux/ubuntu vera Release
404 Not Found [IP: 18.67.240.122 443]
Hit:11 https://download.sublimetext.com apt/stable/ InRelease
Reading package lists... Done
E: The repository 'https://download.docker.com/linux/ubuntu vera Release' does
not have a Release file.
N: Updating from such a repository can't be done securely, and is therefore
disabled by default.
N: See apt-secure(8) manpage for repository creation and user configuration
details.
```

De darse el caso , editamos el archivo `/etc/apt/sources.list.d/docker.list` con la versión de docker disponible más parecida a la que estamos ejecutando. Para ello revisamos en <https://download.docker.com/linux/> las distribuciones para las que docker tiene releases y elegimos la nuestra. Para saber qué distribución es la de nuestro SO, se revisa el archivo `/etc/os-release` y se elige el `VERSION_CODENAME` o el `UBUNTU_CODENAME`

B.3.3.2. Instalación de Docker Engine

una vez configurado todo, instalamos Docker engine

```
sudo apt-get install docker-ce docker-ce-cli containerd.io docker-buildx-plugin
docker-compose-plugin
```

y verificamos que está correctamente instalado ejecutando un hello world docker style.

```
sudo docker run hello-world
Unable to find image 'hello-world:latest' locally
latest: Pulling from library/hello-world
2db29710123e: Pull complete
Digest: sha256:4e83453afed1b4fa1a3500525091dbfca6ce1e66903fd4c01ff015dbcb1ba33e
Status: Downloaded newer image for hello-world:latest

Hello from Docker!
This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:
1. The Docker client contacted the Docker daemon.
2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
   (amd64)
3. The Docker daemon created a new container from that image which runs the
   executable that produces the output you are currently reading.
```

4. The Docker daemon streamed that output to the Docker client, which sent it to your terminal.

To try something more ambitious, you can run an Ubuntu container with:

```
$ docker run -it ubuntu bash
```

Share images, automate workflows, and more with a free Docker ID:

<https://hub.docker.com/>

For more examples and ideas, visit:

<https://docs.docker.com/get-started/>

B.4. Instalar programas de obs

B.4.1. install obs studio

```
args@BobPc02:\$ docker pull somatorio/obs-studio
Using default tag: latest
latest: Pulling from somatorio/obs-studio
b3e1c725a85f: Pull complete
4daad8bdde31: Pull complete
63fe8c0068a8: Pull complete
4a70713c436f: Pull complete
bd842a2105a8: Pull complete
ad2d0b4ee955: Pull complete
Digest: sha256:583
       b32f6719ff422f70cc553d97968b34025f0bc3cc1e5495bcb46c7ea672fb3
Status: Downloaded newer image for somatorio/obs-studio:latest
docker.io/somatorio/obs-studio:latest
```

```
root@BobPc02:/home/args# sudo apt-get update && apt-get install -y obs-studio
curl ffmpeg
```