

# STAT 451 - Visualizing Data - Autumn 2025

Ariane Ducellier

11/20/2025

## Visualizing network data

Load R packages.

```
library(igraph)

##
## Attaching package: 'igraph'
## The following objects are masked from 'package:stats':
##   decompose, spectrum
## The following object is masked from 'package:base':
##   union
library(tidyverse)

## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v dplyr     1.1.4    v readr     2.1.5
## vforcats   1.0.0    v stringr   1.5.1
## v ggplot2   3.5.2    v tibble    3.3.0
## v lubridate 1.9.4    v tidyverse 1.3.1
## v purrr     1.1.0


## -- Conflicts ----- tidyverse_conflicts() --
## x lubridate::`%--%`()      masks igraph::`%--%`()
## x dplyr::as_data_frame()  masks tibble::as_data_frame(), igraph::as_data_frame()
## x purrr::compose()        masks igraph::compose()
## x tidyverse::crossing()   masks igraph::crossing()
## x dplyr::filter()         masks stats::filter()
## x dplyr::lag()            masks stats::lag()
## x purrr::simplify()       masks igraph::simplify()
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors
```

### Simple synthetic graph


```
gd <- graph(c(1,2, 2,3, 2,4, 1,4, 5,5, 3,6))

## Warning: `graph()` was deprecated in igraph 2.1.0.
## i Please use `make_graph()` instead.
## This warning is displayed once every 8 hours.
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was
## generated.
```

```
plot(gd)
```



```
gu <- graph(c(1,2, 2,3, 2,4, 1,4, 5,5, 3,6), directed=FALSE)
plot(gu, vertex.label=NA)
```



## A more complex graph dataset

```
refugeedata <- read_delim("../data/dataset-unhcr-refugees-data-sudan-south-sudan-2016.csv", ",")  
  
## Rows: 180 Columns: 6  
## -- Column specification -----  
## Delimiter: ","  
## chr (4): Country or territory of asylum or residence, ISO_A3_residence, Coun...  
## dbl (2): Refugees_assisted, Total_refugees  
##  
## i Use `spec()` to retrieve the full column specification for this data.  
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.  
  
edges <- refugeedata %>%  
  drop_na() %>%  
  select("ISO_A3_origin",  
         "ISO_A3_residence",  
         "Total_refugees") %>%
```

```

  rename("from"="ISO_A3_origin",
        "to"="ISO_A3_residence",
        "weight"="Total_refugees") %>%
  slice_max(n=15, order_by=weight)

nodesFrom <- edges %>%
  select("from") %>%
  distinct() %>%
  rename("country"="from")

nodesTo <- edges %>%
  select("to") %>%
  distinct() %>%
  rename("country"="to")

nodes <- bind_rows(nodesFrom, nodesTo) %>%
  distinct()

# Generate ID's for all nodes
nodes$ID <- seq.int(nrow(nodes))

# Create the network object
net <- graph_from_data_frame(d=edges, vertices=nodes, directed=TRUE)

par(mar=c(0, 0, 1, 0))

V(net)$size <- log(strength(net)) + 4
E(net)$width <- log(edges$weight / 350)

edgesSSD <- incident(net, V(net)[name=="SSD"], mode="out")
edgesSDN <- incident(net, V(net)[name=="SDN"], mode="out")
ecol <- rep("gray", ecount(net))
ecol[edgesSSD] <- "orange"
ecol[edgesSDN] <- "gold"

vcol <- rep("gray", vcount(net))
vcol[V(net)$name=="SSD"] <- "orange"
vcol[V(net)$name=="SDN"] <- "gold"

l <- layout_with_lgl(net, maxiter=93)

plot(net,
      main="Major flows of refugees to and from Sudan and South Sudan in 2016",
      sub="Source: UNHCR, 2016",
      layout=l,
      edge.color=ecol,
      edge.curved=.25,
      edge.arrow.size=log(E(net)$weight)/6,
      edge.label=E(net)$weight,
      edge.label.color="black",
      edge.label.cex=.7,
      vertex.color=vcol,
      vertex.label.color="black",
      vertex.label.cex=log(strength(net))/12)

```

## Major flows of refugees to and from Sudan and South Sudan in 2016

