

Infrared Sepctroscopy

Quiz-15 marks(30mins)

(No late submission will be considered)

08/09/2020

Write down your roll number in a document along with the question numbers and the right options and upload the document.

1. Which type of energy transition is shown in IR-spectroscopy?
 - a) Rotational
 - b) Electronic
 - c) Vibrational
 - d) Bond-breaking

2. As wave number increases, wave energy
 - a) Decreases
 - b) Increases
 - c) Remains constant
 - d) Not related

3. Which is the correct order of increasing wave number of the stretching vibrations of (1) C-H (alkane), (2) O-H (alcohol), (3) C=O (ketone), and (4) C \equiv C (alkyne)?
 - a) (4) < (3) < (2) < (1)
 - b) (3) < (4) < (2) < (1)
 - c) (3) < (4) < (1) < (2)
 - d) (4) < (3) < (1) < (2)

4. Which of the following statements regarding IR spectroscopy is wrong?
 - a) Infrared radiation is higher in energy than UV radiation.
 - b) Infrared spectra record the transmission of IR radiation.
 - c) Molecular vibrations are due to periodic motions of atoms in molecules, and include bond stretching, torsional changes, and bond angle changes.

- d) Infrared spectra give information about bonding features and functional groups in molecules.

5. Which is the correct order of increasing wave number of the stretching vibrations of (1) C-H (alkane), (2) C-H (alkene), (3) C-H (alkyne), and (4) C-H (arene)?

- a) (1) < (2) \approx (3) < (4)
- b) (4) < (3) \approx (2) < (1)
- c) (3) < (4) \approx (2) < (1)
- d) (1) < (4) \approx (2) < (3)

6. Bending vibration includes

- a) scissoring
- b) twisting
- c) wagging
- d) all of the above

7. According to the Hooke's Law for a vibrating spring, the frequency of a stretching vibration is

- a) proportional to the strength of the vibrating bond and masses of the atoms connected by the bond.
- b) proportional to the strength of the vibrating bond and inversely proportional to the masses of the atoms connected by the bond.
- c) inversely proportional to the strength of the vibrating bond and masses of the atoms connected by the bond.
- d) inversely proportional to the strength of the vibrating bond and proportional to the masses of the atoms connected by the bond.

8. Absorption of IR radiation causes

- a) change in vibrational energy without a change in electronic energy levels.
- b) change in both vibrational energy and electronic energy levels.

- c) change in electronic energy without a change in vibrational energy levels.
- d) no change in vibrational energy and electronic energy levels.

9. A mandatory criteria for covalent bonds to be IR active is

- a) symmetrical stretching/bending
- b) asymmetrical stretching/bending
- c) both a) and b)
- d) none of the above

10. 2. Which of the following is the wave number of near infrared spectrometer?

- a) $4000 - 200 \text{ cm}^{-1}$
- b) $200 - 10 \text{ cm}^{-1}$
- c) $12500 - 4000 \text{ cm}^{-1}$
- d) $50 - 1000 \text{ cm}^{-1}$

11. What is the relation between restoring force, f to the displacement q in Hooke's law?

- a) $f = -kq$
- b) $f = kq$
- c) $f = kq^2$
- d) $f = -kq^2$

12. On which factors the vibrational stretching frequency of diatomic molecule depends?

- a) Force constant
- b) Atomic population
- c) Temperature
- d) Magnetic field

13. The frequency of vibration of a bond is a function of which factor?

- a) Force constant of the bond
- b) Masses of the atoms involved in bonding
- c) Force constant of the bond and masses of the atoms

d) Bond order

14. What is the order of decreasing vibrational frequency for C — Cl, C — Br, C — C, C — O and C — H?

- a) C-H, C-C, C-O, C- Cl, C-Br
- b) C- Cl, C-Br, C-C, C -H, C-O
- c) C-O, C-H, C-Br, C- Cl, C-C
- d) C-Br, C- Cl, C-C, C-O, C-H

15. Which of the following is true?

- a) Frequency of vibrations, symmetric stretching > Frequency of vibrations, asymmetric stretching
- b) Frequency of vibrations, asymmetric stretching > Frequency of vibrations, symmetric stretching
- c) Frequency of vibrations, symmetric stretching = Frequency of vibrations, asymmetric stretching