

International Institute of Information Technology, Hyderabad
CSE486 (Spring 2020) MID-SEM EXAM-1 (22-Feb-2020)
Introduction to Neural and Cognitive Modeling (INCM)

Time: 1.5 Hours

Max. Marks: 60

INSTRUCTIONS:

Scientific Calculators are allowed. Please be as concise as possible in your answers.

Please start each question at the top of a page, indicating the question and sub-part numbers clearly.

If there is any ambiguity, make best assumptions and proceed but please state them.

Answer all the FOUR Questions.

1. Answer the following:

[6 + 9 = 15 Marks]

A. What are Marr's three levels of analysis? Illustrate these levels using one concrete example.

B. Write down the *Cable Equation* for passive dendrite and derive it.

2. Answer the following:

[8 + 7 = 15 Marks]

A. Indicate TRUE or FALSE for these questions and give suitable brief explanation.

(i) In the subthreshold regime, excitatory synapses *always* depolarize the membrane, i.e., shift the membrane potential to more positive values.

(ii) In the subthreshold regime, inhibitory synapses *always* hyperpolarize the membrane, i.e., shift the membrane potential to more negative values.

Consider the equation $\frac{dx}{dt} = -\frac{x}{\tau} + c \sum_k \delta(t - t^k)$ for parts (iii) and (iv). Here $\delta(\cdot)$ is the dirac delta function and with a suitable interpretation of the variable x and the constant c :

(iii) Equation describes a passive membrane voltage $u(t)$ driven by spike arrivals.

(iv) Equation describes the conductance $g(t)$ of a simple synapse model.

- B.** Derive the expression for the time evolution of membrane voltage from a suitably defined equation for time-rate-of-change equation for the membrane potential, for the case of step current injection at time t_0 and with an initial membrane potential at u_{rest} at time t_0 . Assume a passive membrane model and also that $I(t < t_0) = 0$.

3. Answer the following:

[8 + 7 = 15 Marks]

- A.** Describe the complete sequence of events that take place at the action potential initiation site, including the nature of ion flows at different stages of the action potential generation.
- B.** Write down the model for exponential integrate-and-fire (EIF) model. Explain how the threshold of firing changes when there is no external stimulating current as well as when there is a step current. Use graphs of $\frac{du}{dt}$ versus t and u versus t to illustrate the behaviour.

A. Answer the following:

[8 + 7 = 15 Marks]

- A.** State the set of four differential equations that constitutes Hodgkin-Huxley equations. Label all the terms clearly and briefly explain what they stand for. Now, derive the equation for the membrane potential from the first principles.
- B.** Write down the *Nernst equation*, please label all the terms of the equation clearly. Now, assuming the Boltzmann constant $k = 1.4 \times 10^{-23} \text{ J/K}$, the absolute temperature to be $T = 300 \text{ K}$, electron's charge to be $e = 1.60 \times 10^{-19} \text{ C}$, calculate the reversal potential for Na^+ , K^+ , and Cl^- in millivolts (mV) assuming the following extracellular and intracellular concentrations: $C_{int}[\text{K}^+] = 140$, $C_{ext}[\text{K}^+] = 5$; $C_{int}[\text{Na}^+] = 12$, $C_{ext}[\text{Na}^+] = 145$; $C_{int}[\text{Cl}^-] = 5$, $C_{ext}[\text{Cl}^-] = 125$.