

Computational Linguistics 1
Mid-Semester Exam
Spring 2022

Total Marks: 50
Time: 90 minutes

Answer all the questions

1. What is morph analysis? Why is it important in NLP applications like Machine Translation or Information Retrieval? Explain with suitable examples.

[5 marks]

2. (a) Give a letter-based finite state automaton to recognize the following words (and only the following words):

[5 marks]

Geeta, Gita, Githa, Geetha, Sita, Sitha, Seeta, Seetha, Geet, Rita

- (b) Give an FSA to generate the numbers 'one' to 'fifty'. The inputs may be words and need not be single letters. The FSA should not generate any other number.

[5 marks]

3. (a) Give the lexical forms for each of the 5 wordforms for the following verbal lexemes:

[3 marks]

PULL, RUN, DRINK


Eg. pull +V +prog = pulling

- (b) Give an FST to generate all the 5 wordforms of the verbs PULL, RUN, DRINK i.e. generate the surface forms for the lexical forms you gave in (a)

[6 marks]

4. See the FSA to handle adjectives in English. (a) Give any 8 examples of overgeneration by this which are unacceptable (eg. unsad, unsadly).

[2 marks]



(b) Modify the machine to avoid generation of wrong adjectival forms.

Hint: Use lists for types of adjectives. Each list should have 3-4 adjectives

[4 marks]

5. (a) Give 4 different paradigm classes (with 2 members in each class) for nouns in your mother tongue. Write them in WX notation. [4 marks]

Eg. Hindi: ladakA – ladakA, kamarA

Telugu: Avu – Avu, kukka

(b) Give the paradigm table (singular, plural, direct and indirect cases) for one member from each of the 4 classes as exemplified below:

[4x2=8 marks]

Example in Hindi:

ladakA 'boy'	Singular	Plural
Direct case	ladakA	ladake
Indirect case	ladake	ladakoM

Example in Telugu:

Avu 'cow'	Singular	Plural
Direct case	Avu	Avulu
Indirect case	Avu	Avula

(c) Give add-delete rules for the paradigm table generated above to get the base form.

Example:

[0.5x16=8 marks]

ladakA [0,0,0] = ladakA

ladake [1, 1, A] = ladakA

ladake [1, 1, A] = ladakA

ladakoM [2, 1, A] = ladakA