






Lomba Kompetensi Siswa Nasional 2024

Teknologi Informasi Sistem Administrasi Jaringan (IT Network System Administration)



MERDEKA BERPRESTASI Talenta Vokasi Menginspirasi

# PRA TEST PROJECT MODUL B – Client Server

# IT NETWORK SYSTEMS ADMINISTRATION

## LOMBA KOMPETENSI SISWA SMK TINGKAT NASIONAL 2024

Dokumen ini merupakan Pra-Test Project yang menjadi subject perubahan maksimal 30% untuk Actual Test Project. Pelaksanaan kompetisi LKS Nasional nanti akan menggunakan Actual Test Project yang akan dipublikasi pada saat kompetisi. Perubahan tersebut meliputi Topology, Functionality, Aplikasi dan Task yang diminta.

#### Introduction

An e-commerce company just bought some servers to create on premise infrastructure for their application. They require both Linux servers and windows servers for their business operation. You will be responsible for configuring the servers according to their requirements.

# **Instructions to the Competitor**

## Login credentials

#### Debian 12

Username : root/user
Password : P@ssw0rd
Windows Server 2022
Username : Administrator
Password : P@ssw0rd

## System environments

#### **WIB** site

Region/Time zone: Asia/Jakarta

**WITA** site

Region/Time zone: Asia/Makassar

**WIT site** 

Region/Time zone: Asia/Jayapura

#### Software

For testing purpose, all hosts have been installed with the following test tools: **curl, dnsutils, wget, ssh, nfs-common, rsync, telnet, traceroute**, **tcptraceroute** 

 Date: 12.08.2024
 Version: 1.0
 2 of 10

 LKSN2024\_TP\_EN
 2 of 10

### **WIB SITE**

#### **DHCP Server**

#### **FW-WIB**

• Configure the DHCP service on FW-WIB using isc-dhcp-server by referring to the below table

Option	Value
Subnet	/24
Range	10.10.10.120 - 10.10.10.150
Domain Name Server	10.10.10.10 10.10.10.20
Domain Name	barat.id
Gateway	10.10.10.254

- Configure static DHCP IP Address for LINSRV2 10.10.10.20
- Enable Dynamic DNS (DDNS) to automatically update DNS records barat.id for clients receiving DHCP leases.

#### **DNS Server**

#### LINSRV1

- Set up the barat.id domain on LINSRV1 using Bind9
  - the server works as the master DNS server
  - add domain records

Туре	Record	Value
NS	barat.id	ns1.barat.id
		ns2.barat.id
Α	ns1	10.10.10.10
	ns2	10.10.10.20
	LINSRV1	10.10.10.10
	LINSRV2	10.10.10.20
	www	32.12.10.110
	file	10.10.10.20
	mail	10.10.10.10
MX	barat.id	10, mail.barat.id

- Set up reverse DNS to resolve the server's address on the WIB site.
- Configure name server forwarder so can resolve domain tengah.id
  - the target address is 32.12.10.120

#### LINSRV2

- Set up the barat.id domain on LINSRV2
  - the server works as the slave DNS server from LINSRV1

#### **Certificate Authority**

#### LINSRV2

- Set up root certificate authority on LINSRV2 using OpenSSL on directory /root/ca.
- Create Root Certificate cacert.pem and cacert.key with attributes should be set as follows.

Country Code: IDOrganization: ITNSA

Common Name: LKSN 2024 CA

· Create additional certificate

Issued Certificate	Note
CN = BUDI	OpenVPN Client
CN = mail.barat.id	Mail Server
CN = www.barat.id	Web
CN = file.barat.id	Web
CN = www.tengah.id	Web

#### **RAID**

#### LINSRV2

- Add two disk with size 1gb
- Configure raid 1 use mdadm
  - create /dev/md0 device
  - format ext4 and mount directory /data

#### **WEB Server**

#### LINSRV1

- Configure web server on LINSRV1 using apache2
  - Set up basic security headers in Apache2.
  - Create a virtual host HTTP only for serving www.barat.id
    - The website page should display "Hello World from barat"
    - Add the HTTP header "X-Served-By" with the server hostname as the value

#### LINSRV2

- Configure web server on LINSRV2 using nginx
  - Set up basic security headers in nginx.
  - Create a virtual host HTTP only for serving www.barat.id
    - The website page should display "Hello World from barat"
    - Add the HTTP header "X-Served-By" with the server hostname as the value
  - Create a virtual host on LINSRV2 for serving file.barat.id
    - Enable HTTPS using the Certificate Authority from LKSN 2024 CA
    - · Redirect all HTTP requests to HTTPS.
    - This virtual host is set as a file server for directory /data/file/
    - Add basic authentication using username rahasia with password Skills39
    - Make sure LINCLT can access without any warning

#### **FW-WIB**

- Configure HTTP/HTTPS load balancer for www.utara.site, which is hosted by LINSRV1 and LINSRV2
  - Use a certificate from LKSN 2024 CA
  - Use round-robin as an algorithm
  - Make sure LINCLT can access without any warning

#### SSH

#### LINSRV2

- Install and configure the SSH Server on LINSRV2
  - Create a user file with the password Skills39 and set the home directory to /data/file/
  - Make sure to configure the file user not to be able to use sudo and become root
- Configure the user "user" in LNXCLT SSH to file@linsrv2.barat.id without a password and use key-based SSH authentication
- Change SSH port default to 2024

#### **MAIL Server**

#### LINSRV1

- Install and configure Postfix and Dovecot on LINSRV1
  - Use the domain barat.id so that email can be sent to user@barat.id email address.
    - Enable SMTP with negotiable TLS on port 25
    - Enable IMAP with negotiable TLS on port 143
    - Use certificates from LKSN 2024 CA
- Enable web-based email using Roundcube
  - · Make it accessible using the domain mail.barat.id.
  - Enable HTTPS access using a certificate LKSN 2024 CA
  - Make sure LINCLT can access the web-based email Roundcube
- Create two mail users: admin@barat.id and user@barat.id with password Skills39s
  - Send a test mail from user@barat.id to admin@barat.id.
- Create email alias contact@barat.id should be received by admin@barat.id
  - Send a test mail from user@barat.id to contact@barat.id

#### **VPN**

#### **FW-WIB**

- This device works as OpenVPN server.
- Configure remote-access vpn for WIT site
  - port 1194
  - use authentication user budi with password Skills39
  - VPN subnet : 10.100.100.0/25
  - · use tun interface

#### LINCLT

- Ensure the server obtains an IP address from the DHCP on FW-WIB.
- Verify access to the websites www.barat.id, file.barat.id, and mail.barat.id.
- Confirm the ability to send emails on mail.barat.id.
- Ensure SSH access to LINSRV2 as the user 'file' without requiring a password.

#### **Firewall**

#### **FW-WIB**

- Make sure that the firewall operates in stateful mode.
- · Configure DNAT for DNS using external IP.
- Configure WIB site can ping to public networks.

 Date: 12.08.2024
 Version: 1.0
 3 of 10

#### **WITA SITE**

#### **Active Directory Server**

#### WINSRV1

- Configure this server as the initial domain controller (new forest) for tengah.id
- Add users and groups belongs to

User	Password	Group
drs1-3	Skills39	Direksi
mng1-10	Skills39	Manager
kyw1-100	Skills39	Karyawan

- Configure all users in the domain must have a home folder under the C:\Homes directory.
- the users home directory can only be accessed by the user and is set to have a quota of 100MB.
- Configure group policy for prevents the Welcome animation from appearing on first login in all clients in tengah.id domain

#### WINSRV2

Configure an additional domain controller for tengah.id

#### **DNS Server**

#### WINSRV1

- · Configure DNS for tengah.id
- Create a reverse Zone for the 172.31.16.0/24 network
- Add domain records.

Туре	Record	Value
NS	tengah.id	ns1.tengah.id ns2.tengah.id
Α	ns1	172.31.16.10
	ns2	172.31.16.20
	www	32.12.10.120
	manager	172.31.16.10

- Configure name server forwarder so we can resolve domain barat.id
  - The target address is "32.12.10.110"

#### **WEB Server**

#### WINSRV1

- Install IIS web service
- · Create web for host www.tengah.id
  - Path C:\inetpub\wwwroot
  - The website page should display "Hello World from tengah"
- Create internal web with host manager.tengah.id
  - Path C:\inetpub\manager
  - The website page should display "Hello Managers!"

Enable basic authentication and allow user from group Manager only

#### **FW-WITA**

- Configure HTTP/HTTPS reverse proxy for www.tengah.id, hosted by WINSRV1
  - User certificate from LKSN 2024 CA
  - Make sure WINCLT can access without any warning

#### **iSCSI**

#### WINSRV2

- add disk 5gb on WINSRV2 use format NTFS and assign to H
- create virtual disk iSCSI with size 3gb on H:\backup-disk.vhdx
- Create an iSCSI target on the virtual disk
  - Name the iSCSI target 'BACKUP-TG'
  - Configure the iSCSI target BACKUP-TG to allow access only from WINSRV1

#### WINSRV1

- Set up the iSCSI initiator to connect to the iSCSI target BACKUP-TG on WINSRV2
- Mount the iSCSI target as disk C:\backup on WINSRV1
- format the disk with the NTFS file system and name it backup

#### **Windows Backup**

#### WINSRV1

Create a backup job to backup folder C:\inetpub\wwwroot to folder C:\backup at 4 PM daily.

#### **DFS Replication**

#### WINSRV1 & WINSRV2

- Configure folders synchronized
  - C:\Homes at WINSRV1
  - H:\Homes at WINSRV2

#### WINCLT

- Configure join domain to tengah.id
- Ensure that users can log in using credentials from the domain tengah.id.
- Verify that the websites www.tengah.id and manager.tengah.id are accessible.

#### **Firewall**

#### **FW-WITA**

- Make sure that the firewall operates in stateful mode.
- Configure DNAT for DNS using external IP.
- Configure WITA site can ping to public networks.

Version: 1.0 5 of 10

# **WIT SITE**

#### **BUDI-CLT**

- Configure OpenVPN remote access client user budi.
- Verify that the websites www.barat.id and www.tengah.id are accessible.

#### **Firewall**

#### **FW-WITA**

- Make sure that the firewall operates in stateful mode.
- Configure WITA site can ping to public networks.

Date: 12.08.2024 | Version: 1.0 | 6 of 10

# **Appendix**

Device	os	IP Address
LINSRV1	Debian 12.x	10.10.10.10/24 192.168.40.1 (preconfigure)
LINSRV2	Debian 12.x	10.10.10.20/24 (DHCP) 192.168.40.2 (preconfigure)
FW-WIB	Debian 12.x	10.10.10.254/24 32.12.10.110/23 192.168.40.3 (preconfigure)
LINCLT	Debian 12.x GUI	10.10.10.200/24 192.168.40.4 (preconfigure)
WINSRV1	Windows Server 2022	172.31.16.10/24
WINSRV2	Windows Server 2022 Core	172.31.16.20/24
FW-WITA	Debian 12.x	172.31.16.254/24 32.12.10.120/23 192.168.40.5 (preconfigure)
WINCLT	Windows 11	172.31.16.200/24
FW-WIT	Debian 12.x	192.168.101.254/24 32.12.10.130/23 192.168.40.6 (preconfigure)
BUDI-CLT	Debian 12.x GUI	192.168.101.200/24 192.168.40.7 (preconfigure)

Note: The last interface on each Linux server has already been configured with an IP address. **YOU ARE NOT ALLOWED TO CONFIGURE OR CHANGE IT !!!.** If you make changes that do not comply with the appendix, we will not be able to assess it (penilaian).

# **Topology**

