

The Rabbit and Fox model for the HP-41C family

A.J.M. Jacobs

March 4, 2013

Contents

1	The Rabbit and Fox model HP-41C code	2
2	How to use the Fox and Rabbit program	4

1 The Rabbit and Fox model HP-41C code

key strokes	step	display code(s)	remark
[ON]			Put the calculator [ON]
[PRGM]			Enter program mode
<input type="checkbox"/> GTO . .		00 REG nnn	Set program counter @ end of code
<input type="checkbox"/> LBL [ALPHA]FR[ALPHA]	01	LBL"FR	Start position Rabbit and Fox model
<input type="checkbox"/> FIX 5	02	FIX 5	Set the display format to 0.00000
RCL 02	03	RCL 02	Read amount of rabbits @ time is t
ENTER↑	04	ENTER↗	
ENTER↑	05	ENTER↗	
RCL 03	06	RCL 03	Read amount of foxes @ time is t
RCL 00	07	RCL 00	Encounter factor
×	08	*	
×	09	*	Number of meetings
STO 04	10	STO 04	Store
$X \leq Y$	11	X<>Y	
2	12	2	
×	13	*	Calculate change rabbits
-	14	-	
RCL 01	15	RCL 01	
×	16	*	
STO + 02	17	ST+ 02	Save new number of rabbits
RCL 04	18	RCL 04	
RCL 03	19	RCL 03	

key strokes	step	display code(s)	remark
-	20	-	Calculate change foxes
RCL 01	21	RCL 01	
×	22	*	
STO + 03	23	ST+ 03	Save new number of foxes
RCL 03	24	RCL 03	
EEX 5	25	1 E5	
÷	26	/	Divide number of foxes by 100000
RCL 02	27	RCL 02	
XEQ [ALPHA] INT[ALPHA]	28	INT	Add rounded number of rabbits
+	29	+	Form: rrr.00fff
□ RTN	30	RTN	Return
□ GTO . . .		00 REG nnn	END RPN coding
[PRGM]			Leave program mode
□ ASN [ALPHA]FR[ALPHA] R↓			Assign "FR" to R↓
[USER]			Set USER mode

2 How to use the Fox and Rabbit program

This model is based on a publication in a HP Journal (November 1975). It was an example for a HP-25 programmable calculator.

In a fox and rabbit population model the growth functions can be described as a pair of nonlinear differential equations like:

$$\frac{dR}{dt} = 2R - \alpha RF$$

$$\frac{dF}{dt} = -F + \alpha RF$$

Where R is the number of rabbits and F the number of foxes. The α factor describes the effect of a rabbit meeting a fox. And t is for time.

With Euler: $X_{n+1} = X_n + hF(X_n)$

$$R_{n+1} = R_n + h(2R_n - \alpha R_n F_n)$$

$$F_{n+1} = F_n + h(-F_n + \alpha R_n F_n)$$

The RPN coded Fox and Rabbit program with Label "FR" has been assigned to key $R\downarrow$. The HP-41C calculator has been set in USER-mode. Enter and store the initial values.

Example:

$$\alpha = 0.01 \quad h = 0.02$$

$$R_0 = 300 \quad F_0 = 150$$

Keystrokes:

```
.01      ST0 00
.02      ST0 01
300      ST0 02
150      ST0 03
```

The program will calculate step by step. Initial values are at time is 0. The first run will result in values at time is 1.

Now run, press key R↓

Result:

303.00156

The number before the decimal point is the number of rabbits. The number after the decimal point is the number of foxes.

So, at time is 1 the number of rabbits are 303 and foxes are 156.

Now run again (step 2), press key R↓

Result:

305.00162

At time is 2 the number of rabbits are 305 and foxes are 162.

Etc. etc. etc.