In [1]: import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import matplotlib.ticker as tic

In [2]: df=pd.read\_csv("cleaned\_rainfall")
 df

## Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	0	ANDAMAN & NICOBAR ISLANDS	1901	49.2	87.1	29.2	2.3	528.8	517.5	365.1	481.1	332.6	388.5
1	1	ANDAMAN & NICOBAR ISLANDS	1902	0.0	159.8	12.2	0.0	446.1	537.1	228.9	753.7	666.2	197.2
2	2	ANDAMAN & NICOBAR ISLANDS	1903	12.7	144.0	0.0	1.0	235.1	479.9	728.4	326.7	339.0	181.2
3	3	ANDAMAN & NICOBAR ISLANDS	1904	9.4	14.7	0.0	202.4	304.5	495.1	502.0	160.1	820.4	222.2
4	4	ANDAMAN & NICOBAR ISLANDS	1905	1.3	0.0	3.3	26.9	279.5	628.7	368.7	330.5	297.0	260.7
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4

4116 rows × 20 columns

In [3]: df["SUBDIVISION"].value\_counts() Out[3]: NORTH INTERIOR KARNATAKA 115 SUB HIMALAYAN WEST BENGAL & SIKKIM 115 KONKAN & GOA 115 **GUJARAT REGION** 115 **UTTARAKHAND** 115 TAMIL NADU 115 **RAYALSEEMA** 115 CHHATTISGARH 115 GANGETIC WEST BENGAL 115 NAGA MANI MIZO TRIPURA 115 HARYANA DELHI & CHANDIGARH 115 SOUTH INTERIOR KARNATAKA 115 ORISSA 115 SAURASHTRA & KUTCH 115 EAST MADHYA PRADESH 115 WEST RAJASTHAN 115 **PUNJAB** 115 **JHARKHAND** 115 MADHYA MAHARASHTRA 115 HIMACHAL PRADESH 115 **VIDARBHA** 115 **BIHAR** 115 COASTAL ANDHRA PRADESH 115 COASTAL KARNATAKA 115 WEST MADHYA PRADESH 115 JAMMU & KASHMIR 115 WEST UTTAR PRADESH 115 **TELANGANA** 115 EAST UTTAR PRADESH 115 EAST RAJASTHAN 115 **KERALA** 115 ASSAM & MEGHALAYA 115 MATATHWADA 115 LAKSHADWEEP 114 ANDAMAN & NICOBAR ISLANDS 110 ARUNACHAL PRADESH 97 Name: SUBDIVISION, dtype: int64

## **WEST RAJASTHAN**


## Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV
1817	1817	WEST RAJASTHAN	1901	6.7	0.0	1.1	0.0	6.1	3.0	79.0	59.2	1.0	2.1	0.0
1818	1818	WEST RAJASTHAN	1902	0.0	0.0	0.0	0.5	4.0	49.1	27.0	71.3	41.8	1.8	0.0
1819	1819	WEST RAJASTHAN	1903	1.7	1.3	5.5	0.0	4.2	2.7	154.8	87.1	49.3	0.1	0.0
1820	1820	WEST RAJASTHAN	1904	3.8	2.9	16.3	0.7	11.4	14.6	39.8	45.6	21.4	1.4	2.9
1821	1821	WEST RAJASTHAN	1905	6.3	4.8	0.7	1.3	0.3	4.9	30.1	0.6	64.5	0.0	0.0
1927	1927	WEST RAJASTHAN	2011	0.0	11.8	1.5	1.5	7.8	24.4	88.5	166.8	116.3	0.1	0.0
1928	1928	WEST RAJASTHAN	2012	0.5	0.0	0.0	9.5	10.4	5.3	40.4	166.7	92.0	1.9	0.0
1929	1929	WEST RAJASTHAN	2013	8.6	21.8	4.2	3.1	1.7	37.6	104.5	138.2	58.7	10.1	1.0
1930	1930	WEST RAJASTHAN	2014	0.8	2.2	4.7	8.4	23.0	13.8	94.3	69.6	84.9	0.5	0.2
1931	1931	WEST RAJASTHAN	2015	1.4	0.9	30.3	25.2	15.5	53.2	234.6	60.5	35.7	1.1	0.1


115 rows × 20 columns


localhost:8888/notebooks/Rainfall(33-34).ipynb

```
In [13]: dat1.plot.bar("YEAR","JUL")
         plt.xlim(0,20)
         plt.figure(figsize=(60,30))
         plt.show()
         dat1.plot.box()
         plt.xlim(2,14)
         plt.ylim(0,2000)
         plt.show()
         dat1.plot.area()
         dat1.plot.scatter("YEAR","JUL")
         sns.stripplot(x=dat1["JUL"],y=dat1["YEAR"],jitter=True)
         plt.ylim(1900,2010)
         plt.xlim(0,145)
         plt.xticks(dat1["JUL"],rotation="vertical")
         plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=10))
         plt.show()
         dat1.plot.hist()
```




<Figure size 4320x2160 with 0 Axes>






Out[13]: <AxesSubplot:ylabel='Frequency'>



```
In [6]: sns.lineplot(x=dat1["JUL"],y=dat1["YEAR"])
plt.show()
```



## **LAKSHADWEEP**


In [7]: dat2=df[df["SUBDIVISION"]=="LAKSHADWEEP"]
 dat2

Out[7]:


	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
4002	4002	LAKSHADWEEP	1901	22.6	86.4	114.8	263.8	37.3	459.0	0.0	0.0	46.7	183.7
4003	4003	LAKSHADWEEP	1902	99.3	9.6	32.6	40.4	179.1	374.2	413.3	170.0	214.3	384.2
4004	4004	LAKSHADWEEP	1903	63.5	95.0	0.0	29.5	144.1	212.4	261.8	202.0	292.1	79.1
4005	4005	LAKSHADWEEP	1904	0.0	0.0	13.5	13.2	143.3	261.3	256.0	38.9	219.9	153.6
4006	4006	LAKSHADWEEP	1905	62.4	0.0	0.0	0.0	166.7	400.7	68.7	377.5	107.5	232.1
4111	4111	LAKSHADWEEP	2011	5.1	2.8	3.1	85.9	107.2	153.6	350.2	254.0	255.2	117.4
4112	4112	LAKSHADWEEP	2012	19.2	0.1	1.6	76.8	21.2	327.0	231.5	381.2	179.8	145.9
4113	4113	LAKSHADWEEP	2013	26.2	34.4	37.5	5.3	88.3	426.2	296.4	154.4	180.0	72.8
4114	4114	LAKSHADWEEP	2014	53.2	16.1	4.4	14.9	57.4	244.1	116.1	466.1	132.2	169.2
4115	4115	LAKSHADWEEP	2015	2.2	0.5	3.7	87.1	133.1	296.6	257.5	146.4	160.4	165.4


114 rows × 20 columns

```
In [8]:
        dat2.plot.bar("YEAR","JUL")
        plt.xlim(0,20)
        plt.figure(figsize=(60,30))
        plt.show()
        dat2.plot.box()
        plt.xlim(2,14)
        plt.ylim(0,2000)
        plt.show()
        dat2.plot.area()
        dat2.plot.scatter("YEAR","JUL")
        sns.stripplot(x=dat2["JUL"],y=dat2["YEAR"],jitter=True)
        plt.ylim(1900,2010)
        plt.xlim(0,145)
        plt.xticks(dat2["JUL"],rotation="vertical")
        plt.gca().xaxis.set_major_locator(tic.MultipleLocator(base=20))
        plt.show()
        dat2.plot.hist()
        plt.show()
```



<Figure size 4320x2160 with 0 Axes>





2000

3000

4000

ó

In [9]: sns.lineplot(x=dat2["JUL"],y=dat2["YEAR"])
plt.show()

