Chapter 4.3: Validation / Model Selection

Model selection is the processes of selecting the best hyperparameters for a learning problem. It is the most important step in real-world data mining tasks.

One of the weaknesses of our textbook is that it does not discuss in detail very many models to select hyper-parameters for. So in order to have more interesting models to work with, we spent the last few lectures covering the "Model Zoo" and "Transfer Learning" topics. Now we return to Chapter 4.3 of the textbook. Previously we discussed Chapters 4.1-4.2 of the textbook on how regularization relates to overfitting.

Section 4.3: Validation (+Review)

The motivating equation of Chapter 4 is

$$E_{\text{out}}(h) = E_{\text{in}}(h) + \text{overfit penalty.}$$
 (1)

Definition 1. Optimization with a soft order constraint is defined to be

$$g = \underset{h \in \mathcal{H}}{\operatorname{arg \, min}} E_{\operatorname{in}}(h) \quad \text{subject to} \quad \Omega(h) \le C$$
 (2)

where $\Omega: \mathcal{H} \to \mathbb{R}$ is a regularization function that penalizes "complex" hypotheses, and $C: \mathbb{R}$ is a hyperparameter that determines how complex a function is allowed to be.

Definition 2. Define the augmented error to be

$$E_{\text{aug}}(h) = E_{\text{in}}(h) + \lambda \Omega(h). \tag{3}$$

Then the augmented error minimization problem is

$$g = \underset{h \in \mathcal{H}}{\operatorname{arg\,min}} E_{\operatorname{aug}}(h). \tag{4}$$

Theorem 1. If $\lambda = \Theta(\frac{1}{C})$, then under reasonable conditions, optimizing the augmented error in Eq (4) is equivalent to optimizing the soft order constraint in Eq (2).

Fact 1. If $\Omega(h) \approx |E_{\rm in}(h) - E_{\rm out}(h)|$, then $E_{\rm aug} \approx E_{\rm out}$, and $g \approx f$.



Illustrate the validation set notation below.

Equation 4.10 of the textbook states

$$E_{\mathrm{out}}(g) \le E_{\mathrm{out}}(g^{-}) \le E_{\mathrm{val}}(g^{-}) + O\left(\sqrt{\frac{1}{K}}\right).$$


Section 4.3.2: Model Selection

Illustrate the model selection notation below.

Equation 4.12 from the textbook states

$$E_{\text{out}}(g_{m^*}) \le E_{\text{out}}(g_{m^*}^-) \le E_{\text{val}}(g_{m^*}^-) + O\left(\sqrt{\frac{\log M}{K}}\right).$$

Section 4.3.3: Cross Validation



$$E_{\rm out}(g) \approx E_{\rm out}(g^-) \approx E_{\rm val}(g^-).$$

Illustrate the cross validation notation below.

Problems

Problem 1. You are training a logistic regression model to determine whether an image contains a bee or an ant. You have about 400 labeled images that have been randomly split into a training set of size 250 and a validation set of size 150.

1. You decide to train two models, one where the inputs to your model are the features generated by the ResNet18 feature map and another where the inputs to your model are the ResNet50 feature map. Both feature maps generate the same number of features, but the ResNet50 feature map internally has 50 hidden layers.

For both models, you train for 25 epochs with a step size of 10^{-3} and weight decay of 10^{-4} . You observe that $E_{\rm train}$ for the ResNet18 feature map is 0.18 and $E_{\rm train}$ for the ResNet50 feature map is 0.11. Based on this observation, you conclude that the model based on ResNet50 will likely have lower $E_{\rm out}$ and you decide to use this as your final model. You estimate $E_{\rm out}$ by calculating $E_{\rm val}$ for the ResNet50 model. What can you say about the relationship between $E_{\rm out}$ and $E_{\rm val}$?

2. You decide to only use the ResNet18 feature map to train your model. You train the model for 25 epochs using stochastic gradient descent. After each epoch, you evaluate the model on the validation set. Finally, you select the model that had the best validation error. What can you say about the relationship between $E_{\rm out}$ and $E_{\rm val}$?

Problem 2. For each of the following inequalities, either prove it or provide a counterexample.

1.
$$E_{\text{train}}(g^-) \le E_{\text{in}}(g^-) \tag{5}$$

2.
$$E_{\text{train}}(g) \le E_{\text{in}}(g) \tag{6}$$

3.
$$E_{\text{train}}(g) \le E_{\text{train}}(g^{-}) \tag{7}$$

4.
$$E_{\rm in}(g) \le E_{\rm val}(g) \tag{8}$$

5.
$$E_{\text{out}}(g) \le E_{\text{val}}(g^-) + O(\sqrt{\log M/K})$$
 (9)