```
{
"cells": [
 {
 "cell_type": "code",
 "execution_count": 6,
 "metadata": {
  "scrolled": false
 },
 "outputs": [],
 "source": [
  "import tensorflow as tf\n"
 ]
 },
 "cell_type": "code",
 "execution_count": 7,
 "metadata": {},
 "outputs": [],
 "source": [
  "\n",
  "from keras.preprocessing.image import ImageDataGenerator"
 ]
 },
 "cell_type": "code",
 "execution_count": null,
 "metadata": {},
 "outputs": [],
 "source": [
  "#Augmenting the input training images"
 ]
```

```
},
{
"cell_type": "code",
"execution_count": 11,
"metadata": {},
"outputs": [
 {
 "name": "stdout",
 "output_type": "stream",
 "text": [
  "Found 4103 images belonging to 5 classes.\n"
 ]
 }
],
"source": [
 "train_datagen = ImageDataGenerator(\n",
      rescale=1./255,\n",
      shear_range=0.2,\n",
      zoom_range=0.2,\n",
      horizontal_flip=True)\n",
 "\n",
 "\n",
 "training_set = train_datagen.flow_from_directory(\n",
      'training',\n",
      target_size=(64, 64),\n",
      batch_size=32,\n",
      class_mode='categorical')\n",
 "\n"
]
},
```

```
"cell_type": "code",
"execution_count": 12,
"metadata": {},
"outputs": [
 {
 "name": "stdout",
 "output_type": "stream",
 "text": [
  "Found 214 images belonging to 5 classes.\n"
 ]
 }
],
"source": [
 "test_datagen = ImageDataGenerator(\n",
    rescale=1./255)\n",
 "\n",
 "test_data = test_datagen.flow_from_directory(\n",
      'Testing',\n",
      target_size=(64, 64),\n",
      batch_size=32,\n",
      class_mode='categorical')"
]
},
"cell_type": "code",
"execution_count": null,
"metadata": {},
"outputs": [],
"source": [
 "#Building the model"
]
```

```
},
 {
 "cell_type": "code",
 "execution_count": 13,
 "metadata": {},
 "outputs": [],
 "source": [
  "cnn = tf.keras.models.Sequential()"
 ]
 },
 {
 "cell_type": "code",
 "execution_count": null,
 "metadata": {},
 "outputs": [],
 "source": [
  "#Adding convolution layer"
 ]
 },
 "cell_type": "code",
 "execution_count": 14,
 "metadata": {},
 "outputs": [],
 "source": [
  "cnn.add(tf.keras.layers.Conv2D(filters=64,kernel_size=3,activation =\"relu\",input_shape
=[64,64,3]))\n",
  "\n",
  "cnn.add(tf.keras.layers.MaxPool2D(pool_size = 2,strides=2))"
 ]
 },
```

```
{
"cell_type": "code",
"execution_count": 15,
"metadata": {},
"outputs": [],
"source": [
 "\n",
 "cnn.add(tf.keras.layers.MaxPool2D(pool_size = 2,strides=2))"
]
},
"cell_type": "code",
"execution_count": 16,
"metadata": {},
"outputs": [],
"source": [
 "cnn.add(tf.keras.layers.Dropout(0.5))"
]
},
"cell_type": "code",
"execution_count": null,
"metadata": {},
"outputs": [],
"source": [
 "# Flattening the layers "
]
},
"cell_type": "code",
```

```
"execution_count": 17,
"metadata": {},
"outputs": [],
"source": [
 "cnn.add(tf.keras.layers.Flatten())"
]
},
{
"cell_type": "code",
"execution_count": null,
"metadata": {},
"outputs": [],
"source": [
 "# Adding dense layers(Hidden Layers)"
]
},
"cell_type": "code",
"execution_count": 18,
"metadata": {},
"outputs": [],
"source": [
 "cnn.add(tf.keras.layers.Dense(units=128,activation =\"relu\"))"
]
},
"cell_type": "code",
"execution_count": 19,
"metadata": {},
"outputs": [],
"source": [
```

```
"cnn.add(tf.keras.layers.Dense(units=5,activation=\"softmax\"))"
]
},
{
"cell_type": "code",
"execution_count": null,
"metadata": {},
"outputs": [],
"source": [
 "#compilation of the neural network model"
]
},
"cell_type": "code",
"execution_count": 20,
"metadata": {},
"outputs": [],
"source": [
 "cnn.compile(optimizer=\"rmsprop\",loss=\"categorical_crossentropy\",metrics =[\"accuracy\"])"
]
},
"cell_type": "code",
"execution_count": null,
"metadata": {},
"outputs": [],
"source": [
 "#Fitting the neural network model and training it"
]
},
{
```

```
"cell_type": "code",
 "execution_count": 41,
 "metadata": {
 "scrolled": false
 },
 "outputs": [
  "name": "stdout",
  "output type": "stream",
  "text": [
  "Epoch 1/30\n",
  "129/129 [=============] - 34s 254ms/step - loss: 1.3400 - accuracy:
0.4350 - val_loss: 1.0596 - val_accuracy: 0.6168\n",
  "Epoch 2/30\n",
  "129/129 [===========================] - 33s 253ms/step - loss: 1.0957 - accuracy:
0.5659 - val_loss: 1.1546 - val_accuracy: 0.6168\n",
  "Epoch 3/30\n",
  "129/129 [==========================] - 36s 279ms/step - loss: 0.9823 - accuracy:
0.6176 - val_loss: 1.0383 - val_accuracy: 0.5841\n",
  "Epoch 4/30\n",
  0.6432 - val_loss: 0.8612 - val_accuracy: 0.6776\n",
  "Epoch 5/30\n",
  "129/129 [===============] - 37s 289ms/step - loss: 0.8707 - accuracy:
0.6727 - val_loss: 1.1994 - val_accuracy: 0.5514\n",
  "Epoch 6/30\n",
  0.6856 - val_loss: 0.9825 - val_accuracy: 0.6916\n",
  "Epoch 7/30\n",
  0.7002 - val loss: 0.9143 - val accuracy: 0.6636\n",
  "Epoch 8/30\n",
  "129/129 [=============] - 36s 280ms/step - loss: 0.7603 - accuracy:
0.7090 - val_loss: 0.8084 - val_accuracy: 0.7243\n",
```

```
"Epoch 9/30\n",
  "129/129 [========================] - 33s 257ms/step - loss: 0.7361 - accuracy:
0.7187 - val loss: 0.8042 - val accuracy: 0.7150\n",
  "Epoch 10/30\n",
  0.7387 - val_loss: 0.9286 - val_accuracy: 0.6589\n",
  "Epoch 11/30\n",
  "129/129 [========================] - 35s 273ms/step - loss: 0.6722 - accuracy:
0.7453 - val loss: 1.0362 - val accuracy: 0.6822\n",
  "Epoch 12/30\n",
  0.7534 - val loss: 0.7733 - val accuracy: 0.7056\n",
  "Epoch 13/30\n",
  0.7655 - val_loss: 0.8955 - val_accuracy: 0.6916\n",
  "Epoch 14/30\n",
  "129/129 [================] - 37s 284ms/step - loss: 0.6128 - accuracy:
0.7702 - val_loss: 0.9361 - val_accuracy: 0.6542\n",
  "Epoch 15/30\n",
  "129/129 [========================] - 36s 279ms/step - loss: 0.5988 - accuracy:
0.7780 - val_loss: 0.8789 - val_accuracy: 0.6916\n",
  "Epoch 16/30\n",
  "129/129 [================] - 36s 281ms/step - loss: 0.5822 - accuracy:
0.7775 - val_loss: 0.9812 - val_accuracy: 0.6729\n",
  "Epoch 17/30\n",
  "129/129 [================] - 38s 298ms/step - loss: 0.5802 - accuracy:
0.7870 - val_loss: 0.8973 - val_accuracy: 0.7056\n",
  "Epoch 18/30\n",
  "129/129 [===============] - 40s 306ms/step - loss: 0.5724 - accuracy:
0.7875 - val loss: 0.8542 - val accuracy: 0.7056\n",
  "Epoch 19/30\n",
  "129/129 [===============] - 39s 305ms/step - loss: 0.5624 - accuracy:
0.7955 - val_loss: 0.7468 - val_accuracy: 0.7430\n",
  "Epoch 20/30\n",
```

```
"129/129 [========================] - 39s 303ms/step - loss: 0.5542 - accuracy:
0.7919 - val loss: 0.8988 - val accuracy: 0.7150\n",
  "Epoch 21/30\n",
  0.8040 - val_loss: 1.0677 - val_accuracy: 0.6963\n",
  "Epoch 22/30\n",
  "129/129 [========================] - 38s 296ms/step - loss: 0.5146 - accuracy:
0.8172 - val_loss: 0.8774 - val_accuracy: 0.7243\n",
  "Epoch 23/30\n",
  0.8172 - val loss: 0.8348 - val accuracy: 0.6963\n",
  "Epoch 24/30\n",
  "129/129 [========================] - 45s 348ms/step - loss: 0.5067 - accuracy:
0.8153 - val_loss: 0.9380 - val_accuracy: 0.6916\n",
  "Epoch 25/30\n",
  0.8284 - val_loss: 0.9572 - val_accuracy: 0.7056\n",
  "Epoch 26/30\n",
  0.8360 - val_loss: 0.8506 - val_accuracy: 0.7056\n",
  "Epoch 27/30\n",
  "129/129 [================] - 39s 302ms/step - loss: 0.4734 - accuracy:
0.8216 - val loss: 1.2935 - val accuracy: 0.6168\n",
  "Epoch 28/30\n",
  "129/129 [==========================] - 39s 300ms/step - loss: 0.4611 - accuracy:
0.8272 - val_loss: 0.8751 - val_accuracy: 0.6869\n",
  "Epoch 29/30\n",
  "129/129 [========================] - 37s 290ms/step - loss: 0.4375 - accuracy:
0.8372 - val_loss: 0.9651 - val_accuracy: 0.6729\n",
  "Epoch 30/30\n",
  0.8501 - val_loss: 1.0778 - val_accuracy: 0.6963\n"
 1
 },
 {
```

```
"data": {
   "text/plain": [
   "<keras.callbacks.History at 0x2bf28ab59b0>"
  ]
  },
  "execution count": 41,
  "metadata": {},
  "output_type": "execute_result"
  }
 ],
 "source": [
  "cnn.fit(x = training_set , validation_data =test_data , epochs = 30 )"
 ]
},
 "cell_type": "code",
 "execution_count": 42,
 "metadata": {},
 "outputs": [
  "name": "stdout",
  "output_type": "stream",
  "text": [
  "Epoch 1/30\n",
   "129/129 [==============] - 45s 347ms/step - loss: 0.4250 - accuracy:
0.8496 - val_loss: 0.9867 - val_accuracy: 0.6729\n",
   "Epoch 2/30\n",
   "129/129 [==========================] - 44s 341ms/step - loss: 0.4170 - accuracy:
0.8469 - val_loss: 1.0115 - val_accuracy: 0.7056\n",
   "Epoch 3/30\n",
   0.8550 - val_loss: 0.8851 - val_accuracy: 0.7150\n",
```

```
"Epoch 4/30\n",
  "129/129 [========================] - 44s 341ms/step - loss: 0.4077 - accuracy:
0.8513 - val loss: 1.1110 - val accuracy: 0.6916\n",
  "Epoch 5/30\n",
  0.8603 - val_loss: 1.2546 - val_accuracy: 0.7103\n",
  "Epoch 6/30\n",
  "129/129 [========================] - 42s 327ms/step - loss: 0.4018 - accuracy:
0.8630 - val loss: 0.9946 - val accuracy: 0.6916\n",
  "Epoch 7/30\n",
  "129/129 [=========================] - 41s 313ms/step - loss: 0.3879 - accuracy:
0.8640 - val loss: 1.0004 - val accuracy: 0.7243\n",
  "Epoch 8/30\n",
  "129/129 [========================] - 42s 324ms/step - loss: 0.3729 - accuracy:
0.8655 - val_loss: 1.0725 - val_accuracy: 0.6916\n",
  "Epoch 9/30\n",
  0.8582 - val_loss: 1.0544 - val_accuracy: 0.6916\n",
  "Epoch 10/30\n",
  "129/129 [========================] - 42s 327ms/step - loss: 0.3742 - accuracy:
0.8652 - val_loss: 0.9719 - val_accuracy: 0.6963\n",
  "Epoch 11/30\n",
  "129/129 [===================] - 42s 326ms/step - loss: 0.3737 - accuracy:
0.8686 - val_loss: 0.9270 - val_accuracy: 0.7336\n",
  "Epoch 12/30\n",
  0.8647 - val_loss: 0.9987 - val_accuracy: 0.7196\n",
  "Epoch 13/30\n",
  "129/129 [===============] - 44s 338ms/step - loss: 0.3701 - accuracy:
0.8718 - val loss: 0.8642 - val accuracy: 0.7196\n",
  "Epoch 14/30\n",
  "129/129 [===============] - 44s 339ms/step - loss: 0.3546 - accuracy:
0.8786 - val_loss: 1.1820 - val_accuracy: 0.6822\n",
  "Epoch 15/30\n",
```

```
"129/129 [========================] - 50s 390ms/step - loss: 0.3510 - accuracy:
0.8762 - val loss: 1.0773 - val accuracy: 0.7150\n",
  "Epoch 16/30\n",
  "129/129 [================] - 41s 315ms/step - loss: 0.3433 - accuracy:
0.8852 - val_loss: 1.3577 - val_accuracy: 0.7009\n",
  "Epoch 17/30\n",
  "129/129 [========================] - 68s 527ms/step - loss: 0.3400 - accuracy:
0.8796 - val_loss: 1.0770 - val_accuracy: 0.7150\n",
  "Epoch 18/30\n",
  0.8755 - val loss: 0.9273 - val accuracy: 0.7243\n",
  "Epoch 19/30\n",
  "129/129 [=========================] - 70s 539ms/step - loss: 0.3386 - accuracy:
0.8835 - val_loss: 1.1471 - val_accuracy: 0.6776\n",
  "Epoch 20/30\n",
  "129/129 [================] - 71s 548ms/step - loss: 0.3300 - accuracy:
0.8869 - val_loss: 1.1275 - val_accuracy: 0.7103\n",
  "Epoch 21/30\n",
  0.8864 - val_loss: 1.2780 - val_accuracy: 0.6963\n",
  "Epoch 22/30\n",
  "129/129 [================] - 66s 515ms/step - loss: 0.3249 - accuracy:
0.8867 - val loss: 1.0580 - val accuracy: 0.7056\n",
  "Epoch 23/30\n",
  "129/129 [===============] - 82s 622ms/step - loss: 0.3225 - accuracy:
0.8903 - val_loss: 1.2799 - val_accuracy: 0.7383\n",
  "Epoch 24/30\n",
  0.8884 - val_loss: 1.3724 - val_accuracy: 0.7056\n",
  "Epoch 25/30\n",
  "129/129 [===============] - 50s 382ms/step - loss: 0.3218 - accuracy:
0.8945 - val_loss: 1.2431 - val_accuracy: 0.7009\n",
  "Epoch 26/30\n",
  0.8945 - val_loss: 0.9750 - val_accuracy: 0.7056\n",
```

```
"Epoch 27/30\n",
  0.9020 - val_loss: 1.4106 - val_accuracy: 0.7056\n",
  "Epoch 28/30\n",
  0.8935 - val_loss: 0.9878 - val_accuracy: 0.7243\n",
  "Epoch 29/30\n",
  "129/129 [=============] - 59s 458ms/step - loss: 0.3071 - accuracy:
0.8976 - val loss: 1.1608 - val accuracy: 0.6963\n",
  "Epoch 30/30\n",
  0.8913 - val_loss: 1.4083 - val_accuracy: 0.7336\n"
 ]
 },
 {
 "data": {
  "text/plain": [
  "<keras.callbacks.History at 0x2bf223fcfd0>"
  ]
 },
 "execution_count": 42,
 "metadata": {},
 "output_type": "execute_result"
 }
 ],
 "source": [
 "cnn.fit(x = training_set , validation_data =test_data , epochs = 30 )"
 ]
},
 "cell_type": "code",
 "execution_count": null,
```

```
"metadata": {},
"outputs": [],
"source": [
 "#preprocess the test image"
]
},
"cell_type": "code",
"execution_count": 43,
"metadata": {},
"outputs": [],
"source": [
 "import numpy as np"
]
},
"cell_type": "code",
"execution_count": 55,
"metadata": {},
"outputs": [
 "name": "stdout",
 "output_type": "stream",
 "text": [
  "1/1 [======] - 0s 79ms/step\n"
 ]
 }
],
"source": [
 "image = tf.keras.preprocessing.image.load_img(\"prediction/tu.jpg\",target_size=(64,64))\n",
 "input_arr = tf.keras.preprocessing.image.img_to_array(image)\n",
```

```
"input_arr = np.expand_dims(input_arr,axis=0)\n",
 "result = cnn.predict(input_arr)"
]
},
{
"cell_type": "code",
"execution_count": 52,
"metadata": {},
"outputs": [
 {
 "data": {
  "text/plain": [
  "{'Daisy': 0, 'Dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}"
  ]
 },
 "execution_count": 52,
 "metadata": {},
 "output_type": "execute_result"
 }
],
"source": [
 "training_set.class_indices"
]
},
"cell_type": "code",
"execution_count": 56,
"metadata": {},
"outputs": [
 "name": "stdout",
```

```
"output_type": "stream",
 "text": [
  "[[0. 0. 0. 0. 1.]]\n"
 ]
 }
],
"source": [
 "print(result)"
]
},
"cell_type": "code",
"execution_count": null,
"metadata": {},
"outputs": [],
"source": [
 "#Mapping the result to the values"
]
},
"cell_type": "code",
"execution_count": 57,
"metadata": {},
"outputs": [
 "name": "stdout",
 "output_type": "stream",
 "text": [
  "tulip\n"
 ]
 }
```

```
],
 "source": [
 "if result[0][0] == 1:\n",
 " print(\"daisy\")\n",
 "elif result[0][1] == 1:\n",
 " print(\"dandelion\")\n",
 "elif result[0][2] == 1:\n",
 " print(\"rose\")\n",
 "elif result[0][3] ==1:n",
 " print(\"suflower\")\n",
 "elif result[0][4] == 1:\n",
 " print(\"tulip\")"
},
 "cell_type": "code",
 "execution_count": null,
 "metadata": {},
 "outputs": [],
 "source": []
}
],
"metadata": {
"kernelspec": {
 "display_name": "Python 3",
 "language": "python",
 "name": "python3"
"language_info": {
 "codemirror_mode": {
 "name": "ipython",
```

```
"version": 3
},

"file_extension": ".py",

"mimetype": "text/x-python",

"name": "python",

"nbconvert_exporter": "python",

"pygments_lexer": "ipython3",

"version": "3.7.3"
}
},

"nbformat": 4,

"nbformat_minor": 2
}
```