Список литературы

[1] Coello, C., Alba, E., Luque, G., and Aguirre, A., Comparing different serial and parallel heuristics to design combinatorial logic circuits, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 3–12, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[2] Aguirre, A. and Coello, C., Fitness landscape and evolutionary boolean synthesis using information theory concepts, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 13–20, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[3] Louis, S. J., Learning for evolutionary design, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 17–21, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[4] A.Stoica et al., Silicon validation of evolution-designed circuits, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 21–25, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[5] Vinger, K. and Torresen, J., Implementing evolution of fir-filters efficiently in an fpga, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 26–29, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[6] Koza, J., Keane, M., and Streeter, M., the importance of reuse and development in evolvable hardware, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 33–42, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[7] Gallagher, J., The once and future anaolg alternative: Evolvable hardware and analog computation, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 43–49, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[8] Botelho, J., Leonardo, B., Vieira, P., and Mesquita, A., An experiment on nonlinear synthesis using evolutionary techniques based only on cmos transistors, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 50–58, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[9] Greenwood, G., Ramsden, E., and Ahmed, S., An empirical comparison of evolutionary algorithms for evolvable hardware with minimum time-to-reconfigure requirements, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 59–66, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[10] Aggarwal, V., Evolving sinusoidal oscillators using genetic algorithms, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 67–76, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[11] Plante, J., Shaw, H., Mickens, L., and Johnson-Be, C., Overview of field programmable analog arrays as enabling technology for evolvable hardware for high reliability systems, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 77–78, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[12] Gwaltney, D. and Ferguson, M. I., Intrinsic hardware evolution for the design and reconfiguration of analog speed controllers for a dc motor, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 81–90, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[13] Jackson, A. H., Canham, R., and Tyrrell, A. M., Robot fault-tolerance using and embryonic array, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 91–100, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[14] Amaral, J. F. et al., Evolvable building blocks for analog fuzzy logic controllers, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 101–110, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[15] Takahashi, E., Murakawa, M., Kasai, Y., and Higuchi, T., Power dissipation reductions with genetic algorithms, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 111–116, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[16] Tian, L. and Arslan, T., An evolutionary power management algorithm for soc based ehw ststems, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 117–124, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[17] Thomson, R. and Arslan, T., The evolutionary design and synthesis of non-linear digital vlsi systems, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 125–134, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[18] Sekanina, L. and Ruzicka, R., Easily testable image operators: The class of circuits where evolution beats engineers, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 135–144, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[19] Zinchenko, L. and Sorokin, S., Fitness estimations for evolutionary antenna design, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 155–166, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[20] Garvie, M. and Thompson, A., Evolution of combinationial and sequential on-line self-diagnosing hardware, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 167–173, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[21] Shanthi, A. P. and R.Parthasarathi, Exploring fpga structures for evolving fault tolerant hardware, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 174–181, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[22] R.Zebulum et al., Experimental results in evolutionary fault-recovery for field programmble, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 182–188, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[23] Roggen, D., Hofmann, S., Thoma, Y., and Floreano, D., Hardware spiking neural network with run-time reconfigurable connectivity in and autonomous robot, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 189–198, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[24] R. Canham, A. H. J. and Tyrrell, A., Robot error detection using an artificial immune system, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 199–207, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[25] Kamio, S., Liu, H., Mitsuhasi, H., and Iba, H., Researches on ingeniously behaving agents, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 208–220, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[26] Harding, S. and Miller, J. F., A scalable platform for intrinsic hardware and in materio evolution, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 221–224, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[27] Kramer, G. R. and Gallagher, J., Improvements to the *cga enabling online intrinsic evolution in compact eh devices, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 225–234, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[28] Stauffer, A. and Sipper, M., Data and signals: A new kind of cellular automation for growing systems, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 235–241, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[29] Sayama, H., Self-protection maintains diversity of artificial self-replicators evolving in cellular automata, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 242–254, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[30] Tempesti, G., Mange, D., Petraglio, E., Stauffer, A., and Thoma, Y., Developmental processes in silicon: An engineering perspective, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 255–264, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[31] Dinerstein, J., Dinerstein, N., and de Garis, H., Automatic multi-module neural network evolution in an artificial brain, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn, J. et al., pages 273–276, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.