Список литературы

[Aggarwal(2003)] Aggarwal V, 2003 "Evolving sinusoidal oscillators using genetic algorithms" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Aguirre & Coello(2003)] Aguirre A, Coello C, 2003 "Fitness landscape and evolutionary boolean synthesis using information theory concepts" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Amaral et al.(2003)Amaral, Santini, Tanscheit, Vellasco, Pacheco, & Mesquita] Amaral J F, Santini C, Tanscheit R, Vellasco M, Pacheco M, Mesquita A, 2003 "Evolvable building blocks for analog fuzzy logic controllers" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[A.Stoica et al.(2003)A.Stoica, R.Zebulum, X.Guo, D.Keymeulen, Duong, & M.I.Ferguson] A.Stoica, R.Zebulum, X.Guo, D.Keymeulen, Duong V, M.I.Ferguson, 2003 "Silicon validation of evolution-designed circuits" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Botelho et al.(2003)Botelho, Leonardo, Vieira, & Mesquita] Botelho J, Leonardo B, Vieira P, Mesquita A, 2003 "An experiment on nonlinear synthesis using evolutionary techniques based only on cmos transistors" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Coello et al.(2003)Coello, Alba, Luque, & Aguirre] Coello C, Alba E, Luque G, Aguirre A, 2003 "Comparing different serial and parallel heuristics to design combinatorial logic circuits" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Dinerstein et al.(2003)Dinerstein, Dinerstein, & de Garis] Dinerstein J, Dinerstein N, de Garis H, 2003 "Automatic multi-module neural network evolution in an artificial brain" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Gallagher(2003)] Gallagher J, 2003 "The once and future anaolg alternative: Evolvable hardware and analog computation" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Garvie & Thompson(2003)] Garvie M, Thompson A, 2003 "Evolution of combinational and sequential on-line self-diagnosing hardware" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Greenwood et al.(2003)Greenwood, Ramsden, & Ahmed] Greenwood G, Ramsden E, Ahmed S, 2003 "An empirical comparison of evolutionary algorithms for evolvable hardware with minimum time-to-reconfigure requirements" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Gwaltney & Ferguson(2003)] Gwaltney D, Ferguson M I, 2003 "Intrinsic hardware evolution for the design and reconfiguration of analog speed controllers for a dc motor" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Harding & Miller(2003)] Harding S, Miller J F, 2003 "A scalable platform for intrinsic hardware and in materio evolution" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Jackson et al.(2003)Jackson, Canham, & Tyrrell] Jackson A H, Canham R, Tyrrell A M, 2003 "Robot fault-tolerance using and embryonic array" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Kamio et al.(2003)Kamio, Liu, Mitsuhasi, & Iba] Kamio S, Liu H, Mitsuhasi H, Iba H, 2003 "Researches on ingeniously behaving agents" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL http://ieeexplore.ieee.org/iel5/8637/27376/01217668.pdf?tp=&arnumber=1217668&isnumber=27376

[Koza et al.(2003)Koza, Keane, & Streeter] Koza J, Keane M, Streeter M, 2003 "the importance of reuse and development in evolvable hardware" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Kramer & Gallagher(2003)] Kramer G R, Gallagher J, 2003 "Improvements to the *cga enabling online intrinsic evolution in compact eh devices" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Louis(2003)] Louis S J, 2003 "Learning for evolutionary design" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Plante et al.(2003)Plante, Shaw, Mickens, & Johnson-Be] Plante J, Shaw H, Mickens L, Johnson-Be C, 2003 "Overview of field programmable analog arrays as enabling technology for evolvable hardware for high reliability systems" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[R. Canham & Tyrrell(2003)] R. Canham A H J, Tyrrell A, 2003 "Robot error detection using an artificial immune system" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Roggen et al.(2003)Roggen, Hofmann, Thoma, & Floreano] Roggen D, Hofmann S, Thoma Y, Floreano D, 2003 "Hardware spiking neural network with run-time reconfigurable connectivity in and autonomous robot" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[R.Zebulum et al.(2003)R.Zebulum, A.Stoica, X.Guo, D.Keymeulen, Duong, & M.I.Ferguson] R.Zebulum, A.Stoica, X.Guo, D.Keymeulen, Duong V, M.I.Ferguson, 2003 "Experimental results in evolutionary fault-recovery for field programmble" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Sayama(2003)] Sayama H, 2003 "Self-protection maintains diversity of artificial self-replicators evolving in cellular automata" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Sekanina & Ruzicka(2003)] Sekanina L, Ruzicka R, 2003 "Easily testable image operators: The class of circuits where evolution beats engineers" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Shanthi & R.Parthasarathi(2003)] Shanthi A P, R.Parthasarathi, 2003 "Exploring fpga structures for evolving fault tolerant hardware" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Stauffer & Sipper(2003)] Stauffer A, Sipper M, 2003 "Data and signals: A new kind of cellular automation for growing systems" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Takahashi et al.(2003)Takahashi, Murakawa, Kasai, & Higuchi] Takahashi E, Murakawa M, Kasai Y, Higuchi T, 2003 "Power dissipation reductions with genetic algorithms" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Tempesti et al.(2003)Tempesti, Mange, Petraglio, Stauffer, & Thoma] Tempesti G, Mange D, Petraglio E, Stauffer A, Thoma Y, 2003 "Developmental processes in silicon: An engineering perspective" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Thomson & Arslan(2003)] Thomson R, Arslan T, 2003 "The evolutionary design and synthesis of non-linear digital vlsi systems" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Tian & Arslan(2003)] Tian L, Arslan T, 2003 "An evolutionary power management algorithm for soc based ehw ststems" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research

Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Vinger & Torresen(2003)] Vinger K, Torresen J, 2003 "Implementing evolution of fir-filters efficiently in an fpga" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov

[Zinchenko & Sorokin(2003)] Zinchenko L, Sorokin S, 2003 "Fitness estimations for evolutionary antenna design" in J Lohn, R Zebulum, J Steincamp, D Keymeulen, A Stoica, M I Ferguson, eds., "2003 NASA/DoD Conference on Evolvable Hardware", NASA Ames Research Center (Chicago, Illinois: IEEE Computer Society)
URL EHWhttp://ehw.jpl.nasa.gov