

## Список литературы

- [Al-Kazemi and Mohan(2000)] Al-Kazemi, B. and Mohan, C.K. (2000) ‘Solving problems with overlapping building blocks’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 384. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA208.pdf>.
- [Arita et al.(2000)] Arita, and Masami Hagiya, Komiya, Gouzu and Sakamoto] Arita, M., and Masami Hagiya, A.N., Komiya, K., Gouzu, H. and Sakamoto, K. (2000) ‘Improving sequence design for dna computing’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 875–882. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/DN131.pdf>.
- [Baghadadchi(2000)] Baghadadchi, J. (2000) ‘A classifier based learning model for intelligent agents’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 870.
- [Baglioni et al.(2000)] Baglioni, Sorbello, da Costa Pereira and Tettamanzi] Baglioni, S., Sorbello, D., da Costa Pereira, C. and Tettamanzi, A.G.B. (2000) ‘Evolutionary multiperiod asset allocation’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 597–604. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW127.pdf>.
- [Bagnall(2000)] Bagnall, A.J. (2000) ‘A multi-adaptive agent model of generator bidding in the uk market in electricity’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 605–612. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW175.pdf>.
- [Barone and While(2000)] Barone, L. and While, L. (2000) ‘Adaptive learning for poker’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 566–573. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW179.pdf>.
- [Barry(2000)] Barry, A. (2000) ‘Specifying action persistence within xcs’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 50–57. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS188.pdf>.
- [Baydar and Saitou(2000)] Baydar, C.M. and Saitou, K. (2000) ‘A genetic programming framework for error recovery in robotic assembly systems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 756. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW036.pdf>.
- [Benson et al.(2000)] Benson, Booth, Cubillo and Reeves] Benson, K., Booth, D., Cubillo, J. and Reeves, C. (2000) ‘Automatic detection of ships in spaceborne sar imagery’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 767. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW002.pdf>.
- [Bentley(2000)] Bentley, P.J. (2000) ‘"evolutionary, my dear watson"investigating committee-based evolution of fuzzy rules for the detection of suspicious insurance claims’. In D. Whitley,

- D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 702–709. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW074.pdf>.
- [Berlanga *et al.*(2000)Berlanga, Isasi, Sanchis and Molina] Berlanga, A., Isasi, P., Sanchis, A. and Molina, J.M. (2000) ‘Uniform coevolution for solving the density classification problem in cellular automata’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 383. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA192.pdf>.
- [Bersini(2000)] Bersini, H. (2000) ‘Chemical crossover’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 825–832. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA140.pdf>.
- [Bhattacharyya and Troutt(2000)] Bhattacharyya, S. and Troutt, M.D. (2000) ‘Crossover in probability spaces’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 120–127. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA116.pdf>.
- [Boden *et al.*(2000)Boden, Jacobsson and Ziemke] Boden, M., Jacobsson, H. and Ziemke, T. (2000) ‘Evolving context-free language predictors’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 1033–1040. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN133.pdf>.
- [Bonachea *et al.*(2000)Bonachea, Ingerman, Levy and McPeak] Bonachea, D., Ingerman, E., Levy, J. and McPeak, S. (2000) ‘An improved adaptive multi-start approach to finding near-optimal solutions to the euclidean tsp’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 143–150. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA149.pdf>.
- [Bot(2000)] Bot, M.C. (2000) ‘Improving induction of linear classification trees with genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 403–410. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP185.pdf>.
- [Brizuela and Sannomiya(2000)] Brizuela, C.A. and Sannomiya, N. (2000) ‘A selection scheme in genetic algorithms for a complex scheduling problem’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 1021. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC232.pdf>.
- [Butz *et al.*(2000a)Butz, Goldberg and Stolzmann] Butz, M.V., Goldberg, D.E. and Stolzmann, W. (2000a) ‘Introducing a genetic generalization pressure to the anticipatory classifier system - part 1: Theoretical approach’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 34–41. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS097.pdf>.
- [Butz *et al.*(2000b)Butz, Goldberg and Stolzmann] Butz, M.V., Goldberg, D.E. and Stolzmann, W. (2000b) ‘Introducing a genetic generalization pressure to the anticipatory classifier system - part 2: Performance analysis’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 42–49. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS115.pdf>.

- [Cantu-Paz(2000)] Cantu-Paz, E. (2000) ‘Selection intensity in genetic algorithms with generation gaps’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 911–918. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/MA118.pdf>.
- [Cantu-Paz and Kamath(2000)] Cantu-Paz, E. and Kamath, C. (2000) ‘Using evolutionary algorithms to induce oblique decision trees’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 1053–1060. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN119.pdf>.
- [Carse and Orelan(2000)] Carse, B. and Orelan, J. (2000) ‘A note on learning and evolution in neural networks’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 66–73. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA071.pdf>.
- [Carvalho and Freitas(2000)] Carvalho, D.R. and Freitas, A.A. (2000) ‘A hybrid decision tree/genetic algorithm for coping with the problem of small disjuncts in data mining’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 1061–1068. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN020.pdf>.
- [Chaudhri *et al.*(2000)Chaudhri, Daida, Khoo, Richardson, Harrison and Sloat] Chaudhri, O.A., Daida, J.M., Khoo, J.C., Richardson, W.S., Harrison, R.B. and Sloat, W.J. (2000) ‘Characterizing a tunably difficult problem in genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 395–402. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP206.pdf>.
- [Cheng *et al.*(2000)Cheng, Gen and Oren] Cheng, R., Gen, M. and Oren, S.S. (2000) ‘An adaptive hyperplane approach for multiple objective optimization problems with complex constraints’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 299–306. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA242.pdf>.
- [Chiu *et al.*(2000)Chiu, Girgensohn, Polak, Rieffel, Wilcox and Bennett III] Chiu, P., Girgensohn, A., Polak, W., Rieffel, E., Wilcox, L. and Bennett III, F.H. (2000) ‘A genetic segmentation algorithm for image data streams and video’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 666–673. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW015.pdf>.
- [Christou and Zakarian(2000)] Christou, I.T. and Zakarian, A. (2000) ‘Domain knowledge and representation in genetic algorithms for real world scheduling problems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 690–696. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW057.pdf>.
- [Cicirello and Smith(2000)] Cicirello, V.A. and Smith, S.F. (2000) ‘Modeling ga performance for control parameter optimization’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 235–242. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA108.pdf>.

- [Collins *et al.*(2000)Collins, Agah, Wu and Schultz] Collins, D.J., Agah, A., Wu, A.S. and Schultz, A.C. (2000) ‘The effects of team size on the evolution of distributed micro air vehicles’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 949–956. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/R0135.pdf>.
- [Costa *et al.*(2000)Costa, Oliveira, Figueiredo, Roseiro and Leal] Costa, L.A., Oliveira, P., Figueiredo, I.N., Roseiro, L.F. and Leal, R.P. (2000) ‘Structural optimization of laminated plates with genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 621–627. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW168.pdf>.
- [Craenen *et al.*(2000)Craenen, Eiben, Marchiori and Steenbeek] Craenen, B.G.W., Eiben, A.E., Marchiori, E. and Steenbeek, A.G. (2000) ‘Combining local search and fitness function adaptation in a ga for solving binary constraint satisfaction problems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 381. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA186.pdf>.
- [Cuesta *et al.*(2000)Cuesta, Abderraman, Jimenez and Winter] Cuesta, P.D., Abderraman, J.C., Jimenez, J.A. and Winter, G. (2000) ‘Practical modeling of simple genetic algorithm via deterministic paths by absorbing markov chains’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 371. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA076.pdf>.
- [da Silva(2000)] da Silva, A.R.F. (2000) ‘Genetic algorithms for component analysis’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 243–250. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA050.pdf>.
- [De Falco *et al.*(2000)De Falco, Iazzetta, Tarantino, Cioppa and Trautteur] De Falco, I., Iazzetta, A., Tarantino, E., Cioppa, A.D. and Trautteur, G. (2000) ‘A kolmogorov complexity-based genetic programming tool for string compression’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 427–434. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP124.pdf>.
- [Devogelaere *et al.*(2000)Devogelaere, Van Bael and Rijckaert] Devogelaere, D., Van Bael, P. and Rijckaert, M. (2000) ‘Genetic algorithm driven clustering for toxicity prediction’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 759. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW053.pdf>.
- [Dozier(2000)] Dozier, G. (2000) ‘Distributed steady-state neuro-evolutionary path planning in non-stationary environments’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 58–65. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA096.pdf>.
- [Drechsler and Gunther(2000)] Drechsler, R. and Gunther, W. (2000) ‘Evolutionary synthesis of multiplexor circuits under hardware constraints’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 513–518. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/EH040.pdf>.



- [Edelson and Gargano(2000)] Edelson, W. and Gargano, M.L. (2000) ‘Feasible encodings for ga solutions of constrained minimal spanning tree problems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 754. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW011.pdf>.
- [Eiben *et al.*(2000)] Eiben, Jansen, Michalewicz and Paechter] Eiben, A.E., Jansen, B., Michalewicz, Z. and Paechter, B. (2000) ‘Solving cps with using self-adaptive constraint weights: how to prevent eas from cheating’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 128–134. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA216.pdf>.
- [Fabrega and Guiu(2000)] Fabrega, X.L.i. and Guiu, J.M.G.i. (2000) ‘Evolving agent aggregates using cellular genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 868. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA034.pdf>.
- [Fernandez *et al.*(2000)] Fernandez, Tomassini, Punch and Sanchez] Fernandez, F., Tomassini, M., Punch, W. and Sanchez, J.M. (2000) ‘Experimental study of isolated multipopulation genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 536. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP159.pdf>.
- [Ficici and Pollack(2000)] Ficici, S.G. and Pollack, J.B. (2000) ‘Effects of finite populations on evolutionary stable strategies’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 927–934. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/MA201.pdf>.
- [Furutani(2000)] Furutani, H. (2000) ‘Study of evolution in genetic algorithms by eigen’s theory including crossover operator’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 389. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA262.pdf>.
- [Gan and Warwick(2000)] Gan, J. and Warwick, K. (2000) ‘A variable radius niching technique for speciation in genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 96–103. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA055.pdf>.
- [Gen and Zhou(2000)] Gen, M. and Zhou, G. (2000) ‘A genetic algorithm for the mini-max spanning forest problem’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 387. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA243.pdf>.
- [Gilbert *et al.*(2000)] Gilbert, Rowland and Kell] Gilbert, R.J., Rowland, J.J. and Kell, D.B. (2000) ‘Genomic computing: explanatory modelling for functional genomics’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 551–557. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW045.pdf>.
- [Goh and Foster(2000)] Goh, G.K.M. and Foster, J.A. (2000) ‘Evolving molecules for drug design using genetic algorithms via molecular trees’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation*

- Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 27–33. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA141.pdf>.
- [Gottlieb and Raidl(2000)] Gottlieb, J. and Raidl, G.R. (2000) ‘The effects of locality on the dynamics of decoder-based evolutionary search’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 283–290. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA090.pdf>.
- [Greene(2000)] Greene, W.A. (2000) ‘A non-linear schema theorem for genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 189–194. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA068.pdf>.
- [Grundler and Rolich(2000)] Grundler, D. and Rolich, T. (2000) ‘Qualitative visual presentation of evolution algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 805. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES026.pdf>.
- [Gunther and Drechsler(2000)] Gunther, W. and Drechsler, R. (2000) ‘Improving eas for sequencing problems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 175–180. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA039.pdf>.
- [Hart and Ross(2000)] Hart, E. and Ross, P. (2000) ‘Enhancing the performance of a ga through visualisation’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 347–354. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA046.pdf>.
- [Hasse and Pozo(2000)] Hasse, M. and Pozo, A.R. (2000) ‘Using phenotypic sharing in a classifier tool’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 392. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS252.pdf>.
- [Heckendorn(2000)] Heckendorn, R.B. (2000) ‘Polynomial time summary statistics for two general classes of functions’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 919–926. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/MA112.pdf>.
- [Ho and Huang(2000)] Ho, S.Y. and Huang, M.H. (2000) ‘An efficient quadratic curve approximation using an intelligent genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 766. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW174.pdf>.
- [Ho and Lee(2000)] Ho, S.Y. and Lee, K.Z. (2000) ‘A simple and fast ga-sa hybrid image segmentation algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 718–725. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW173.pdf>.
- [Horng *et al.*(2000a)Horng, Chang, Liu and Kao] Horng, J.T., Chang, Y.J., Liu, B.J. and Kao, C.Y. (2000a) ‘Materialized view selection in a data warehouse using evolutionary algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings*

- of the Genetic and Evolutionary Computation Conference (GECCO-2000). Las Vegas, Nevada, USA: Morgan Kaufmann, p. 385. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA223.pdf>.
- [Horng *et al.*(2000b)Horng, Lin, Liu and Kao] Horng, J.T., Lin, C.M., Liu, B.J. and Kao, C.Y. (2000b) ‘Using genetic algorithms to solve multiple sequence alignments’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 883–890. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/DN207.pdf>.
- [Hounsell and Arslan(2000)] Hounsell, B. and Arslan, T. (2000) ‘A novel evolvable hardware framework for the evolution of high performance digital circuits’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 525–532. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/EH196.pdf>.
- [House *et al.*(2000)House, Kain and Hines] House, J.L., Kain, A. and Hines, J. (2000) ‘Esp - metaphor for learning: an evolutionary algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 734–741. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW094.pdf>.
- [Hsu *et al.*(2000a)Hsu, Cheng, Guo and Gustafson] Hsu, W.H., Cheng, Y., Guo, H. and Gustafson, S.M. (2000a) ‘Genetic algorithms for reformulation of large-scaled kdd problems with many irrelevant attributes’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 1081. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN215.pdf>.
- [Hsu *et al.*(2000b)Hsu, Welge, Redman and Clutter] Hsu, W.H., Welge, M., Redman, T. and Clutter, D. (2000b) ‘Genetic wrappers for constructive induction in high-performance data mining’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 765. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW162.pdf>.
- [Hu(2000)] Hu, Y.J. (2000) ‘Global gene expression analysis with genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 753. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW010.pdf>.
- [Huang(2000)] Huang, C.F. (2000) ‘Independent sampling genetic algorithms and the applications’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 372. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA080.pdf>.
- [Hussain and Malliaris(2000)] Hussain, D. and Malliaris, S. (2000) ‘Evolutionary techniques applied to hashing: An efficient data retrieval method’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 760. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW054.pdf>.
- [Iba and Terao(2000)] Iba, H. and Terao, M. (2000) ‘Controlling effective introns for multi-agent learning by genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 419–426. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP191.pdf>.

- [Ishibuchi *et al.*(2000)Ishibuchi, Nakari and Nakashima] Ishibuchi, H., Nakari, T. and Nakashima, T. (2000) ‘Evolution of strategies in spatial ipd games with structure demes’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 817–824. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA254.pdf>.
- [Ishibuchi and Nakashima(2000a)] Ishibuchi, H. and Nakashima, T. (2000a) ‘Linguistic rule extraction by genetics-based machine learning’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 195–202. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA233.pdf>.
- [Ishibuchi and Nakashima(2000b)] Ishibuchi, H. and Nakashima, T. (2000b) ‘Multi-objective pattern and feature selection by genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 1069–1076. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN253R.pdf>.
- [Jin *et al.*(2000a)Jin, Leung and Wong] Jin, H.D., Leung, K.S. and Wong, M.L. (2000a) ‘Designing an expanded som for the traveling salesman problem by genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 1079. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN021.pdf>.
- [Jin *et al.*(2000b)Jin, Olhofer and Sendhoff] Jin, Y., Olhofer, M. and Sendhoff, B. (2000b) ‘On evolutionary optimization with approximate fitness functions’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 786–793. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES077.pdf>.
- [Jung and Moon(2000)] Jung, S. and Moon, B.R. (2000) ‘The natural crossover for the 2d euclidean tsp’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 1003–1010. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC087.pdf>.
- [Kaeschel *et al.*(2000)Kaeschel, Meier, Fischer and Teich] Kaeschel, J., Meier, B., Fischer, M. and Teich, T. (2000) ‘Evolutionary real-world shop floor scheduling using parallelization and parameter coevolution’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 697–701. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW138.pdf>.
- [Kang and Moon(2000)] Kang, S.J. and Moon, B.R. (2000) ‘A hybrid genetic algorithm for multiway graph partitioning’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 159–166. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA105.pdf>.
- [Kargupta(2000)] Kargupta, H. (2000) ‘Computation in genetic code-like transformations’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 937. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/MA058.pdf>.
- [Katayama *et al.*(2000)Katayama, Tani and Narihisa] Katayama, K., Tani, M. and Narihisa, H. (2000) ‘Solving large binary quadratic programming problems by effective genetic local search



- algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 643–650. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW070.pdf>.
- [Kazadi *et al.*(2000)Kazadi, Lee, Modi, Sy and Lue] Kazadi, S., Lee, D., Modi, R., Sy, J. and Lue, W. (2000) ‘Levels of compartmentalization in artificial evolution’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 841–848. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA146.pdf>.
- [Keane *et al.*(2000)Keane, Yu and Koza] Keane, M.A., Yu, J. and Koza, J.R. (2000) ‘Automatic synthesis of both topology and tuning of a common parameterized controller for two families of plants using genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 496–504. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP072.pdf>.
- [Keijzer and Babovic(2000)] Keijzer, M. and Babovic, V. (2000) ‘Genetic programming within a framework of computer-aided discovery of scientific knowledge’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 543–550. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW091.pdf>.
- [Keymeulen *et al.*(2000)Keymeulen, Klimeck, Zebulum, Stoica and Salazar-Lazaro] Keymeulen, D., Klimeck, G., Zebulum, R., Stoica, A. and Salazar-Lazaro, C. (2000) ‘Ehwpack: a parallel software/hardware environment for evolvable hardware’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 538. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/EH213.pdf>.
- [Kim and Cho(2000)] Kim, H.S. and Cho, S.B. (2000) ‘Knowledge-based encoding in interactive genetic algorithm for a fashion design aid system’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 757. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW042.pdf>.
- [Kim and Moon(2000a)] Kim, J.H. and Moon, B.R. (2000a) ‘Genetic elevator group control’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 762. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW086.pdf>.
- [Kim and Moon(2000b)] Kim, Y.H. and Moon, B.R. (2000b) ‘A hybrid genetic search for graph partitioning based on lock gain’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 167–174. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA106.pdf>.
- [Kirley and Green(2000)] Kirley, M. and Green, D.G. (2000) ‘An empirical investigation of optimisation in dynamic environments using the cellular genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 11–18. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA153.pdf>.
- [Kirshenbaum(2000)] Kirshenbaum, E. (2000) ‘Genetic programming with statically scoped local variables’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer,

- (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 459–468. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP148.pdf>.
- [Kivijarvi *et al.*(2000)Kivijarvi, Franti and Nevalainen] Kivijarvi, J., Franti, P. and Nevalainen, O. (2000) ‘Efficient clustering with a self-adaptive genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 377. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA142.pdf>.
- [Knjazew and Golberg(2000)] Knjazew, D. and Golberg, D.E. (2000) ‘Omega - ordering messy ga: Solving permutation problems with the fast messy genetic algorithm and random keys’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 181–188. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA059.pdf>.
- [Knowles and Corne(2000)] Knowles, J. and Corne, D. (2000) ‘Heuristics for evolutionary off-line routing in telecommunications networks’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 574–581. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW195.pdf>.
- [Koza *et al.*(2000)Koza, Keane, Yu and Mydlowec] Koza, J.R., Keane, M.A., Yu, J. and Mydlowec, W. (2000) ‘Automatic synthesis of electrical circuits containing a free variable using genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 477–484. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP147.pdf>.
- [Krasnogor and Smith(2000)] Krasnogor, N. and Smith, J. (2000) ‘A memetic algorithm with self-adaptive local search: Tsp as a case study’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 987–994. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC172.pdf>.
- [Kurahashi and Terano(2000)] Kurahashi, S. and Terano, T. (2000) ‘A genetic algorithm with tabu search for multimodal and multiobjective function optimization’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 291–298. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA117.pdf>.
- [Kwong and Chan(2000)] Kwong, S. and Chan, S.S. (2000) ‘A fault-tolerant multicast routing algorithm in atm networks’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 582–589. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RWA014.pdf>.
- [Langdon(2000)] Langdon, W.B. (2000) ‘Quadratic bloat in genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 451–458. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA069.pdf>.
- [Lee and Antonsson(2000)] Lee, C.Y. and Antonsson, E.K. (2000) ‘Variable length genomes for evolutionary algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 806. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES113.pdf>.

- [Liese *et al.*(2000)Liese, Polani and Uthmann] Liese, A., Polani, D. and Uthmann, T. (2000) ‘On the development of spectral properties of visual agent receptors through evolution’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 857–864. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA031.pdf>.
- [Lobo *et al.*(2000)Lobo, Goldberg and Pelikan] Lobo, F.G., Goldberg, D.E. and Pelikan, M. (2000) ‘Time complexity of genetic algorithms on exponentially scaled problems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 151–158. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA075.pdf>.
- [Maeda and Kawaguchi(2000)] Maeda, Y. and Kawaguchi, S. (2000) ‘Redundant node pruning and adaptive search method for genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 535. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP102.pdf>.
- [Mansilla and Guiu(2000)] Mansilla, E.B.i. and Guiu, J.M.G.i. (2000) ‘Molec: A multiobjective learning classifier system’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 390. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS033.pdf>.
- [Margetts and Jones(2000)] Margetts, S. and Jones, A.J. (2000) ‘Phlegmatic mappings for function optimisation with genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 82–89. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA067.pdf>.
- [Mathias *et al.*(2000)Mathias, Eshelman, Schaffer, Augusteijn, Hoogendijk and van de Wiel] Mathias, K.E., Eshelman, L.J., Schaffer, J.D., Augusteijn, L., Hoogendijk, P. and van de Wiel, R. (2000) ‘Code compaction using genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 710–717. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW163.pdf>.
- [Matsui and ichi Tokoro(2000)] Matsui, S. and ichi Tokoro, K. (2000) ‘A new genetic algorithm for minimum span frequency assignment using permutation and clique’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 682–689. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW025.pdf>.
- [Matthews *et al.*(2000)Matthews, Craw, Elder, Sibbald and MacKenzie] Matthews, K.B., Craw, S., Elder, S., Sibbald, A.R. and MacKenzie, I. (2000) ‘Applying genetic algorithms to multi-objective land use planning’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 613–620. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW203.pdf>.
- [McKay(2000)] McKay, R.I.B. (2000) ‘Fitness sharing in genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 435–442. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP256.pdf>.

- [Mehrotra *et al.*(2000)Mehrotra, Karr and Bowersox] Mehrotra, R., Karr, C.L. and Bowersox, R. (2000) ‘Airfoil optimization using genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 764.
- [Merkle *et al.*(2000)Merkle, Middendorf and Schneck] Merkle, D., Middendorf, M. and Schneck, H. (2000) ‘Ant colony optimization for resource-constrained project scheduling’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 893–900. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AN158.pdf>.
- [Miki *et al.*(2000)Miki, Hiroyasu and Kaneko] Miki, M., Hiroyasu, T. and Kaneko, M. (2000) ‘A parallel genetic algorithm with distributed environment scheme’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 376. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA120.pdf>.
- [Miyashita(2000)] Miyashita, K. (2000) ‘Job-shop scheduling with genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 505–512. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP041.pdf>.
- [Moustafa *et al.*(2000)Moustafa, De Jong and Wegman] Moustafa, R.E., De Jong, K.A. and Wegman, E.J. (2000) ‘A ga-based method for function approximation using adaptive interpolation’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 378. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA160.pdf>.
- [Mundhe and Sen(2000)] Mundhe, M. and Sen, S. (2000) ‘Evolving agent societies that avoid social dilemmas’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 809–816. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA222.pdf>.
- [Munteanu and Rosa(2000)] Munteanu, C. and Rosa, A. (2000) ‘Symmetrical building blocks and the simple inversion operator’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 365. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA007.pdf>.
- [Murakawa *et al.*(2000)Murakawa, Itatani, Kasai, Kikkawa and Higuchi] Murakawa, M., Itatani, T., Kasai, Y., Kikkawa, H. and Higuchi, T. (2000) ‘An evolvable laser system for femtosecond pulse generation’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 636–642. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW085.pdf>.
- [Murata *et al.*(2000)Murata, Ishibuchi and Gen] Murata, T., Ishibuchi, H. and Gen, M. (2000) ‘Cellular genetic local search for multi-objective optimization’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 307–314. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA229.pdf>.
- [Neri(2000)] Neri, F. (2000) ‘Modeling tcp/ip network traffic for intrusion detection by genetic evolution’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer,



- (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 755. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW024.pdf>.
- [Nicholson(2000)] Nicholson, A. (2000) ‘Evolution and learning for digital circuit design’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 519–524. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/EH114.pdf>.
- [Noda et al.(2000)Noda, Freitas and Lopes] Noda, E., Freitas, A.A. and Lopes, H.S. (2000) ‘Comparing a genetic algorithm with a rule induction algorithm in the data mining task of dependence modeling’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 1080. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN048.pdf>.
- [Oates et al.(2000)Oates, Corne and Loader] Oates, M.J., Corne, D. and Loader, R. (2000) ‘A tri-phase multimodal evolutionary search performance profile on the ‘hierarchical if and only if’ problem’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 339–346. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA194.pdf>.
- [Ochoa et al.(2000)Ochoa, Harey and Buxton] Ochoa, G., Harey, I. and Buxton, H. (2000) ‘Optimal mutation rates and selection pressure in genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 315–322. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA049.pdf>.
- [O’Neill and Ryan(2000)] O’Neill, M. and Ryan, C. (2000) ‘Grammar based function definition in grammatical evolution’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 485–490. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP226.pdf>.
- [Ono et al.(2000)Ono, Nijo and Ono] Ono, I., Nijo, T. and Ono, N. (2000) ‘A genetic algorithm for automatically designing modular reinforcement learning agents’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 203–210. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA165.pdf>.
- [Ottner(2000)] Ottner, S.C. (2000) ‘Optimising television commercial air-time by means of a genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 761. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW073.pdf>.
- [Pelikan and Goldberg(2000)] Pelikan, M. and Goldberg, D.E. (2000) ‘Hierarchical problem solving by the bayesian optimization algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 267–274. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA061.pdf>.
- [Pelikan et al.(2000)Pelikan, Goldberg and Cantu-Paz] Pelikan, M., Goldberg, D.E. and Cantu-Paz, E. (2000) ‘Bayesian optimization algorithm, population sizing, and time to convergence’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las

- Vegas, Nevada, USA: Morgan Kaufmann, pp. 275–282. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA062.pdf>.
- [Pelikan and Lobo(2000)] Pelikan, M. and Lobo, F.G. (2000) ‘Parameter-less genetic algorithm: A worst-case time and space complexity analysis’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 370. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA060.pdf>.
- [Peysakhov *et al.*(2000)] Peysakhov, Galinskaya and Regli] Peysakhov, M., Galinskaya, V. and Regli, W.C. (2000) ‘Genetic algorithms for optimization of lego assemblies’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 968. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/R0161.pdf>.
- [Pipe and Carse(2000)] Pipe, A.G. and Carse, B. (2000) ‘Autonomous acquisition of fuzzy rules for mobile robot control: First results from two evolutionary computation approaches’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 849–856. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA187.pdf>.
- [Pires and Machado(2000)] Pires, E.J.S. and Machado, J.A.T. (2000) ‘Trajectory optimization for redundant robots using genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 967. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/R0144.pdf>.
- [Polani and Miikkulainen(2000)] Polani, D. and Miikkulainen, R. (2000) ‘Eugenic neuro-evolution for reinforcement learning’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 1041–1046. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN078.ps>.
- [Poli(2000)] Poli, R. (2000) ‘Exact schema theorem and effective fitness for gp with one-point crossover’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 469–476. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP227.pdf>.
- [Poon(2000)] Poon, J. (2000) ‘Initial results with coevolving dominance mapping’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 368. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA035.pdf>.
- [Portmann and Vignier(2000)] Portmann, M.C. and Vignier, A. (2000) ‘Performances’ study on crossover operators keeping good schemata for scheduling problems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 331–338. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA205.pdf>.
- [Pozzi and Segovia(2000)] Pozzi, S. and Segovia, J. (2000) ‘Evaluations of genetic programming and neural networks techniques for nuclear material identification’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 590–596. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW225.pdf>.

- [Punch and Rand(2000)] Punch, W.F. and Rand, W.M. (2000) ‘Gp+echo+subsumption = improved problem solving’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 411–418. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP101.pdf>.
- [Rasheed and Hirsh(2000)] Rasheed, K. and Hirsh, H. (2000) ‘Informed operators: Speeding up genetic-algorithm-based design optimization using reduced models’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 628–635. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW164.pdf>.
- [Rauss *et al.*(2000)Rauss, Daida and Chaudhary] Rauss, P.J., Daida, J.M. and Chaudhary, S. (2000) ‘Classification of spectral imagery using genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 726–733. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW157.pdf>.
- [Ray *et al.*(2000)Ray, Kang and Chye] Ray, T., Kang, T. and Chye, S.K. (2000) ‘An evolutionary algorithm for constrained optimization’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 771–777. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES004.pdf>.
- [Riopka and Bock(2000)] Riopka, T.P. and Bock, P. (2000) ‘Intelligent recombination using individual learning in a collective learning genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 104–111. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA063.pdf>.
- [Roberts and Howard(2000)] Roberts, S.C. and Howard, D. (2000) ‘Genetic programming for image analysis: Orientation detection’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 651–657. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW152.pdf>.
- [Ross(2000)] Ross, B.J. (2000) ‘The effects of randomly sampled training data on program evolution’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 443–450. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP003.pdf>.
- [Ross *et al.*(2000)Ross, Fueten and Yashkir] Ross, B.J., Fueten, F. and Yashkir, D.Y. (2000) ‘Edge detection of petrographic images using genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 658–665. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW047.pdf>.
- [Rothlauf *et al.*(2000)Rothlauf, Goldberg and Heinzl] Rothlauf, F., Goldberg, D. and Heinzl, A. (2000) ‘Bad codings and the utility of well-designed genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 355–362. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA110.pdf>.
- [Rudolph(2000)] Rudolph, G. (2000) ‘Takeover times and probabilities of non-generational selection rules’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer,

- (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 903–910. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/MA009.pdf>.
- [Rylander and Foster(2000)] Rylander, B. and Foster, J. (2000) ‘Ga-hard problems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 367. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA030.pdf>.
- [Rylander *et al.*(2000)] Rylander, Soule, Foster and Alves-Foss] Rylander, B., Soule, T., Foster, J. and Alves-Foss, J. (2000) ‘Quantum genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 373. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA084.pdf>.
- [Sakamoto and Kobayashi(2000)] Sakamoto, Y. and Kobayashi, M. (2000) ‘Evaluation of the effects of noises by experiments using a mobile robot’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 386. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA230.pdf>.
- [Sakuma and Kobayashi(2000)] Sakuma, J. and Kobayashi, S. (2000) ‘Extrapolation-directed crossover for job-shop scheduling problems: Complementary combination with jox’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 973–980. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC130.pdf>.
- [Sammartino *et al.*(2000)] Sammartino, Simonov, Soroldoni and Tettamanzi] Sammartino, L., Simonov, M., Soroldoni, M. and Tettamanzi, A.G.B. (2000) ‘Gamut: A system for customer modeling based on evolutionary algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 758. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW043.pdf>.
- [Santana *et al.*(2000)] Santana, Ochoa-Rodriguez, Soto, Pereira, Machado, Costa and Cardoso] Santana, R., Ochoa-Rodriguez, A., Soto, M., Pereira, F.B., Machado, P., Costa, E. and Cardoso, A. (2000) ‘Probabilistic evolution and the busy beaver problem’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 380. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA180.pdf>.
- [Sato(2000)] Sato, Y. (2000) ‘Interactive evolution of adaptive parameter for speaker verification systems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 742–749.
- [Satoh *et al.*(2000)] Satoh, Uno, Kubo and Namatame] Satoh, H., Uno, K., Kubo, M. and Namatame, A. (2000) ‘The role of mimicry in social evolution’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 871. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA238.pdf>.
- [Sawai and Adachi(2000)] Sawai, H. and Adachi, S. (2000) ‘A comparative study of gene-duplicated gas based on pfga and ssga’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 74–81. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA065.ps>.



- [Schubert *et al.*(2000)Schubert, Mackensen, Drechsler, Drechsler and Becker] Schubert, T., Mackensen, E., Drechsler, N., Drechsler, R. and Becker, B. (2000) ‘Specialized hardware for implementation of evolutionary algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 369. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA038.pdf>.
- [Seffens and Digby(2000)] Seffens, W. and Digby, D. (2000) ‘Fitness function analysis of biological genetic codes using an evolutionary algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 867. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA092.pdf>.
- [Seront and Bersini(2000)] Seront, G. and Bersini, H. (2000) ‘A new ga-local search hybrid for optimization based on multi level single linkage clustering’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 90–95. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA183.pdf>.
- [Shimodaira(2000)] Shimodaira, H. (2000) ‘A diversity control oriented genetic algorithm (dcga): Performance in function optimization’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 366.
- [Shimooka and Fujimoto(2000)] Shimooka, H. and Fujimoto, Y. (2000) ‘Generating robust control equations with genetic programming for control of a rolling inverted pendulum’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 491–495. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP235.pdf>.
- [Simoës and Costa(2000)] Simoës, A. and Costa, E. (2000) ‘Using genetic algorithms with asexual transposition’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 323–330. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA181.pdf>.
- [Someya and Yamamura(2000)] Someya, H. and Yamamura, M. (2000) ‘Where should children be generated by crossover operator on function optimization?’ In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 382. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA190.pdf>.
- [Soper *et al.*(2000)Soper, Walshaw and Cross] Soper, A.J., Walshaw, C. and Cross, M. (2000) ‘A combined evolutionary search and multilevel approach to graph partitioning’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 674–681. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW202.pdf>.
- [Soule(2000)] Soule, T. (2000) ‘Heterogeneity and specialization in evolving teams’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 778–785. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES056.pdf>.
- [Suzuki and Tanaka(2000)] Suzuki, Y. and Tanaka, H. (2000) ‘A new molecular computing model, artificial cell systems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 833–840. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA218.pdf>.

- [Szmit and Barak(2000)] Szmit, R. and Barak, A. (2000) ‘Evolution strategies for a parallel multi-objective genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 227–234. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA167.pdf>.
- [Takahashi *et al.*(2000)] Takahashi, O., Kita, H. and Kobayashi, S. (2000) ‘A real-coded genetic algorithm using distance dependent alternation model for complex function optimization’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 219–226. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA125.pdf>.
- [Takehisa *et al.*(2000)] Takehisa, Y., Sakanashi, H. and Higuchi, T. (2000) ‘Adaptive wavelet transform for lossless image compression using genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 259–266. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA212.pdf>.
- [Tanigawa and Zhao(2000)] Tanigawa, T. and Zhao, Q. (2000) ‘A study on efficient generation of decision trees using genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 1047–1052. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN260.pdf>.
- [Testa *et al.*(2000)] Testa, L.J., Esterline, A.C., Dozier, G.V. and Homaifar, A. (2000) ‘A comparison of operators for solving time dependent traveling salesman problems using gas’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 995–1002. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC081.pdf>.
- [Tominaga *et al.*(2000)] Tominaga, D., Koga, N. and Okamoto, M. (2000) ‘Efficient numerical optimization algorithm based on genetic algorithm for inverse problem’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 251–258. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA089.pdf>.
- [Torres-Jimenez *et al.*(2000)] Torres-Jimenez, J., Rodriguez-Tello, E. and Ruiz-Suarez, J.C. (2000) ‘A genetic algorithm for matrix bandwidth reduction’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 388. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA258.pdf>.
- [Trenaman(2000)] Trenaman, A. (2000) ‘Choosing the right number of trials for a minimal simulation’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 969. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/R0214.pdf>.
- [Tsai *et al.*(2000)] Tsai, H.K., Kao, C.Y. and Yang, J.M. (2000) ‘A genetic algorithm for physical mapping problems’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 375. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA109.pdf>.

- [Tsutsui(2000)] Tsutsui, S. (2000) ‘Sampling bias and search space boundary extension in real coded genetic algorithms’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 211–218. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA150.pdf>.
- [Ursem(2000)] Ursem, R.K. (2000) ‘Multinational gas: Multimodal optimization techniques in dynamic environments’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 19–26. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA240.pdf>.
- [Urzelai and Floreano(2000)] Urzelai, J. and Floreano, D. (2000) ‘Evolutionary robotics: Coping with environmental change’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 941–948. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/R0064.pdf>.
- [Vallejo and Ramos(2000)] Vallejo, E.E. and Ramos, F. (2000) ‘Evolving insect locomotion using non-uniform cellular automata’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 869. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA129.pdf>.
- [Van Bael et al.(2000)] Van Bael, Devogelaere and Rijckaert] Van Bael, P., Devogelaere, D. and Rijckaert, M. (2000) ‘A steady-state evolutionary algorithm for the job shop problem’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 981–986. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC052.pdf>.
- [Vassilev and Miller(2000)] Vassilev, V.K. and Miller, J.F. (2000) ‘Embedding landscape neutrality to build a bridge from the conventional to a more efficient three-bit multiplier circuit’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 539. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/EH184.pdf>.
- [Vazquez and Whitley(2000a)] Vazquez, M. and Whitley, D. (2000a) ‘A hybrid genetic algorithm for the quadratic assignment problem’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 135–142. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA095.pdf>.
- [Vazquez and Whitley(2000b)] Vazquez, M. and Whitley, L.D. (2000b) ‘A comparison of genetic algorithms for the dynamic job shop scheduling problem’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 1011–1018. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC111.pdf>.
- [Wakunda and Zell(2000)] Wakunda, J. and Zell, A. (2000) ‘A new selection scheme for steady-state evolution strategies’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 794–801. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES044.pdf>.
- [Wang(2000)] Wang, F.S. (2000) ‘Hybrid differential evolution for dynamic optimization of a fedbatch bioreactor process’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 558–565. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW066.pdf>.

- [Watson and Pollack(2000)] Watson, R.A. and Pollack, J.B. (2000) ‘Recombination without respect: Schema combination and disruption in genetic algorithm crossover’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 112–119. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA200.pdf>.
- [Whitley et al.(2000)Whitley, Goldberg, Cantu-Paz, Spector, Parmee and Beyer] Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I. and Beyer, H.G., (eds.) (2000) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann. Available at: <http://www.cs.colostate.edu/~genitor/GECCO-2000/gecco2000mainpage.htm>.
- [Wilson et al.(2000)Wilson, Karr and Messimer] Wilson, E., Karr, C. and Messimer, S. (2000) ‘Genetic algorithm optimization of a filament winding process modeled in witness’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 763. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW093.pdf>.
- [Wineberg and Oppacher(2000)] Wineberg, M. and Oppacher, F. (2000) ‘Enhancing the ga’s ability to cope with dynamic environments’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 3–10. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA139R.pdf>.
- [Yamada(2000)] Yamada, S. (2000) ‘Evolutionary design of behaviors for action-based environment modeling by a mobile robot’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 957–964. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/R0217R.pdf>.
- [Yang and Kao(2000)] Yang, J.M. and Kao, C.Y. (2000) ‘An evolutionary algorithm to training neural networks for a two-spiral problem’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, pp. 1025–1032. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN169.pdf>.
- [Yang and Yen(2000)] Yang, L. and Yen, J. (2000) ‘An adaptive simplex genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 379. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA166.pdf>.
- [Yasunaga et al.(2000)Yasunaga, Nakamura, Yoshihara and Kim] Yasunaga, M., Nakamura, T., Yoshihara, I. and Kim, J.H. (2000) ‘Kernel optimization in pattern recognition using a genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 391. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS126.pdf>.
- [Yoon and Moon(2000)] Yoon, H.S. and Moon, B.R. (2000) ‘Synergy of multiple crossover operators in a genetic algorithm’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 374. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA088.pdf>.
- [Yoshihara et al.(2000)Yoshihara, Aoyama and Yasunaga] Yoshihara, I., Aoyama, T. and Yasunaga, M. (2000) ‘A fast model-building method for time series using genetic programming’. In D. Whitley, D. Goldberg, E. Cantu-Paz, L. Spector, I. Parmee and H.G. Beyer, (eds.) *Proceedings*



*of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Las Vegas, Nevada, USA: Morgan Kaufmann, p. 537. Available at: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP236.pdf>.