Список литературы

- [Antal et al.(2002)Antal, Fannes, Moreau, and Moor] Peter Antal, Geert Fannes, Yves Moreau, and Bart De Moor. *Using Literature and Data to Annotate and Learn Bayesian Networks*. In [Blockeel and Denecker(2002)], pp. 3–10.
- [Apistola et al.(2002)Apistola, Brazier, Kubbe, Oskamp, Schellekens, and Voulon] Martin Apistola, Frances Brazier, Onno Kubbe, Anja Oskamp, Maurice Schellekens, and Marten Voulon. *Legal aspects of agent technology*. In [Blockeel and Denecker(2002)], pp. 399–400.
- [Areces and Heguiabehere(2002)] Carlos Areces and Juan Heguiabehere. *HyLoRes: A hybrid logic prover based on direct resolution*. In [Blockeel and Denecker(2002)], pp. 511–512.
- [Beule et al.(2002)Beule, Looveren, and Zuidema] Joachim De Beule, Joris Van Looveren, and Willem Zuidema. From perception to language: grounding formal syntax in an almost real world. In [Blockeel and Denecker(2002)], pp. 83–90.
- [Bioch and Popova(2002)] Jan Bioch and Viara Popova. Monotone Decision Trees and Noisy Data. In [Blockeel and Denecker(2002)], pp. 19–26.
- [Blockeel and Denecker (2002)] Hendrik Blockeel and Marc Denecker (eds.). Fourteenth Belgium-Netherlands Conference on Artificial Intelligence (K.U.Leuven, 2002).
- [Bohte et al.(2002)Bohte, Gerding, and Poutré] Sander Bohte, Enrico Gerding, and Han La Poutré. Competitive Market-based Allocation of Consumer Attention Space. In [Blockeel and Denecker(2002)], pp. 403–404.
- [Bosman and Thierens(2002)] Peter Bosman and Dirk Thierens. Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms. In [Blockeel and Denecker(2002)], pp. 407–408.
- [Brazier et al.(2002a)Brazier, Mobach, Overeinder, Posthumus, van Splunter, van Steen, and Wijngaards] Frances Brazier, David Mobach, Benno Overeinder, Etienne Posthumus, Sander van Splunter, Maarten van Steen, and Niek Wijngaards. *AgentScape Demonstration*. In [Blockeel and Denecker(2002)], pp. 513–514.
- [Brazier et al.(2002b)Brazier, Overeinder, van Steen, and Wijngaards] Frances Brazier, Benno Overeinder, Maarten van Steen, and Niek Wijngaards. Generative Migration of Agents. In [Blockeel and Denecker(2002)], pp. 409–410.
- [Broersen et al.(2002)Broersen, Dastani, and van der Torre] Jan Broersen, Mehdi Dastani, and Leendert van der Torre. Relating functionality descriptions to proof rules of input/output logic. In [Blockeel and Denecker(2002)], pp. 27–34.
- [Caminada(2002)] Martin Caminada. Agent Dialogues using Hang Yourself Arguments. In [Blockeel and Denecker(2002)], pp. 43–50.
- [Cheung et al.(2002)Cheung, Klakow, Bauer, and Rothkrantz] Yiu-Fai Cheung, Dietrich Klakow, Georg Bauer, and Leon Rothkrantz. *Broadcast Information Topic Segmentation BITS* -. In [Blockeel and Denecker(2002)], pp. 51–58.
- [Dastani et al.(2002a)Dastani, de Boer, Dignum, van der Hoek, Kroese, and Meyer] Mehdi Dastani, Frank de Boer, Frank Dignum, Wiebe van der Hoek, Meindert Kroese, and John-Jules Meyer. *Implementing Cognitive Agents in 3APL*. In [Blockeel and Denecker(2002)], pp. 515–516.
- [Dastani et al.(2002b)Dastani, Dignum, and Dignum] Mehdi Dastani, Virginia Dignum, and Frank Dignum. Organizations and Normative Agents. In [Blockeel and Denecker(2002)], pp. 411–412.
- [Dastani and van der Torre(2002a)] Mehdi Dastani and Leendert van der Torre. An Extension of BDI_{ctl} with Functional Dependencies and Components. In [Blockeel and Denecker(2002)], pp. 67–74.

- [Dastani and van der Torre(2002b)] Mehdi Dastani and Leendert van der Torre. What is a Normative Goal? In [Blockeel and Denecker(2002)], pp. 75–82.
- [de Graaf et al.(2002)de Graaf, Kosters, Pijls, and Popova] Jeannette de Graaf, Walter Kosters, Wim Pijls, and Viara Popova. A Theoretical and Practical Comparison of Depth First and FP-growth Implementations of Apriori. In [Blockeel and Denecker(2002)], pp. 115–122.
- [de Jong and Oates(2002)] Edwin de Jong and Tim Oates. A Coevolutionary Approach to Representation Development. In [Blockeel and Denecker(2002)], pp. 431–432.
- [de Vos et al.(2002)de Vos, Witteman, and Beun] Eveliene de Vos, Cilia Witteman, and Robbert-Jan Beun. Embodied Conversational Agents in Human-Computer Interaction. In [Blockeel and Denecker(2002)], pp. 339–346.
- [Denecker et al.(2002)Denecker, Pelov, and Bruynooghe] Marc Denecker, Nikolay Pelov, and Maurice Bruynooghe. *Ultimate Well-founded and Stable Semantics for Logic Programs with Aggregates*. In [Blockeel and Denecker(2002)], pp. 413–414.
- [Donkers et al.(2002)Donkers, Uiterwijk, and van den Herik] Jeroen Donkers, Jos Uiterwijk, and Jaap van den Herik. Learning Opponent-Type Probabilities for PrOM Search. In [Blockeel and Denecker(2002)], pp. 91–98.
- [Driessens and Džeroski(2002)] Kurt Driessens and Sašo Džeroski. *Integrating Experimentation and Guidance in Relational Reinforcement Learning*. In [Blockeel and Denecker(2002)], pp. 415–416.
- [Drugan et al.(2002)Drugan, Thierens, and van der Gaag] Mădălina Drugan, Dirk Thierens, and Linda van der Gaag. *MDL-based Feature Selection for Bayesian Network Classifiers*. In [Blockeel and Denecker(2002)], pp. 99–106.
- [Eggermont(2002)] Jeroen Eggermont. Evolving Fuzzy Decision Trees for Data Classification. In [Blockeel and Denecker(2002)], pp. 417–418.
- [Eggermont and Lenaerts(2002)] Jeroen Eggermont and Tom Lenaerts. *Dynamic Optimization using Evolutionary Algorithms with a Case-based Memory*. In [Blockeel and Denecker(2002)], pp. 107–114.
- [Fluit et al.(2002)Fluit, Sabou, and van Harmelen] Christiaan Fluit, Marta Sabou, and Frank van Harmelen. Ontology-based Information Visualisation. In [Blockeel and Denecker(2002)], pp. 419–420
- [Gilis and Denecker(2002)] David Gilis and Marc Denecker. Compositionality Results for Stratified Nonmonotone Operators. In [Blockeel and Denecker(2002)], pp. 421–422.
- [Hay et al.(2002)Hay, Wets, and Vanhoof] Birgit Hay, Geert Wets, and Koen Vanhoof. Web Usage Mining by means of Multidimensional Sequence Alignment Methods. In [Blockeel and Denecker(2002)], pp. 123–130.
- [Helsper and van der Gaag(2002)] Eveline Helsper and Linda van der Gaag. Building Bayesian Networks through Ontologies. In [Blockeel and Denecker(2002)], pp. 423–424.
- [Heskes and Zoeter(2002)] Tom Heskes and Onno Zoeter. Expectation propagation for approximate inference in dynamic Bayesian networks. In [Blockeel and Denecker(2002)], pp. 425–426.
- [Horrocks et al.(2002)Horrocks, Patel-Schneider, and van Harmelen] Ian Horrocks, Peter Patel-Schneider, and Frank van Harmelen. Reviewing the Design of DAML+OIL: an Ontology Language for the Semantic Web. In [Blockeel and Denecker(2002)], pp. 427–428.
- [Huygen(2002)] Paul Huygen. Use of Bayesian Belief Networks in legal reasoning. In [Blockeel and Denecker(2002)], pp. 429–430.
- [Infante-Lopez et al.(2002)Infante-Lopez, de Rijke, and Sima´an] Gabriel Infante-Lopez, Maarten de Rijke, and Khalil Sima´an. A General Probabilistic Model for Dependency Parsing. In [Blockeel and Denecker(2002)], pp. 139–146.

- [Jacobs and Blockeel(2002)] Nico Jacobs and Hendrik Blockeel. Sequence Prediction with Mixed Order Markov Chains. In [Blockeel and Denecker(2002)], pp. 147–154.
- [Jamroga(2002)] Wojciech Jamroga. Multiple Models of Reality and How to Use Them. In [Blockeel and Denecker(2002)], pp. 155–162.
- [Janssens et al.(2002)Janssens, Brijs, Vanhoof, and Wets] Davy Janssens, Tom Brijs, Koen Vanhoof, and Geert Wets. Evaluating the performance of Cost-based Discretization versus Entropy- and Error-based Discretization. In [Blockeel and Denecker(2002)], pp. 163–170.
- [Jonker et al.(2002a)Jonker, de Kock, Meijer, and Vermeulen] Catholijn Jonker, Arno de Kock, Joost Meijer, and Bas Vermeulen. *Deliberate Evolution Agents: Comparing Reproduction Strategies*. In [Blockeel and Denecker(2002)], pp. 433–434.
- [Jonker et al.(2002b)Jonker, Snoep, Treur, Westerhoff, and Wijngaards] Catholijn Jonker, Jacky Snoep, Jan Treur, Hans Westerhoff, and Wouter Wijngaards. BDI-Modelling of Intracellular Dynamics. In [Blockeel and Denecker(2002)], pp. 435–436.
- [Jonker et al.(2002c)Jonker, Snoep, Treur, Westerhoff, and Wijngaards] Catholijn Jonker, Jacky Snoep, Jan Treur, Hans Westerhoff, and Wouter Wijngaards. *Putting Intentions into Cell Biochemistry: An Artificial Intelligence Perspective*. In [Blockeel and Denecker(2002)], pp. 437–438.
- [Jonker and Treur(2002a)] Catholijn Jonker and Jan Treur. Analysis of the Dynamics of Reasoning Using Multiple Representations. In [Blockeel and Denecker(2002)], pp. 441–442.
- [Jonker and Treur(2002b)] Catholijn Jonker and Jan Treur. A Dynamic Perspective on an Agent's Mental States and Interaction with its Environment. In [Blockeel and Denecker(2002)], pp. 439–440.
- [Jonker et al.(2002d)Jonker, Treur, and de Vries] Catholijn Jonker, Jan Treur, and Wieke de Vries. Temporal Analysis of the Dynamics of Beliefs, Desires, and Intentions. In [Blockeel and Denecker(2002)], pp. 443–444.
- [Jonker et al.(2002e)Jonker, Treur, and Wijngaards] Catholijn Jonker, Jan Treur, and Wouter Wijngaards. Requirements Specification and Automated Evaluation of Dynamic Properties of a Component-Based Design. In [Blockeel and Denecker(2002)], pp. 445–446.
- [Jonker et al.(2002f)Jonker, Treur, and Wijngaards] Catholijn Jonker, Jan Treur, and Wouter Wijngaards. Temporal Languages for Simulation and Analysis of the Dynamics Within an Organisation. In [Blockeel and Denecker(2002)], pp. 447–448.
- [Kamps and Marx(2002)] Jaap Kamps and Maarten Marx. Words with Attitude. In [Blockeel and Denecker(2002)], pp. 449–450.
- [Kappen and Wiegerinck(2002)] Hilbert Kappen and Wim Wiegerinck. Novel iteration schemes for the Cluster Variation Method. In [Blockeel and Denecker(2002)], pp. 451–452.
- [Keller et al.(2002)Keller, Kosters, van der Vaart, and Witsenburg] Robert Keller, Walter Kosters, Martijn van der Vaart, and Martijn Witsenburg. Genetic Programming Produces Strategies for Agents in a Dynamic Environment. In [Blockeel and Denecker(2002)], pp. 171–178.
- [Kleijkers et al.(2002)Kleijkers, Wiesman, and Roos] Stefan Kleijkers, Floris Wiesman, and Nico Roos. A Mobile Multi-Agent System for Distributed Computing. In [Blockeel and Denecker(2002)], pp. 453–454.
- [Knězu and Rothkrantz(2002)] Vojtěch Knězu and Leon Rothkrantz. A System for Automated Bookmark Management. In [Blockeel and Denecker(2002)], pp. 179–186.
- [Kosala et al.(2002)Kosala, den Bussche, Bruynooghe, and Blockeel] Raymond Kosala, Jan Van den Bussche, Maurice Bruynooghe, and Hendrik Blockeel. *Information Extraction in Structured Documents using Tree Automata Induction*. In [Blockeel and Denecker(2002)], pp. 455–456.

- [Kremer and Raskin(2002)] Steve Kremer and Jean-François Raskin. Game Analysis of Abuse-free Contract Signing. In [Blockeel and Denecker(2002)], pp. 457–458.
- [Langdon(2002)] William Langdon. Size of Random Programs to ensure Uniformity. In [Blockeel and Denecker(2002)], pp. 459–460.
- [Lebbink et al.(2002)Lebbink, Witteman, and Meyer] Henk-Jan Lebbink, Cilia Witteman, and John-Jules Meyer. Ontology-Based Knowledge Acquisition for Knowledge Systems. In [Blockeel and Denecker(2002)], pp. 195–202.
- [Lenaerts et al.(2002)Lenaerts, Defaweux, van Remortel, and Manderick] Tom Lenaerts, Anne Defaweux, Piet van Remortel, and Bernard Manderick. *Multi-level Selection in a Simple Evolutionary Model.* In [Blockeel and Denecker(2002)], pp. 203–210.
- [Lucas(2002)] Peter Lucas. Restricted Bayesian Network Structure Learning. In [Blockeel and Denecker(2002)], pp. 211–218.
- [Marcos et al.(2002)Marcos, Roomans, ten Teije, and van Harmelen] Mar Marcos, Hugo Roomans, Annette ten Teije, and Frank van Harmelen. *Improving medical protocols through formalisation:* a case study. In [Blockeel and Denecker(2002)], pp. 463–464.
- [Maruster et al.(2002)Maruster, Weijters, de Vries, van den Bosch, and Daelemans] Laura Maruster, Ton Weijters, Geerhard de Vries, Antal van den Bosch, and Walter Daelemans. *Logistic-Based Patient Grouping for Multi-disciplinary Treatment*. In [Blockeel and Denecker(2002)], pp. 465–466.
- [Mastop et al.(2002)Mastop, Lampe, and de Groote] Mark Mastop, Michiel Lampe, and Onno de Groote. *Knowledge Framework*. In [Blockeel and Denecker(2002)], pp. 517–518.
- [Monz and de Rijke(2002)] Christof Monz and Maarten de Rijke. Knowledge-Intensive Question Answering. In [Blockeel and Denecker(2002)], pp. 467–468.
- [Nijssen and Bäck(2002)] Siegfried Nijssen and Thomas Bäck. An Analysis of the Behaviour of Simplified Evolutionary Algorithms on Trap Functions. In [Blockeel and Denecker(2002)], pp. 469–470.
- [Nijssen and Kok(2002)] Siegfried Nijssen and Joost Kok. Tree Sets: Towards a Set-Oriented View on Multi-Relational Data Mining. In [Blockeel and Denecker(2002)], pp. 219–226.
- [Noncheva and Marques(2002)] Veska Noncheva and Nuno Cavalhiero Marques. Agent's Belief: A Stochastic Approach. In [Blockeel and Denecker(2002)], pp. 227–234.
- [Nuffelen(2002)] Bert Van Nuffelen. Reasoning with preferences in ID-Logic. In [Blockeel and Denecker(2002)], pp. 323–330.
- [Oost et al.(2002)Oost, ten Hagen, and Schulze] Elwin Oost, Stephan ten Hagen, and Floris Schulze. Extracting multivariate power functions from complex data sets. In [Blockeel and Denecker(2002)], pp. 235–242.
- [Peek(2002)] Niels Peek. Representation of decision-theoretic plans as sets of symbolic decision rules. In [Blockeel and Denecker(2002)], pp. 471–472.
- [Prakken(2002)] Henry Prakken. An exercise in formalising teleological case-based reasoning. In [Blockeel and Denecker(2002)], pp. 473–474.
- [Provijn(2002)] Dagmar Provijn. How to obtain elegant Fitch-style proofs from Goal directed ones. In [Blockeel and Denecker(2002)], pp. 243–250.
- [Renooij et al.(2002)Renooij, Parsons, and Pardieck] Silja Renooij, Simon Parsons, and Pauline Pardieck. *Using Kappas as Indicators of Strength in QPNs*. In [Blockeel and Denecker(2002)], pp. 267–274.

- [Roos et al.(2002)Roos, ten Teije, Bos, and Witteveen] Nico Roos, Annette ten Teije, André Bos, and Cees Witteveen. *Multi-Agent Diagnosis with spatially distributed knowledge*. In [Blockeel and Denecker(2002)], pp. 275–282.
- [Salles et al.(2002)Salles, Bredeweg, Araujo, and Neto] Paulo Salles, Bert Bredeweg, Symone Araujo, and Walter Neto. *Qualitative Models of Interactions Between Two Populations*. In [Blockeel and Denecker(2002)], pp. 475–476.
- [Schaar et al.(2002)Schaar, Rothkrantz, Lassche, and Jonkers] Remco Schaar, Leon Rothkrantz, M. Lassche, and M.V. Jonkers. *Agent-Based Intelligent Personal Unified Messaging*. In [Blockeel and Denecker(2002)], pp. 283–290.
- [Schelfthout and Holvoet(2002)] Kurt Schelfthout and Tom Holvoet. "To do or not to do": The Individual's Model for Emergent Task Allocation. In [Blockeel and Denecker(2002)], pp. 477–478.
- [Schoot and Jansweijer(2002)] Niels Schoot and Wouter Jansweijer. Improving the quality of information in document based communications using a reusable multi-agent system. In [Blockeel and Denecker(2002)], pp. 519–520.
- [Sent and van der Gaag(2002)] Danielle Sent and Linda van der Gaag. Test Selection: the Gini Index and the Shannon Entropy Behave Differently. In [Blockeel and Denecker(2002)], pp. 291–298.
- [Serebrenik and Schreye(2002a)] Alexander Serebrenik and Danny De Schreye. Inference of termination conditions for numerical loops. In [Blockeel and Denecker(2002)], pp. 479–480.
- [Serebrenik and Schreye(2002b)] Alexander Serebrenik and Danny De Schreye. On termination of meta-programs. In [Blockeel and Denecker(2002)], pp. 481–482.
- [Spreeuwenberg and Gerrits(2002)] Silvie Spreeuwenberg and Rik Gerrits. *VALENS verification component*. In [Blockeel and Denecker(2002)], pp. 521–522.
- [Spronck et al.(2002)Spronck, Sprinkhuizen-Kuyper, and Postma] Pieter Spronck, Ida Sprinkhuizen-Kuyper, and Eric Postma. *Improving Opponent Intelligence through Machine Learning*. In [Blockeel and Denecker(2002)], pp. 299–306.
- [Storms et al.(2002)Storms, Herweijer, and van Aart] Patrick Storms, Esther Herweijer, and Chris van Aart. Practical Design Guidelines for Embodied Conversational Agents. In [Blockeel and Denecker(2002)], pp. 307–314.
- [Struyf et al.(2002)Struyf, Ramon, and Blockeel] Jan Struyf, Jan Ramon, and Hendrik Blockeel. Compact representation of knowledge bases in ILP. In [Blockeel and Denecker(2002)], pp. 483–484.
- [Stuckenschmidt(2002)] Heiner Stuckenschmidt. Approximate Information Filtering with Multiple Classification Hierarchies. In [Blockeel and Denecker(2002)], pp. 485–486.
- [ter Brugge et al.(2002)ter Brugge, Nijhuis, and Spaanenburg] M.H. ter Brugge, J.A.G. Nijhuis, and Lambert Spaanenburg. *Morphological Template Decomposition for DT-CNN*. In [Blockeel and Denecker(2002)], pp. 35–42.
- [ter Horst et al.(2002)ter Horst, van Doorn, Kravtsova, ten Kate, and Siahaan] Herman ter Horst, Mark van Doorn, Natasha Kravtsova, Warner ten Kate, and Daniel Siahaan. *Context-aware Music Selection Using Knowledge on the Semantic Web.* In [Blockeel and Denecker(2002)], pp. 131–138.
- [Tonino et al.(2002)Tonino, Bos, de Weerdt, and Witteveen] Hans Tonino, André Bos, Mathijs de Weerdt, and Cees Witteveen. *Plan Coordination by Revision in Collective Agent Based Systems.* In [Blockeel and Denecker(2002)], pp. 487–488.
- [Tuyls et al.(2002)Tuyls, Lenaerts, Verbeeck, Maes, and Manderick] Karl Tuyls, Tom Lenaerts, Katja Verbeeck, Sam Maes, and Bernard Manderick. *Towards a Relation Between Learning Agents and Evolutionary Dynamics*. In [Blockeel and Denecker(2002)], pp. 315–322.

- [Valk and Witteveen(2002)] Jeroen Valk and Cees Witteveen. Multi-Agent Coordination in Planning. In [Blockeel and Denecker(2002)], pp. 489–490.
- [van Aart et al.(2002)van Aart, Marcke, Pels, and Smulders] Chris van Aart, Kris Van Marcke, Ruurd Pels, and Jan Smulders. *International Insurance Traffic with Software Agents*. In [Blockeel and Denecker(2002)], pp. 397–398.
- [van Dartel et al.(2002)van Dartel, Postma, and van den Herik] Michel van Dartel, Eric Postma, and Jaap van den Herik. *Universal Properties of Adaptive Behaviour*. In [Blockeel and Denecker(2002)], pp. 59–66.
- [van de Vrie(2002)] Evert van de Vrie. LOK: Implementation of a platform for distributed development and use of educational tasks. In [Blockeel and Denecker(2002)], pp. 525–526.
- [van den Berg et al.(2002a)van den Berg, Kaymak, and van den Bergh] Jan van den Berg, Uzay Kaymak, and Willem-Max van den Bergh. Fuzzy Classification by Using Probability-Based Rule Weighting. In [Blockeel and Denecker(2002)], pp. 401–402.
- [van den Berg et al.(2002b)van den Berg, Kaymak, and van den Bergh] Jan van den Berg, Uzay Kaymak, and Willem-Max van den Bergh. *Probabilistic Reasoning in Fuzzy Rule-Based Systems*. In [Blockeel and Denecker(2002)], pp. 11–18.
- [van den Bosch and Buchholz(2002)] Antal van den Bosch and Sabine Buchholz. Shallow parsing on the basis of words only: A case study. In [Blockeel and Denecker(2002)], pp. 405–406.
- [van der Krogt et al.(2002)van der Krogt, Aronson, Roos, Witteveen, and Zutt] Roman van der Krogt, Leon Aronson, Nico Roos, Cees Witteveen, and Jonne Zutt. *Tactical Planning using Heuristics*. In [Blockeel and Denecker(2002)], pp. 187–194.
- [van der Putten et al.(2002)van der Putten, Ramaekers, den Uyl, and Kok] Peter van der Putten, Martijn Ramaekers, Marten den Uyl, and Joost Kok. A Process Model for a Data Fusion Factory. In [Blockeel and Denecker(2002)], pp. 251–258.
- [van der Werf et al.(2002)van der Werf, Uiterwijk, and van den Herik] Erik van der Werf, Jos Uiterwijk, and Jaap van den Herik. Solving Ponnuki-Go on Small Boards. In [Blockeel and Denecker(2002)], pp. 347–354.
- [van der Zwaag et al.(2002)van der Zwaag, Slump, and Spaanenburg] Berend Jan van der Zwaag, Kees Slump, and Lambert Spaanenburg. *Process Identification Through Modular Neural Networks and Rule Extraction*. In [Blockeel and Denecker(2002)], pp. 507–508.
- [van Leeuwen et al.(2002)van Leeuwen, Hesselink, and Rohling] Pim van Leeuwen, Henk Hesselink, and Jos Rohling. Scheduling Aircraft Using Constraint Satisfaction. In [Blockeel and Denecker(2002)], pp. 461–462.
- [van Remortel et al.(2002)van Remortel, Lenaerts, and Manderick] Piet van Remortel, Tom Lenaerts, and Bernard Manderick. Testing the Overall Functional Robustness of 2D CA Phenotypes for Development. In [Blockeel and Denecker(2002)], pp. 259–266.
- [van Stokkum(2002)] Wim van Stokkum. Knowledge Intensive Content Model Management Within Integrated Back offices. In [Blockeel and Denecker(2002)], pp. 523–524.
- [van Wezel and Kosters(2002)] Michiel van Wezel and Walter Kosters. Numerical Integration by Cubature Formulae in Bayesian Neural Networks. In [Blockeel and Denecker(2002)], pp. 355–362.
- [Verbeeck et al.(2002) Verbeeck, Nowé, and Parent] Katja Verbeeck, Ann Nowé, and Johan Parent. Social Agents Playing a Periodical Policy. In [Blockeel and Denecker(2002)], pp. 491–492.
- [Verbeek et al.(2002) Verbeek, Vlassis, and Kröse] Jakob Verbeek, Nikos Vlassis, and Ben Kröse. Coordinating Principal Component Analyzers. In [Blockeel and Denecker(2002)], pp. 493–494.

- [Vogt(2002)] Paul Vogt. Anchoring symbols to sensorimotor control. In [Blockeel and Denecker(2002)], pp. 331–338.
- [Vollebregt et al.(2002)Vollebregt, Hannessen, Hesselink, and Beetstra] Arjen Vollebregt, Daan Hannessen, Henk Hesselink, and Jelle Beetstra. *Modelling Crew Assistants with Multi-Agent Systems in Aircraft*. In [Blockeel and Denecker(2002)], pp. 495–496.
- [Voorbraak(2002)] Frans Voorbraak. *Uncertainty in AI and Bioinformatics*. In [Blockeel and Denecker(2002)], pp. 497–498.
- [Wiegerinck and Heskes(2002)] Wim Wiegerinck and Tom Heskes. *IPF for discrete chain factor graphs*. In [Blockeel and Denecker(2002)], pp. 499–500.
- [Wiering(2002)] Marco Wiering. Hierarchical Mixtures of Naive Bayesian Classifiers. In [Blockeel and Denecker(2002)], pp. 363–370.
- [Wijngaards et al.(2002)Wijngaards, Overeinder, van Steen, and Brazier] Niek Wijngaards, Benno Overeinder, Maarten van Steen, and Frances Brazier. Supporting Internet-Scale Multi-Agent Systems. In [Blockeel and Denecker(2002)], pp. 501–502.
- [Winands et al.(2002)Winands, Kocsis, Uiterwijk, and van den Herik] Marc Winands, Levente Kocsis, Jos Uiterwijk, and Jaap van den Herik. Learning in Lines of Action. In [Blockeel and Denecker(2002)], pp. 371–378.
- [Winkels et al.(2002)Winkels, Boer, and Hoekstra] Radboud Winkels, Alexander Boer, and Rinke Hoekstra. Lessons Learned in Legal Information Serving. In [Blockeel and Denecker(2002)], pp. 503–504.
- [Ypma and Heskes(2002)] Alexander Ypma and Tom Heskes. Clustering web surfers with mixtures of hidden Markov models. In [Blockeel and Denecker(2002)], pp. 505–506.
- [Zajdel and Kröse(2002)] Wojciech Zajdel and Ben Kröse. Bayesian network for multiple hypothesis tracking. In [Blockeel and Denecker(2002)], pp. 379–386.
- [Zutt et al.(2002)Zutt, Aronson, van der Krogt, Roos, and Witteveen] Jonne Zutt, Leon Aronson, Roman van der Krogt, Nico Roos, and Cees Witteveen. *Multi-Agent Transport Planning*. In [Blockeel and Denecker(2002)], pp. 387–394.