

## Список литературы

- [Antal *et al.*(2002)Antal, Fannes, Moreau & Moor] Antal, P., Fannes, G., Moreau, Y. & Moor, B.D. (2002) Using literature and data to annotate and learn bayesian networks. [Blockeel & Denecker(2002)], pp. 3–10.
- [Apistola *et al.*(2002)Apistola, Brazier, Kubbe, Oskamp, Schellekens & Voulon] Apistola, M., Brazier, F., Kubbe, O., Oskamp, A., Schellekens, M. & Voulon, M. (2002) Legal aspects of agent technology. [Blockeel & Denecker(2002)], pp. 399–400.
- [Areces & Heguiabehere(2002)] Areces, C. & Heguiabehere, J. (2002) Hyllores: A hybrid logic prover based on direct resolution. [Blockeel & Denecker(2002)], pp. 511–512.
- [Beule *et al.*(2002)Beule, Loooveren & Zuidema] Beule, J.D., Loooveren, J.V. & Zuidema, W. (2002) From perception to language: grounding formal syntax in an almost real world. [Blockeel & Denecker(2002)], pp. 83–90.
- [Bioch & Popova(2002)] Bioch, J. & Popova, V. (2002) Monotone decision trees and noisy data. [Blockeel & Denecker(2002)], pp. 19–26.
- [Blockeel & Denecker(2002)] Blockeel, H. & Denecker, M. (eds.) (2002) *Fourteenth Belgium-Netherlands Conference on Artificial Intelligence*, K.U.Leuven.
- [Bohte *et al.*(2002)Bohte, Gerding & Poutré] Bohte, S., Gerding, E. & Poutré, H.L. (2002) Competitive market-based allocation of consumer attention space. [Blockeel & Denecker(2002)], pp. 403–404.
- [Bosman & Thierens(2002)] Bosman, P. & Thierens, D. (2002) Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms. [Blockeel & Denecker(2002)], pp. 407–408.
- [Brazier *et al.*(2002a)Brazier, Mobach, Overeinder, Posthumus, van Splunter, van Steen & Wijngaards] Brazier, F., Mobach, D., Overeinder, B., Posthumus, E., van Splunter, S., van Steen, M. & Wijngaards, N. (2002a) Agentscape demonstration. [Blockeel & Denecker(2002)], pp. 513–514.
- [Brazier *et al.*(2002b)Brazier, Overeinder, van Steen & Wijngaards] Brazier, F., Overeinder, B., van Steen, M. & Wijngaards, N. (2002b) Generative migration of agents. [Blockeel & Denecker(2002)], pp. 409–410.
- [Broersen *et al.*(2002)Broersen, Dastani & van der Torre] Broersen, J., Dastani, M. & van der Torre, L. (2002) Relating functionality descriptions to proof rules of input/output logic. [Blockeel & Denecker(2002)], pp. 27–34.
- [Caminada(2002)] Caminada, M. (2002) Agent dialogues using hang yourself arguments. [Blockeel & Denecker(2002)], pp. 43–50.
- [Cheung *et al.*(2002)Cheung, Klakow, Bauer & Rothkrantz] Cheung, Y.F., Klakow, D., Bauer, G. & Rothkrantz, L. (2002) Broadcast information topic segmentation - BITS -. [Blockeel & Denecker(2002)], pp. 51–58.
- [Dastani *et al.*(2002a)Dastani, de Boer, Dignum, van der Hoek, Kroese & Meyer] Dastani, M., de Boer, F., Dignum, F., van der Hoek, W., Kroese, M. & Meyer, J.J. (2002a) Implementing cognitive agents in 3APL. [Blockeel & Denecker(2002)], pp. 515–516.
- [Dastani *et al.*(2002b)Dastani, Dignum & Dignum] Dastani, M., Dignum, V. & Dignum, F. (2002b) Organizations and normative agents. [Blockeel & Denecker(2002)], pp. 411–412.
- [Dastani & van der Torre(2002a)] Dastani, M. & van der Torre, L. (2002a) An extension of  $\text{BDI}_{\text{ctl}}$  with functional dependencies and components. [Blockeel & Denecker(2002)], pp. 67–74.
- [Dastani & van der Torre(2002b)] Dastani, M. & van der Torre, L. (2002b) What is a normative goal? [Blockeel & Denecker(2002)], pp. 75–82.

- [de Graaf *et al.*(2002)de Graaf, Kusters, Pijls & Popova] de Graaf, J., Kusters, W., Pijls, W. & Popova, V. (2002) A theoretical and practical comparison of depth first and FP-growth implementations of apriori. [Blockeel & Denecker(2002)], pp. 115–122.
- [de Jong & Oates(2002)] de Jong, E. & Oates, T. (2002) A coevolutionary approach to representation development. [Blockeel & Denecker(2002)], pp. 431–432.
- [de Vos *et al.*(2002)de Vos, Witteman & Beun] de Vos, E., Witteman, C. & Beun, R.J. (2002) Embodied conversational agents in human-computer interaction. [Blockeel & Denecker(2002)], pp. 339–346.
- [Denecker *et al.*(2002)Denecker, Pelov & Bruynooghe] Denecker, M., Pelov, N. & Bruynooghe, M. (2002) Ultimate well-founded and stable semantics for logic programs with aggregates. [Blockeel & Denecker(2002)], pp. 413–414.
- [Donkers *et al.*(2002)Donkers, Uiterwijk & van den Herik] Donkers, J., Uiterwijk, J. & van den Herik, J. (2002) Learning opponent-type probabilities for prOM search. [Blockeel & Denecker(2002)], pp. 91–98.
- [Driessens & Džeroski(2002)] Driessens, K. & Džeroski, S. (2002) Integrating experimentation and guidance in relational reinforcement learning. [Blockeel & Denecker(2002)], pp. 415–416.
- [Drugan *et al.*(2002)Drugan, Thierens & van der Gaag] Drugan, M., Thierens, D. & van der Gaag, L. (2002) MDL-based feature selection for bayesian network classifiers. [Blockeel & Denecker(2002)], pp. 99–106.
- [Eggermont(2002)] Eggermont, J. (2002) Evolving fuzzy decision trees for data classification. [Blockeel & Denecker(2002)], pp. 417–418.
- [Eggermont & Lenaerts(2002)] Eggermont, J. & Lenaerts, T. (2002) Dynamic optimization using evolutionary algorithms with a case-based memory. [Blockeel & Denecker(2002)], pp. 107–114.
- [Fluit *et al.*(2002)Fluit, Sabou & van Harmelen] Fluit, C., Sabou, M. & van Harmelen, F. (2002) Ontology-based information visualisation. [Blockeel & Denecker(2002)], pp. 419–420.
- [Gilis & Denecker(2002)] Gilis, D. & Denecker, M. (2002) Compositionality results for stratified nonmonotone operators. [Blockeel & Denecker(2002)], pp. 421–422.
- [Hay *et al.*(2002)Hay, Wets & Vanhoof] Hay, B., Wets, G. & Vanhoof, K. (2002) Web usage mining by means of multidimensional sequence alignment methods. [Blockeel & Denecker(2002)], pp. 123–130.
- [Helsper & van der Gaag(2002)] Helsper, E. & van der Gaag, L. (2002) Building bayesian networks through ontologies. [Blockeel & Denecker(2002)], pp. 423–424.
- [Heskes & Zoeter(2002)] Heskes, T. & Zoeter, O. (2002) Expectation propagation for approximate inference in dynamic bayesian networks. [Blockeel & Denecker(2002)], pp. 425–426.
- [Horrocks *et al.*(2002)Horrocks, Patel-Schneider & van Harmelen] Horrocks, I., Patel-Schneider, P. & van Harmelen, F. (2002) Reviewing the design of DAML+oil: an ontology language for the semantic web. [Blockeel & Denecker(2002)], pp. 427–428.
- [Huygen(2002)] Huygen, P. (2002) Use of bayesian belief networks in legal reasoning. [Blockeel & Denecker(2002)], pp. 429–430.
- [Infante-Lopez *et al.*(2002)Infante-Lopez, de Rijke & Sima'an] Infante-Lopez, G., de Rijke, M. & Sima'an, K. (2002) A general probabilistic model for dependency parsing. [Blockeel & Denecker(2002)], pp. 139–146.
- [Jacobs & Blockeel(2002)] Jacobs, N. & Blockeel, H. (2002) Sequence prediction with mixed order markov chains. [Blockeel & Denecker(2002)], pp. 147–154.

- [Jamroga(2002)] Jamroga, W. (2002) Multiple models of reality and how to use them. [Blockeel & Denecker(2002)], pp. 155–162.
- [Janssens *et al.*(2002)] Janssens, Brijs, Vanhoof & Wets] Janssens, D., Brijs, T., Vanhoof, K. & Wets, G. (2002) Evaluating the performance of cost-based discretization versus entropy- and error-based discretization. [Blockeel & Denecker(2002)], pp. 163–170.
- [Jonker *et al.*(2002a)] Jonker, de Kock, Meijer & Vermeulen] Jonker, C., de Kock, A., Meijer, J. & Vermeulen, B. (2002a) Deliberate evolution agents: Comparing reproduction strategies. [Blockeel & Denecker(2002)], pp. 433–434.
- [Jonker *et al.*(2002b)] Jonker, Snoep, Treur, Westerhoff & Wijngaards] Jonker, C., Snoep, J., Treur, J., Westerhoff, H. & Wijngaards, W. (2002b) BDI-modelling of intracellular dynamics. [Blockeel & Denecker(2002)], pp. 435–436.
- [Jonker *et al.*(2002c)] Jonker, Snoep, Treur, Westerhoff & Wijngaards] Jonker, C., Snoep, J., Treur, J., Westerhoff, H. & Wijngaards, W. (2002c) Putting intentions into cell biochemistry: An artificial intelligence perspective. [Blockeel & Denecker(2002)], pp. 437–438.
- [Jonker & Treur(2002a)] Jonker, C. & Treur, J. (2002a) Analysis of the dynamics of reasoning using multiple representations. [Blockeel & Denecker(2002)], pp. 441–442.
- [Jonker & Treur(2002b)] Jonker, C. & Treur, J. (2002b) A dynamic perspective on an agent’s mental states and interaction with its environment. [Blockeel & Denecker(2002)], pp. 439–440.
- [Jonker *et al.*(2002d)] Jonker, Treur & de Vries] Jonker, C., Treur, J. & de Vries, W. (2002d) Temporal analysis of the dynamics of beliefs, desires, and intentions. [Blockeel & Denecker(2002)], pp. 443–444.
- [Jonker *et al.*(2002e)] Jonker, Treur & Wijngaards] Jonker, C., Treur, J. & Wijngaards, W. (2002e) Requirements specification and automated evaluation of dynamic properties of a component-based design. [Blockeel & Denecker(2002)], pp. 445–446.
- [Jonker *et al.*(2002f)] Jonker, Treur & Wijngaards] Jonker, C., Treur, J. & Wijngaards, W. (2002f) Temporal languages for simulation and analysis of the dynamics within an organisation. [Blockeel & Denecker(2002)], pp. 447–448.
- [Kamps & Marx(2002)] Kamps, J. & Marx, M. (2002) Words with attitude. [Blockeel & Denecker(2002)], pp. 449–450.
- [Kappen & Wiegerinck(2002)] Kappen, H. & Wiegerinck, W. (2002) Novel iteration schemes for the cluster variation method. [Blockeel & Denecker(2002)], pp. 451–452.
- [Keller *et al.*(2002)] Keller, Kusters, van der Vaart & Witsenburg] Keller, R., Kusters, W., van der Vaart, M. & Witsenburg, M. (2002) Genetic programming produces strategies for agents in a dynamic environment. [Blockeel & Denecker(2002)], pp. 171–178.
- [Kleijkers *et al.*(2002)] Kleijkers, Wiesman & Roos] Kleijkers, S., Wiesman, F. & Roos, N. (2002) A mobile multi-agent system for distributed computing. [Blockeel & Denecker(2002)], pp. 453–454.
- [Knězu & Rothkrantz(2002)] Knězu, V. & Rothkrantz, L. (2002) A system for automated bookmark management. [Blockeel & Denecker(2002)], pp. 179–186.
- [Kosala *et al.*(2002)] Kosala, den Bussche, Bruynooghe & Blockeel] Kosala, R., den Bussche, J.V., Bruynooghe, M. & Blockeel, H. (2002) Information extraction in structured documents using tree automata induction. [Blockeel & Denecker(2002)], pp. 455–456.
- [Kremer & Raskin(2002)] Kremer, S. & Raskin, J.F. (2002) Game analysis of abuse-free contract signing. [Blockeel & Denecker(2002)], pp. 457–458.
- [Langdon(2002)] Langdon, W. (2002) Size of random programs to ensure uniformity. [Blockeel & Denecker(2002)], pp. 459–460.

- [Lebbink *et al.*(2002)Lebbink, Witteman & Meyer] Lebbink, H.J., Witteman, C. & Meyer, J.J. (2002) Ontology-based knowledge acquisition for knowledge systems. [Blockeel & Denecker(2002)], pp. 195–202.
- [Lenaerts *et al.*(2002)Lenaerts, Defaweux, van Remortel & Manderick] Lenaerts, T., Defaweux, A., van Remortel, P. & Manderick, B. (2002) Multi-level selection in a simple evolutionary model. [Blockeel & Denecker(2002)], pp. 203–210.
- [Lucas(2002)] Lucas, P. (2002) Restricted bayesian network structure learning. [Blockeel & Denecker(2002)], pp. 211–218.
- [Marcos *et al.*(2002)Marcos, Roomans, ten Teije & van Harmelen] Marcos, M., Roomans, H., ten Teije, A. & van Harmelen, F. (2002) Improving medical protocols through formalisation: a case study. [Blockeel & Denecker(2002)], pp. 463–464.
- [Maruster *et al.*(2002)Maruster, Weijters, de Vries, van den Bosch & Daelemans] Maruster, L., Weijters, T., de Vries, G., van den Bosch, A. & Daelemans, W. (2002) Logistic-based patient grouping for multi-disciplinary treatment. [Blockeel & Denecker(2002)], pp. 465–466.
- [Mastop *et al.*(2002)Mastop, Lampe & de Groote] Mastop, M., Lampe, M. & de Groote, O. (2002) Knowledge framework. [Blockeel & Denecker(2002)], pp. 517–518.
- [Monz & de Rijke(2002)] Monz, C. & de Rijke, M. (2002) Knowledge-intensive question answering. [Blockeel & Denecker(2002)], pp. 467–468.
- [Nijssen & Bäck(2002)] Nijssen, S. & Bäck, T. (2002) An analysis of the behaviour of simplified evolutionary algorithms on trap functions. [Blockeel & Denecker(2002)], pp. 469–470.
- [Nijssen & Kok(2002)] Nijssen, S. & Kok, J. (2002) Tree sets: Towards a set-oriented view on multi-relational data mining. [Blockeel & Denecker(2002)], pp. 219–226.
- [Noncheva & Marques(2002)] Noncheva, V. & Marques, N.C. (2002) Agent’s belief: A stochastic approach. [Blockeel & Denecker(2002)], pp. 227–234.
- [Nuffelen(2002)] Nuffelen, B.V. (2002) Reasoning with preferences in ID-logic. [Blockeel & Denecker(2002)], pp. 323–330.
- [Oost *et al.*(2002)Oost, ten Hagen & Schulze] Oost, E., ten Hagen, S. & Schulze, F. (2002) Extracting multivariate power functions from complex data sets. [Blockeel & Denecker(2002)], pp. 235–242.
- [Peek(2002)] Peek, N. (2002) Representation of decision-theoretic plans as sets of symbolic decision rules. [Blockeel & Denecker(2002)], pp. 471–472.
- [Prakken(2002)] Prakken, H. (2002) An exercise in formalising teleological case-based reasoning. [Blockeel & Denecker(2002)], pp. 473–474.
- [Provijn(2002)] Provijn, D. (2002) How to obtain elegant fitch-style proofs from goal directed ones. [Blockeel & Denecker(2002)], pp. 243–250.
- [Renooij *et al.*(2002)Renooij, Parsons & Pardieck] Renooij, S., Parsons, S. & Pardieck, P. (2002) Using kappas as indicators of strength in QPNs. [Blockeel & Denecker(2002)], pp. 267–274.
- [Roos *et al.*(2002)Roos, ten Teije, Bos & Witteveen] Roos, N., ten Teije, A., Bos, A. & Witteveen, C. (2002) Multi-agent diagnosis with spatially distributed knowledge. [Blockeel & Denecker(2002)], pp. 275–282.
- [Salles *et al.*(2002)Salles, Bredeweg, Araujo & Neto] Salles, P., Bredeweg, B., Araujo, S. & Neto, W. (2002) Qualitative models of interactions between two populations. [Blockeel & Denecker(2002)], pp. 475–476.
- [Schaar *et al.*(2002)Schaar, Rothkrantz, Lassche & Jonkers] Schaar, R., Rothkrantz, L., Lassche, M. & Jonkers, M. (2002) Agent-based intelligent personal unified messaging. [Blockeel & Denecker(2002)], pp. 283–290.

- [Schelfthout & Holvoet(2002)] Schelfthout, K. & Holvoet, T. (2002) “to do or not to do” : The individual’s model for emergent task allocation. [Blockeel & Denecker(2002)], pp. 477–478.
- [Schoot & Jansweijer(2002)] Schoot, N. & Jansweijer, W. (2002) Improving the quality of information in document based communications using a reusable multi-agent system. [Blockeel & Denecker(2002)], pp. 519–520.
- [Sent & van der Gaag(2002)] Sent, D. & van der Gaag, L. (2002) Test selection: the gini index and the shannon entropy behave differently. [Blockeel & Denecker(2002)], pp. 291–298.
- [Serebrenik & Schreye(2002a)] Serebrenik, A. & Schreye, D.D. (2002a) Inference of termination conditions for numerical loops. [Blockeel & Denecker(2002)], pp. 479–480.
- [Serebrenik & Schreye(2002b)] Serebrenik, A. & Schreye, D.D. (2002b) On termination of meta-programs. [Blockeel & Denecker(2002)], pp. 481–482.
- [Spreeuwenberg & Gerrits(2002)] Spreeuwenberg, S. & Gerrits, R. (2002) VALENS verification component. [Blockeel & Denecker(2002)], pp. 521–522.
- [Spronck *et al.*(2002)Spronck, Sprinkhuizen-Kuyper & Postma] Spronck, P., Sprinkhuizen-Kuyper, I. & Postma, E. (2002) Improving opponent intelligence through machine learning. [Blockeel & Denecker(2002)], pp. 299–306.
- [Storms *et al.*(2002)Storms, Herweijer & van Aart] Storms, P., Herweijer, E. & van Aart, C. (2002) Practical design guidelines for embodied conversational agents. [Blockeel & Denecker(2002)], pp. 307–314.
- [Struyf *et al.*(2002)Struyf, Ramon & Blockeel] Struyf, J., Ramon, J. & Blockeel, H. (2002) Compact representation of knowledge bases in ILP. [Blockeel & Denecker(2002)], pp. 483–484.
- [Stuckenschmidt(2002)] Stuckenschmidt, H. (2002) Approximate information filtering with multiple classification hierarchies. [Blockeel & Denecker(2002)], pp. 485–486.
- [ter Brugge *et al.*(2002)ter Brugge, Nijhuis & Spaanenburg] ter Brugge, M., Nijhuis, J. & Spaanenburg, L. (2002) Morphological template decomposition for DT-cnn. [Blockeel & Denecker(2002)], pp. 35–42.
- [ter Horst *et al.*(2002)ter Horst, van Doorn, Kravtsova, ten Kate & Siahaan] ter Horst, H., van Doorn, M., Kravtsova, N., ten Kate, W. & Siahaan, D. (2002) Context-aware music selection using knowledge on the semantic web. [Blockeel & Denecker(2002)], pp. 131–138.
- [Tonino *et al.*(2002)Tonino, Bos, de Weerd & Witteveen] Tonino, H., Bos, A., de Weerd, M. & Witteveen, C. (2002) Plan coordination by revision in collective agent based systems. [Blockeel & Denecker(2002)], pp. 487–488.
- [Tuyts *et al.*(2002)Tuyts, Lenaerts, Verbeeck, Maes & Manderick] Tuyts, K., Lenaerts, T., Verbeeck, K., Maes, S. & Manderick, B. (2002) Towards a relation between learning agents and evolutionary dynamics. [Blockeel & Denecker(2002)], pp. 315–322.
- [Valk & Witteveen(2002)] Valk, J. & Witteveen, C. (2002) Multi-agent coordination in planning. [Blockeel & Denecker(2002)], pp. 489–490.
- [van Aart *et al.*(2002)van Aart, Marcke, Pels & Smulders] van Aart, C., Marcke, K.V., Pels, R. & Smulders, J. (2002) International insurance traffic with software agents. [Blockeel & Denecker(2002)], pp. 397–398.
- [van Dartel *et al.*(2002)van Dartel, Postma & van den Herik] van Dartel, M., Postma, E. & van den Herik, J. (2002) Universal properties of adaptive behaviour. [Blockeel & Denecker(2002)], pp. 59–66.
- [van de Vrie(2002)] van de Vrie, E. (2002) LOK: Implementation of a platform for distributed development and use of educational tasks. [Blockeel & Denecker(2002)], pp. 525–526.

- [van den Berg *et al.*(2002a)van den Berg, Kaymak & van den Bergh] van den Berg, J., Kaymak, U. & van den Bergh, W.M. (2002a) Fuzzy classification by using probability-based rule weighting. [Blokkeel & Denecker(2002)], pp. 401–402.
- [van den Berg *et al.*(2002b)van den Berg, Kaymak & van den Bergh] van den Berg, J., Kaymak, U. & van den Bergh, W.M. (2002b) Probabilistic reasoning in fuzzy rule-based systems. [Blokkeel & Denecker(2002)], pp. 11–18.
- [van den Bosch & Buchholz(2002)] van den Bosch, A. & Buchholz, S. (2002) Shallow parsing on the basis of words only: A case study. [Blokkeel & Denecker(2002)], pp. 405–406.
- [van der Krogt *et al.*(2002)van der Krogt, Aronson, Roos, Witteveen & Zutt] van der Krogt, R., Aronson, L., Roos, N., Witteveen, C. & Zutt, J. (2002) Tactical planning using heuristics. [Blokkeel & Denecker(2002)], pp. 187–194.
- [van der Putten *et al.*(2002)van der Putten, Ramaekers, den Uyl & Kok] van der Putten, P., Ramaekers, M., den Uyl, M. & Kok, J. (2002) A process model for a data fusion factory. [Blokkeel & Denecker(2002)], pp. 251–258.
- [van der Werf *et al.*(2002)van der Werf, Uiterwijk & van den Herik] van der Werf, E., Uiterwijk, J. & van den Herik, J. (2002) Solving ponnuki-go on small boards. [Blokkeel & Denecker(2002)], pp. 347–354.
- [van der Zwaag *et al.*(2002)van der Zwaag, Slump & Spaanenburg] van der Zwaag, B.J., Slump, K. & Spaanenburg, L. (2002) Process identification through modular neural networks and rule extraction. [Blokkeel & Denecker(2002)], pp. 507–508.
- [van Leeuwen *et al.*(2002)van Leeuwen, Hesselink & Rohling] van Leeuwen, P., Hesselink, H. & Rohling, J. (2002) Scheduling aircraft using constraint satisfaction. [Blokkeel & Denecker(2002)], pp. 461–462.
- [van Remortel *et al.*(2002)van Remortel, Lenaerts & Manderick] van Remortel, P., Lenaerts, T. & Manderick, B. (2002) Testing the overall functional robustness of 2D ca phenotypes for development. [Blokkeel & Denecker(2002)], pp. 259–266.
- [van Stokkum(2002)] van Stokkum, W. (2002) Knowledge intensive content model management within integrated back offices. [Blokkeel & Denecker(2002)], pp. 523–524.
- [van Wezel & Kusters(2002)] van Wezel, M. & Kusters, W. (2002) Numerical integration by cubature formulae in bayesian neural networks. [Blokkeel & Denecker(2002)], pp. 355–362.
- [Verbeeck *et al.*(2002)Verbeeck, Nowé & Parent] Verbeeck, K., Nowé, A. & Parent, J. (2002) Social agents playing a periodical policy. [Blokkeel & Denecker(2002)], pp. 491–492.
- [Verbeeck *et al.*(2002)Verbeeck, Vlassis & Kröse] Verbeeck, J., Vlassis, N. & Kröse, B. (2002) Coordinating principal component analyzers. [Blokkeel & Denecker(2002)], pp. 493–494.
- [Vogt(2002)] Vogt, P. (2002) Anchoring symbols to sensorimotor control. [Blokkeel & Denecker(2002)], pp. 331–338.
- [Vollebregt *et al.*(2002)Vollebregt, Hannessen, Hesselink & Beetstra] Vollebregt, A., Hannessen, D., Hesselink, H. & Beetstra, J. (2002) Modelling crew assistants with multi-agent systems in aircraft. [Blokkeel & Denecker(2002)], pp. 495–496.
- [Voorbraak(2002)] Voorbraak, F. (2002) Uncertainty in AI and bioinformatics. [Blokkeel & Denecker(2002)], pp. 497–498.
- [Wiegerinck & Heskes(2002)] Wiegerinck, W. & Heskes, T. (2002) IPF for discrete chain factor graphs. [Blokkeel & Denecker(2002)], pp. 499–500.
- [Wiering(2002)] Wiering, M. (2002) Hierarchical mixtures of naive bayesian classifiers. [Blokkeel & Denecker(2002)], pp. 363–370.



- [Wijngaards *et al.*(2002)Wijngaards, Overeinder, van Steen & Brazier] Wijngaards, N., Overeinder, B., van Steen, M. & Brazier, F. (2002) Supporting internet-scale multi-agent systems. [Blockeel & Denecker(2002)], pp. 501–502.
- [Winands *et al.*(2002)Winands, Kocsis, Uiterwijk & van den Herik] Winands, M., Kocsis, L., Uiterwijk, J. & van den Herik, J. (2002) Learning in lines of action. [Blockeel & Denecker(2002)], pp. 371–378.
- [Winkels *et al.*(2002)Winkels, Boer & Hoekstra] Winkels, R., Boer, A. & Hoekstra, R. (2002) Lessons learned in legal information serving. [Blockeel & Denecker(2002)], pp. 503–504.
- [Ypma & Heskes(2002)] Ypma, A. & Heskes, T. (2002) Clustering web surfers with mixtures of hidden markov models. [Blockeel & Denecker(2002)], pp. 505–506.
- [Zajdel & Kröse(2002)] Zajdel, W. & Kröse, B. (2002) Bayesian network for multiple hypothesis tracking. [Blockeel & Denecker(2002)], pp. 379–386.
- [Zutt *et al.*(2002)Zutt, Aronson, van der Krogt, Roos & Witteveen] Zutt, J., Aronson, L., van der Krogt, R., Roos, N. & Witteveen, C. (2002) Multi-agent transport planning. [Blockeel & Denecker(2002)], pp. 387–394.