Список литературы

[Acan, 2004] Acan, A. (2004). Clonal selection algorithm with operator multiplicity. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1909–1915.

[Aguirre & Tanaka, 2004a] Aguirre, H. & Tanaka, K. (2004a). Effects of elitism and population climbing on multiobjective mnk-landscapes. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 449–456.

[Aguirre & Tanaka, 2004b] Aguirre, H. & Tanaka, K. (2004b). Insights on properties of multiobjective mnk-landscapes. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 196–203.

[Aldasht et al., 2004] Aldasht, M., Ortega, J., Puntonet, C. G., & Diaz, A. F. (2004). A genetic exploration of dynamic load balancing algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1158–1163.

[Aleti & de Garis, 2004] Aleti, S. H. & de Garis, H. (2004). Evolutionary algorithms based on machine learning accelerate mathematical function optimization but not neural net evolution. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1172–1177.

[Alkhalifah & Wainwright, 2004] Alkhalifah, Y. & Wainwright, R. (2004). A genetic algorithm applied to graph problems involving subsets of vertices. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 303–308.

[Anderson et al., 2004] Anderson, C., Bonabeau, E., & Scott, J. (2004). Evolutionary testing as both a testing and redesign tool: a study of a shipboard firemain's valve and pump controls. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1089–1097.

[Ando & Iba, 2004] Ando, S. & Iba, H. (2004). Estimation of gene network using real-coded ga and robustness analysis. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 827–834.

[Annaluru et al., 2004] Annaluru, R., Das, S., & Pahwa, A. (2004). Multi-level ant colony algorithm for optimal placement of capacitors in distribution systems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1932–1937.

[Arnold, 2004] Arnold, D. (2004). An analysis of evolutionary gradient search. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 47–54.

[Ashburn & Bonabeau, 2004] Ashburn, T. & Bonabeau, E. (2004). Interactive inversion of financial markets agent-based models. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 522–529.

[Ashlock & Bryden, 2004] Ashlock, D. & Bryden, K. (2004). Evolutionary control of lsystem interpretation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2273–2279.

[Ashlock et al., 2004a] Ashlock, D., Bryden, K., & Corns, S. (2004a). On taxonomy of evolutionary computation problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1713–1719.

[Ashlock & Lathrop, 2004] Ashlock, D. & Lathrop, J. (2004). Program induction: Building a wall. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1844–1850.

[Ashlock & Oftelie, 2004] Ashlock, D. & Oftelie, J. (2004). Simulation of floral specialization in bees. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1859–1864.

[Ashlock & Powers, 2004] Ashlock, D. & Powers, B. (2004). The effect of tag recognition on non-local adaptation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2045–2051.

[Ashlock et al., 2004b] Ashlock, D., Willson, S., & Leahy, N. (2004b). Coevolution and tartarus. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1618–1624.

[Ashlock et al., 2004c] Ashlock, D., youn Kim, E., & von Roeschlaub, W. (2004c). Fingerprints: Enabling visualization and automatic analysis of strategies for two player games. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 381–387.

[Augugliaro et al., 2004] Augugliaro, A., Dusonchet, L., Favuzza, S., & Sanseverino, E. R. (2004). A fuzzy-logic based evolutionary multiobjective approach for automated distribution networks management. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 847–854.

[Bain et al., 2004] Bain, S., Thornton, J., & Sattar, A. (2004). Evolving algorithms for constraint satisfaction. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 265–272.

[Bajurnow & Ciesielski, 2004] Bajurnow, A. & Ciesielski, V. (2004). Layered learning for evolving goal scoring behavior in soccer players. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1828–1835.

[Bandte, 2004] Bandte, O. (2004). Visualizing information in an interactive evolutionary design process. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 691–698.

[Bartz-Beielstein & Markon, 2004] Bartz-Beielstein, T. & Markon, S. (2004). Tuning search algorithms for real-world applications: A regression tree based approach. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1111–1118.

[Bernstein et al., 2004] Bernstein, Y., Li, X., Ciesielski, V., & Song, A. (2004). Multiobjective parsimony enforcement for superior generalisation performance. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 83–89.

[Bleuler et al., 2004] Bleuler, S., Prelic, A., & Zitzler, E. (2004). An ea framework for biclustering of gene expression data. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 166–173.

[Blumenthal & Parker, 2004] Blumenthal, J. & Parker, G. (2004). Punctuated anytime learning for evolving multi-agent capture strategies. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1820–1827.

[Bonino et al., 2004] Bonino, D., Corno, F., & Squillero, G. (2004). Dynamic optimization of semantic annotation relevance. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1301–1308.

[Brabazon et al., 2004] Brabazon, A., Silva, A., de Sousa, T. F., O'Neill, M., Matthews, R., & Costa, E. (2004). Investigating organizational strategic inertia using a particle swarm model. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 652–659.

[Branke et al., 2004] Branke, J., Schmeck, H., Deb, K., & Maheshwar, R. (2004). Parallelizing multi-objective evolutionary algorithms: Cone separation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1952–1957.

[Brewster & Reynolds, 2004] Brewster, J. & Reynolds, R. G. (2004). Alternative fuel adoption. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2364–2371.

[Bryden et al., 2004] Bryden, K., Ashlock, D., & McCorkle, D. (2004). An application of graph based evolutionary algorithms for diversity preservation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 419–426.

[Burian & Takala, 2004] Burian, A. & Takala, J. (2004). Evolved gate arrays for image restoration. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1185–1192.

[Buzing et al., 2004] Buzing, P., Eiben, A., Schut, M., & Toma, T. (2004). Cooperation and communication in evolving artificial societies. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2030–2037.

[Cagnina et al., 2004] Cagnina, L., Esquivel, S., & Gallard, R. (2004). Particle swarm optimization for sequencing problems: A case study. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 536–541.

[Castillo et al., 2004] Castillo, F., Sweeney, J., & Zirk, W. (2004). Using evolutionary algorithms to suggest variable transformations in linear model lack-of-fit situations. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 556–560.

[Chakraborty, 2004] Chakraborty, U. (2004). Analysis of encoding in 1+1-ea. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 911–917.

[Chan et al., 2004a] Chan, K. Y., Aydin, E., & Fogarty, T. (2004a). An empirical study on the performance of factorial design based crossover on parametrical problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 620–627.

[Chan et al., 2004b] Chan, K. Y., Aydin, E., & Fogarty, T. (2004b). Parameterisation of mutation in evolutionary algorithms using the estimated main effect of genes. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1972–1979.

[Chang et al., 2004] Chang, M., Ohkura, K., Ueda, K., & Sugiyama, M. (2004). Modeling coevolutionary genetic algorithms on two-bit landscapes: Partnering strategies. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2349–2356.

[Chen et al., 2004] Chen, A., Chootinan, P., & Pravinvongvuth, S. (2004). An evolutionary approach for finding optimal automatic vehicle identification reader locations in transportation networks. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 181–187.

[Chen & guo Feng, 2004] Chen, H. & guo Feng, D. (2004). An effective evolutionary strategy for bijective s-boxes. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2120–2123.

[Chen & Wineberg, 2004] Chen, J. & Wineberg, M. (2004). Enhancement of the shifting balance genetic algorithm for highly multimodal problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 744–751.

[Chiang & Chen, 2004] Chiang, C.-H. & Chen, L.-H. (2004). A new cellular automaton: Five elements balance chart and its application to forest industry ecosystem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1901–1908.

[Cho & Park, 2004] Cho, S.-B. & Park, C. (2004). Speciated ga for optimal ensemble classifiers in dna microarray classification. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 590–597.

[Chong & Yao, 2004] Chong, S. Y. & Yao, X. (2004). The impact of noise on iterated prisoner's dilemma with multiple levels of cooperation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 348–355.

[Chow, 2004] Chow, R. (2004). Effects of phenotypic feedback and the coupling of genotypic and phenotypic spaces in genetic searches. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 242–249.

[Chung-Yuan & Chuen-Tsai, 2004] Chung-Yuan, H. & Chuen-Tsai, S. (2004). Self-adaptive routing based on learning classifier systems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 678–682.

[Ciesielski & Li, 2004] Ciesielski, V. & Li, X. (2004). Experiments with explicit for-loops in genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 494–501.

[Clark et al., 2004a] Clark, J. A., Jacob, J. L., & Stepney, S. (2004a). The design of s-boxes by simulated annealing. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1533–1537.

[Clark et al., 2004b] Clark, J. A., Jacob, J. L., & Stepney, S. (2004b). Searching for cost functions. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1517–1524.

[Coelho & Bouillard, 2004] Coelho, R. F. & Bouillard, P. (2004). Pamuc ii for multicriteria optimization of mechanical designs with expert rules. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 17–22.

[Cohen, 2004a] Cohen, D. (2004a). Ea-lect: An evolutionary algorithm for constructing logical rules to predict election into cooperstown. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1354–1361.

[Cohen, 2004b] Cohen, D. (2004b). Using sat scores as predictors for future academic success. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 671–677.

[Cole et al., 2004] Cole, N., Louis, S., & Miles, C. (2004). Using a genetic algorithm to tune first-person shooter bots. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 139–145.

[Corne & Pridgeon, 2004] Corne, D. & Pridgeon, C. (2004). Investigating issues in the reconstructability of genetic regulatory networks. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 582–589.

[Corno et al., 2004] Corno, F., Sanchez, E., & Squillero, G. (2004). On the evolution of corewar warriors. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 133–138.

[Cruz, 2004] Cruz, A. (2004). A hybrid deterministic/genetic test generator to improve fault. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1325–1330.

[Cui et al., 2004] Cui, Z., Zeng, J., & Cai, X. (2004). A new stochastic particle swarm optimizer. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 316–319.

[Curran & O'Riordan, 2004] Curran, D. & O'Riordan, C. (2004). The effect of noise on the performance of cultural evolution in multi-agent systems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1767–1773.

[Czarn et al., 2004] Czarn, A., MacNish, C., Vijayan, K., & Turlach, B. (2004). Statistical exploratory analysis of genetic algorithms: The importance of interaction. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2288–2295.

[Dahal et al., 2004] Dahal, K. P., Siewierski, T. A., Galloway, S. J., Burt, G. M., & McDonald, J. R. (2004). An evolutionary generation scheduling in an open electricity market. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1135–1142.

[Daida et al., 2004a] Daida, J., Samples, M., Hart, B., Halim, J., & Kumar, A. (2004a). Demonstrating constraints to diversity with a tunably difficulty problem for genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1217–1224.

[Daida et al., 2004b] Daida, J., Ward, D., Hilss, A., Long, S., & Hodges, M. (2004b). Visualizing the loss of diversity in genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1225–1232.

[Dandass, 2004] Dandass, Y. (2004). Genetic list scheduling for soft real-time parallel applications. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1164–1171.

[Daneshyari & Yen, 2004] Daneshyari, M. & Yen, G. (2004). Talent based social algorithm for optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 786–791.

[Daoud et al., 2004] Daoud, M., Kharma, N., Haidar, A., & Popoola, J. (2004). Ayo, the awari player, or how better representation trumps deeper search. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1001–1006.

[Day et al., 2004] Day, R., Kleeman, M., & Lamont, G. (2004). Multi-objective fast messy genetic algorithm solving deception problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1502–1509.

[Day & Lamont, 2004] Day, R. & Lamont, G. (2004). Force field approximations using artificial neural networks. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1020–1027.

[de Garis & Batty, 2004a] de Garis, H. & Batty, T. (2004a). "multi-mod": A pc based software system for handling the interconnectivity and neural signaling of an artificial brain containing 10,000 evolved neural net modules. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 816–819.

[de Garis & Batty, 2004b] de Garis, H. & Batty, T. (2004b). Robust, reversible, nano-scale, femto-second-switching circuits and their evolution. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 639–645.

[De Jong, 2004] De Jong, E. (2004). Towards a bounded pareto-coevolution archive. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2341–2348.

[de la Cruz-Garcia et al., 2004] de la Cruz-Garcia, J. M., Risco-Martin, J. L., Herran-Gonzalez, A., & Fernandez-Blanco, P. (2004). Hybrid heuristic and mathematical programming in oil pipelines networks. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1479–1486.

[de Paula et al., 2004] de Paula, F., de Castro, L., & de Geus, P. (2004). An intrusion detection system using ideas from the immune system. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1059–1066.

[De San Pedro et al., 2004] De San Pedro, M., Pandolfi, D., Villagra, A., Lasso, M., & Gallard, R. (2004). Effect of crossover operators under multirecombination: Weighted tardiness, a test case. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 699–705.

[Dengiz et al., 2004] Dengiz, O., Dozier, G. V., & Smith, A. E. (2004). Non-deterministic decoding with memory to enhance precision in binary-coded genetic algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2166–2172.

[Denzinger et al., 2004] Denzinger, J., Chan, B., Gates, D., Loose, K., & Buchanan, J. (2004). Evolutionary behavior testing of commercial computer games. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 125–132.

[Deschenes & Wiese, 2004] Deschenes, A. & Wiese, K. C. (2004). Using stacking-energies (inn and inn-hb) for improving the accuracy of rna secondary structure prediction with an evolutionary algorithm - a comparison to known structures. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 598–606.

[Deugo & Ferguson, 2004] Deugo, D. & Ferguson, D. (2004). Evolution to the xtreme: Evolving evolutionary strategies using a meta-level approach. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 31–38.

[Devicharan & Mohan, 2004] Devicharan, D. & Mohan, C. (2004). Particle swarm optimization with adaptive linkage learning. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 530–535.

[Di Pietro et al., 2004] Di Pietro, A., While, L., & Barone, L. (2004). Applying evolutionary algorithms to problems with noisy, time-consuming fitness functions. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1254–1261.

[Dimopoulos, 2004] Dimopoulos, C. (2004). A review of evolutionary multiobjective optimization applications in the area of production research. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1487–1494.

[Ding et al., 2004] Ding, S., Liu, J., Wu, C., & Yang, Q. (2004). A genetic algorithm applied to optimal gene subset selection. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1654–1660.

[Doctor et al., 2004] Doctor, S., Venayagamoorthy, G., & Gudise, V. (2004). Optimal pso for collective robotic search applications. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1390–1395.

[Dorris et al., 2004] Dorris, N., Carnahan, B., Orsini, L., & Kuntz, L.-A. (2004). Interactive evolutionary design of anthropomorphic symbols. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 433–440.

[Dorronsoro et al., 2004] Dorronsoro, B., Alba, E., Giacobini, M., & Tomassini, M. (2004). The influence of grid shape and asynchronicity on cellular evolutionary algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2152–2158.

[Doty, 2004] Doty, D. (2004). Non-local evolutionary adaptation in gridplants. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1602–1609.

[Dozier, 2004] Dozier, G. V. (2004). Recurrent distributed constraint satisfaction via genetic and evolutionary societies of hill-climbers. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 273–279.

[Dozier et al., 2004] Dozier, G. V., Brown, D., Hurley, J., & Cain, K. (2004). Vulnerability analysis of ais-based intrusion detection systems via genetic and particle swarm red teams. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 111–116.

[Dukkipati et al., 2004] Dukkipati, A., Musti, N. M., & Bhatnagar, S. (2004). Cauchy annealing schedule: An annealing schedule for boltzmann selection scheme in evolutionary algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 55–62.

[Dunn et al., 2004] Dunn, E., Olague, G., Lutton, E., & Schoenauer, M. (2004). Pareto optimal sensing strategies for an active vision system. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 457–463.

[Eberbach & Eberbach, 2004] Eberbach, E. & Eberbach, A. (2004). On designing co$t: A new approach and programming environment for distributed problem solving based on evolutionary computation and anytime algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1836–1843.

[Eguchi et al., 2004] Eguchi, T., Hirasawa, K., Hu, J., & Markon, S. (2004). Elevator group supervisory control systems using genetic network programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1661–1667.

[Enee & Escazut, 2004] Enee, G. & Escazut, C. (2004). Evolution of communication in a genetic based multi-agent system: Use wise resources. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2038–2044.

[English, 2004] English, T. (2004). No more lunch: Analysis of sequential search. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 227–234.

[Eriksson & Olsson, 2004] Eriksson, R. & Olsson, B. (2004). On the performance of evolutionary algorithms with life-time adaptation in dynamic fitness landscapes. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1293–1300.

[Eskridge & Hougen, 2004] Eskridge, B. & Hougen, D. (2004). Imitating success: A memetic crossover operator for genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 809–815.

[Esquivel et al., 2004] Esquivel, S., Garcia, M., Leguizamon, G., & Ribba, M. (2004). A comparison of two mutation operators for the path planning problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 879–883.

[Eto et al., 2004] Eto, S., Hirasawa, K., & Hu, J. (2004). Functional localization of genetic network programming and its application to a pursuit problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 683–690.

[Fan et al., 2004] Fan, Z., Goodman, E., Jiachuan, W., Ronald, R., Kisung, S., & Jianjun, H. (2004). Hierarchical evolutionary synthesis of mems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2320–2327.

[Farina & Gobbi, 2004] Farina, M. & Gobbi, M. (2004). A fuzzy-optima definition based multiobjective optimization of a racing car tyre-suspension system. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 9–16.

[Fernandez et al., 2004] Fernandez, E., Grana, M., & Ruiz-Cabello, J. (2004). An instantaneous memetic algorithm for illumination correction. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1105–1110.

[Ferreira et al., 2004] Ferreira, T., Vasconcelos, G., & Adeodato, P. (2004). A hybrid intelligent system approach for improving the prediction of real world time series. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 736–743.

[Filipic & Robic, 2004] Filipic, B. & Robic, T. (2004). A comparative study of coolant flow optimization on a steel casting machine. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 569–573.

[Fletcher & Zwick, 2004] Fletcher, J. & Zwick, M. (2004). Hamilton's rule applied to reciprocal altruism. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 994–1000.

[Fogel, 2004] Fogel, D. B. (2004). Evolving strategies in blackjack. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1427–1434.

[Fogel et al., 2004a] Fogel, D. B., Hays, T., & Johnson, D. (2004a). A platform for evolving characters in competitive games. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1420–1426.

[Fogel et al., 2004b] Fogel, G. B., Weekes, D. G., Sampath, R., & Ecker, D. J. (2004b). Parameter optimization of an evolutionary algorithm for rna structure discovery. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 607–613.

[Franken & Engelbrecht, 2004] Franken, N. & Engelbrecht, A. (2004). Pso approaches to co-evolve ipd strategies. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 356–363.

[Fuller et al., 2004] Fuller, J., Millan, W., & Dawson, E. (2004). Multi-objective optimisation of bijective s-boxes. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1525–1532.

[Funes et al., 2004] Funes, P., Bonabeau, E., Herve, J., & Morieux, Y. (2004). Interactive multi-participant task allocation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1699–1705.

[Gao, 2004] Gao, W. (2004). Fast immunized evolutionary programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 666–670.

[Garrett, 2004] Garrett, S. (2004). Parameter-free, adaptive clonal selection. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1052–1058.

[Goldstein & Yen, 2004] Goldstein, M. & Yen, G. (2004). An evolutionary algorithm method for sampling n-partite graphs. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2250–2257.

[Gomez, 2004a] Gomez, J. (2004a). Evolution of fuzzy rule based classifiers. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1727–1734.

[Gomez, 2004b] Gomez, J. (2004b). Self adaptation of operator rates in evolutionary algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1720–1726.

[Gonzalez & Cannady, 2004] Gonzalez, L. & Cannady, J. (2004). A self-adaptive negative selection approach for anomaly detection. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1561–1568.

[Gordon & Matley, 2004] Gordon, S. & Matley, Z. (2004). Evolving sparse direction maps for maze pathfinding. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 835–838.

[Gordon & Slocum, 2004] Gordon, S. & Slocum, T. (2004). The knight's tour - evolutionary vs. depth-first search. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1435–1440.

[Greenwood, 2004] Greenwood, G. (2004). Differing mathematical perspectives of genotype space in combinatorial problems: Metric spaces vs pretopological spaces. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 258–264.

[Grosan, 2004] Grosan, C. (2004). Improving the performance of evolutionary algorithms for the multiobjective 0/1 knapsack problem using epsilon -dominance. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1958–1963.

[Guo & Mak, 2004] Guo, Z. & Mak, K. (2004). A heuristic ga for the stochastic vehicle routing problems with soft time windows. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1449–1456.

[Gutierrez, 2004] Gutierrez, C. (2004). Heuristics in a general scheduling problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 660–665.

[Habib & Parker, 2004] Habib, S. & Parker, A. (2004). Synthesizing complex multimedia network topologies using an evolutionary approach. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1193–1200.

[Hamaker & Boggess, 2004] Hamaker, J. & Boggess, L. (2004). Non-euclidean distance measures in airs, an artificial immune classification system. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1067–1073.

[Harding & Miller, 2004] Harding, S. & Miller, J. (2004). Evolution in materio : A tone discriminator in liquid crystal. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1800–1807.

[Hartono et al., 2004] Hartono, P., Hashimoto, S., & Wahde, M. (2004). Labeled-ga with adaptive mutation rate. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1851–1858.

[Hatanaka et al., 2004] Hatanaka, T., Kawaguchi, Y., & Uosaki, K. (2004). Nonlinear system identification based on evolutionary fuzzy modeling. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 646–651.

[Hati & Sengupta, 2004] Hati, S. & Sengupta, S. (2004). A ga-based integrated approach to model-assisted matching and pose estimation for automated visual inspection applications. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1346–1353.

[Hayward, 2004] Hayward, S. (2004). Setting up performance surface of an artificial neural network with genetic algorithm optimization: in search of an accurate and profitable prediction for stock trading. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 948–954.

[He et al., 2004] He, J., Yao, X., & Zhang, Q. (2004). To understand one-dimensional continuous fitness landscapes by drift analysis. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1248–1253.

[Hernandez et al., 2004a] Hernandez, G., Dasgupta, D., Nino, F., & Garcia, J. (2004a). On geometric and statistical properties of the attractors of a generic evolutionary algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1240–1247.

[Hernandez & Isasi, 2004] Hernandez, J. C. & Isasi, P. (2004). New results on the genetic cryptanalysis of tea and reduced-round versions of xtea. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2124–2129.

[Hernandez et al., 2004b] Hernandez, J. C., Isasi, P., & Seznec, A. (2004b). On the design of state-of-the-art pseudorandom number generators by means of genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1510–1516.

[Hernandez-Aguirre et al., 2004] Hernandez-Aguirre, A., Botello-Rionda, S., & Coello-Coello, C. (2004). Passss: An implementation of a novel diversity strategy for handling constraints. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 403–410.

[Hernandez-Aguirre & Coello-Coello, 2004] Hernandez-Aguirre, A. & Coello-Coello, C. (2004). Mutual information-based fitness functions for evolutionary circuit synthesis. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1309–1316.

[Hingston & Kendall, 2004] Hingston, P. & Kendall, G. (2004). Learning versus evolution in iterated prisoner's dilemma. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 364–372.

[Ho & Tay, 2004] Ho, N. B. & Tay, J. C. (2004). Genace: An efficient cultural algorithm to solve the flexible job-shop problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1759–1766.

[Hong & Cho, 2004] Hong, J.-H. & Cho, S.-B. (2004). Evolution of emergent behaviors for shooting game characters in robocode. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 634–638.

[Hotz, 2004a] Hotz, P. E. (2004a). Asymmetric cell division in artificial evolution. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2180–2186.

[Hotz, 2004b] Hotz, P. E. (2004b). Comparing direct and developmental encoding schemes in artificial evolution: A case study in evolving lens shapes. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 752–757.

[Hou & Dozier, 2004] Hou, H. & Dozier, G. V. (2004). Comparing performance of binary-coded and constraint-based detectors. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 772–777.

[Hu & Goodman, 2004] Hu, J. & Goodman, E. (2004). Wireless access point configuration by genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1178–1184.

[Hu et al., 2004] Hu, X., Shi, Y., & Eberhart, R. (2004). Recent advances in particle swarm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 90–97.

[Hughes, 2004] Hughes, E. (2004). Swarm guidance using a multi-objective co-evolutionary on-line evolutionary algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2357–2363.

[Hunter, 2004] Hunter, D. (2004). Some lessons learned on constructing an automated testbench for evolvable hardware experiments. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1808–1812.

[Inoue et al., 2004] Inoue, Y., Tohge, T., & Iba, H. (2004). Object transportation by two humanoid robots using cooperative learning. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1201–1208.

[Ippolito et al., 2004] Ippolito, M., Sanseverino, E. R., & Vuinovich, F. (2004). Multiobjective ant colony search algorithm for optimal electrical distribution system strategical planning. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1924–1931.

[Isaacs & Foo, 2004] Isaacs, J. & Foo, S. (2004). Optimized wavelet hand pose estimation for american sign language recognition. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 797–802.

[Ishibuchi & Narukawa, 2004] Ishibuchi, H. & Narukawa, K. (2004). Performance evaluation of simple multiobjective genetic local search algorithms on multiobjective 0/1 knapsack problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 441–448.

[Jang et al., 2004] Jang, J.-S., Han, K.-H., & Kim, J.-H. (2004). Face detection using quantum-inspired evolutionary algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2100–2106.

[Ji et al., 2004] Ji, Z., Chen, A., & Subprasom, K. (2004). Finding multi-objective paths in stochastic networks: A simulation-based genetic algorithm approach. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 174–180.

[Ji & Dasgupta, 2004] Ji, Z. & Dasgupta, D. (2004). Augmented negative selection algorithm with variable-coverage detectors. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1081–1088.

[Jin et al., 2004] Jin, Y., Okabe, T., & Sendhoff, B. (2004). Neural network regularization and ensembling using multi-objective evolutionary algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1–8.

[Johnson et al., 2004] Johnson, R., Melich, M., Michalewicz, Z., & Schmidt, M. (2004). Coevolutionary tempo game. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1610–1617.

[Jones et al., 2004] Jones, P., Tiwari, A., Roy, R., & Corbett, J. (2004). Optimisation of the high efficiency deep grinding process with fuzzy fitness function and constraints. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 574–581.

[Kamio & Iba, 2004] Kamio, S. & Iba, H. (2004). Evolutionary construction of a simulator for real robots. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2202–2209.

[Kang et al., 2004] Kang, L., Zhou, A., McKay, R. I., Li, Y., & Kang, Z. (2004). Benchmarking algorithms for dynamic travelling salesman problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1286–1292.

[Katada et al., 2004] Katada, Y., Ohkura, K., & Ueda, K. (2004). The nei's standard genetic distance in artificial evolution. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1233–1239.

[Katare et al., 2004] Katare, S., Kalos, A., & West, D. (2004). A hybrid swarm optimizer for efficient parameter estimation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 309–315.

[Katsumata & Terano, 2004] Katsumata, Y. & Terano, T. (2004). Cabling and scheduling for electric power plant operation via tabu-boa algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1675–1682.

[Kendall & Spoerer, 2004] Kendall, G. & Spoerer, K. (2004). Scripting the game of lemmings with a genetic algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 117–124.

[Kendall et al., 2004] Kendall, G., Yaakob, R., & Hingston, P. (2004). An investigation of an evolutionary approach to the opening of go. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2052–2059.

[Kennedy, 2004] Kennedy, J. (2004). Probability and dynamics in the particle swarm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 340–347.

[Kephart & Lefevre, 2004] Kephart, D. & Lefevre, J. (2004). Codegen: The generation and testing of dna code words. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1865–1873.

[Khabzaoui et al., 2004] Khabzaoui, M., Dhaenens, C., & Talbi, E.-G. (2004). A multicriteria genetic algorithm to analyze dna microarray data. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1874–1881.

[Khan & Perkowski, 2004] Khan, M. H. & Perkowski, M. A. (2004). Genetic algorithm based synthesis of multi-output ternary functions using quantum cascade of generalized ternary gates. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2194–2201.

[Kicinger et al., 2004] Kicinger, R., Arciszewski, T., & De Jong, K. (2004). Morphogenesis and structural design: Cellular automata representations of steel structures in tall buildings. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 411–418.

[Kimbrough et al., 2004] Kimbrough, S., Lu, M., & Safavi, S. (2004). Exploring a financial product model with a two-population genetic algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 855–862.

[kin Chow & tat Tsui, 2004] kin Chow, C. & tat Tsui, H. (2004). Autonomous agent response learning by a multi-species particle swarm optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 778–785.

[Kleeman et al., 2004] Kleeman, M., Day, R., & Lamont, G. (2004). Multi-objective evolutionary search performance with explicit building-block sizes for npc problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 728–735.

[Kobayashi & Aiyoshi, 2004] Kobayashi, Y. & Aiyoshi, E. (2004). Optimization algorithm using multi-agents and reinforcement learning. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 63–68.

[Kobti et al., 2004] Kobti, Z., Reynolds, R. G., & Kohler, T. (2004). The effect of kinship cooperation learning strategy and culture on the resilience of social systems in the village multi-agent simulation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1743–1750.

[Koduru et al., 2004] Koduru, P., Das, S., Welch, S., & Roe, J. L. (2004). A multi-objective ga-simplex hybrid approach for gene regulatory network models. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2084–2091.

[Koeppen, 2004] Koeppen, M. (2004). No-free-lunch theorems and the diversity of algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 235–241.

[Korczak & Lipinski, 2004] Korczak, J. J. & Lipinski, P. (2004). Evolutionary building of stock trading experts in a real-time system. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 940–947.

[Kordon & Lue, 2004] Kordon, A. & Lue, C.-T. (2004). Symbolic regression modeling of blown film process effects. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 561–568.

[Kotani & Kato, 2004] Kotani, M. & Kato, D. (2004). Feature extraction using coevolutionary genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 614–619.

[Krink et al., 2004] Krink, T., Filipic, B., Fogel, G. B., & Thomsen, R. (2004). Noisy optimization problems - a particular challenge for differential evolution? *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 332–339.

[Krohling et al., 2004] Krohling, R. A., Hoffmann, F., & dos Santos Coelho, L. (2004). Co-evolutionary particle swarm optimization for min-max problems using gaussian distribution. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 959–964.

[Krusienski & Jenkins, 2004] Krusienski, D. & Jenkins, W. K. (2004). Particle swarm optimization for adaptive iir filter structures. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 965–970.

[Lamont et al., 2004] Lamont, G., Esslinger, M., Ewing, R., & Abdel-Aty-Zohdy, H. (2004). An artificial immune system strategy for robust chemical spectra classification via distributed heterogeneous sensors. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1036–1043.

[Lasso et al., 2004] Lasso, M., Pandolfi, D., De San Pedro, M., Villagra, A., & Gallard, R. (2004). Solving dynamic tardiness problems in single machine environments. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1143–1149.

[Lee et al., 2004] Lee, G., Bulitko, V., & Levner, I. (2004). Automated selection of vision operator libraries with evolutionary algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1127–1134.

[Legg et al., 2004] Legg, S., Hutter, M., & Kumar, A. (2004). Tournament versus fitness uniform selection. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2144–2151.

[Leon et al., 2004] Leon, E., Nasraoui, O., & Gomez, J. (2004). Anomaly detection based on unsupervised niche clustering with application to network intrusion detection. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 502–508.

[Lichodzijewski et al., 2004] Lichodzijewski, P., Zincir-Heywood, N., & Heywood, M. (2004). Cascaded gp models for data mining. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2258–2264.

[Liu & Iba, 2004] Liu, H. & Iba, H. (2004). A hierarchical approach for adaptive humanoid robot control. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1546–1553.

[Liu et al., 2004] Liu, Y., Qin, Z., & He, X. (2004). Supervisor-student model in particle swarm optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 542–547.

[Lucas, 2004] Lucas, S. (2004). Cellz: A simple dynamic game for testing evolutionary algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1007–1014.

[Lucidarme, 2004] Lucidarme, P. (2004). An evolutionary algorithm for multi-robot unsupervised learning. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2210–2215.

[Malinchik et al., 2004] Malinchik, S., Orme, B., Rothermich, J., & Bonabeau, E. (2004). Interactive exploratory data analysis. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1098–1104.

[Mark et al., 2004] Mark, A., Sendhoff, B., & Wersing, H. (2004). A decision making framework for game playing using evolutionary optimization and learning. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 373–380.

[Marwaha et al., 2004] Marwaha, S., Srinivasan, D., Tham, C. K., & Vasilakos, A. (2004). Evolutionary fuzzy multi-objective routing for wireless mobile ad hoc networks. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1964–1971.

[Miguelanez et al., 2004] Miguelanez, E., Zalzala, A., & Tabor, P. (2004). Evolving neural networks using swarm intelligence for binmap classification. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 978–985.

[Miles et al., 2004] Miles, C., Louis, S., Cole, N., & McDonnell, J. (2004). Learning to play like a human: Case injected genetic algorithms for strategic computer gaming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1441–1448.

[Miller et al., 2004] Miller, D., Arguello, R., & Greenwood, G. (2004). Evolving artificial neural network structures: Experimental results for biologically-inspired adaptive mutations. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2114–2119.

[Mohais et al., 2004] Mohais, A., Ward, C., & Posthoff, C. (2004). Randomized directed neighborhoods with edge migration in particle swarm optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 548–555.

[Mostaghim et al., 2004] Mostaghim, S., Hoffmann, M., Koenig, P. H., Frauenheim, T., & Teich, J. (2004). Molecular force field parametrization using multi-objective evolutionary algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 212–219.

[Mostaghim & Teich, 2004] Mostaghim, S. & Teich, J. (2004). Covering pareto-optimal fronts by subswarms in multi-objective particle swarm optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1404–1411.

[Mumford, 2004] Mumford, C. (2004). A hierarchical evolutionary approach to multi-objective optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1944–1951.

[Nagata, 2004] Nagata, Y. (2004). Criteria for designing crossovers for tsp. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1465–1472.

[Nakagoe et al., 2004] Nakagoe, H., Hirasawa, K., & Hu, J. (2004). Genetic network programming with automatically generated variable size macro nodes. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 713–719.

[Nakamura et al., 2004] Nakamura, M., Yamashiro, N., & Gong, Y. (2004). Iterative parallel and distributed genetic algorithms with biased initial population. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2296–2301.

[Neal & Labrosse, 2004] Neal, M. & Labrosse, F. (2004). Rotation-invariant appearance based maps for robot navigation using an artificial immune network algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 863–870.

[Nedjah & Mourelle, 2004] Nedjah, N. & Mourelle, L. (2004). Secure evolutionary hardware for public-key cryptosystems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2130–2137.

[Neel et al., 2004] Neel, A., Garzon, M., & Penumetsa, P. (2004). Soundness and quality of semantic retrieval in dna-based memories with abiotic data. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1889–1895.

[Neumann, 2004] Neumann, F. (2004). Expected runtimes of evolutionary algorithms for the eulerian cycle problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 904–910.

[Nguyen & Ian, 2004] Nguyen, X. H. & Ian, M. R. (2004). An investigation on the roles of insertion and deletion operators in tree adjoining grammar guided genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 472–477.

[Nicosia et al., 2004] Nicosia, G., Cutello, V., & Pavone, M. (2004). An immune algorithm with hypermacromutations for the 2d hydrophilic-hydrophobic model. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1074–1080.

[Nojima et al., 2004] Nojima, Y., Kubota, N., & Kojima, F. (2004). Trajectory generation and accumulation for partner robots based on structured learning. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2224–2229.

[Noman et al., 2004] Noman, N., Okada, K., Hosoyama, N., & Iba, H. (2004). Use of clustering to improve the layout of gene network for visualization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2068–2075.

[Nuser & Deaton, 2004] Nuser, M. & Deaton, R. (2004). A probabilistic analysis of in vitro selection of independent dna words for computation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1882–1888.

[Oh & Barlow, 2004] Oh, C. & Barlow, G. (2004). Autonomous controller design for unmanned aerial vehicles using multi-objective genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1538–1545.

[Oh & Volper, 2004] Oh, J. & Volper, D. (2004). Design of rationality-based computing middleware: A preliminary study. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 839–846.

[Okabe et al., 2004] Okabe, T., Jin, Y., Sendhoff, B., & Olhofer, M. (2004). Voronoi-based estimation of distribution algorithm for multi-objective optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1594–1601.

[Oltean, 2004] Oltean, M. (2004). Solving even-parity problems using traceless genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1813–1819.

[O'Neill et al., 2004] O'Neill, M., Brabazon, A., & Adley, C. (2004). The automatic generation of programs for classification problems with grammatical swarm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 104–110.

[Ono et al., 2004] Ono, I., Seike, Y., Morishita, R., Ono, N., & Matsui, M. (2004). An evolutionary algorithm taking account of mutual interactions among substances for inference of genetic networks. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2060–2067.

[O'Riordan et al., 2004] O'Riordan, C., Griffith, J., Newell, J., & Sorensen, H. (2004). Co-evolution of strategies for an n-player dilemma. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1625–1630.

[Osmera, 2004] Osmera, P. (2004). Evolvable controllers with hierarchical structure. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 758–765.

[Ostrowski & Reynolds, 2004] Ostrowski, D. & Reynolds, R. G. (2004). Using cultural algorithms to evolve strategies for recessionary markets. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1780–1785.

[Ouellette et al., 2004] Ouellette, R., Browne, M., & Hirasawa, K. (2004). Genetic algorithm optimization of a convolutional neural network for autonomous crack detection. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 516–521.

[Ozcan & Onbasioglu, 2004] Ozcan, E. & Onbasioglu, E. (2004). Genetic algorithms for parallel code optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1375–1381.

[Parker, 2004] Parker, G. (2004). Partial recombination for the co-evolution of model parameters. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2216–2223.

[Parker & Blumenthal, 2004] Parker, G. & Blumenthal, J. (2004). Varying sample sizes for the co-evolution of heterogeneous agents. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 766–771.

[Parmee & Abraham, 2004] Parmee, I. & Abraham, J. (2004). Supporting implicit learning via the visualisation of coga multi-objective data. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 395–402.

[Parrott & Li, 2004] Parrott, D. & Li, X. (2004). A particle swarm model for tracking multiple peaks in a dynamic environment using speciation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 98–103.

[Parsopoulos et al., 2004] Parsopoulos, K., Tasoulis, D., Pavlidis, N., Plagianakos, V., & Vrahatis, M. (2004). Vector evaluated differential evolution for multiobjective optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 204–211.

[Paterlini & Krink, 2004] Paterlini, S. & Krink, T. (2004). High performance clustering with differential evolution. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2004–2011.

[Paul & Iba, 2004] Paul, T. & Iba, H. (2004). Selection of the most useful subset of genes for gene expression-based classification. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2076–2083.

[Peng & Reynolds, 2004] Peng, B. & Reynolds, R. G. (2004). Cultural algorithms: Knowledge learning in dynamic environments. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1751–1758.

[Pfaffmann et al., 2004] Pfaffmann, J., Bousmalis, K., & Colombano, S. (2004). A scouting-inspired evolutionary algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1706–1712.

[Piaseczny et al., 2004] Piaseczny, W., Suzuki, H., & Sawai, H. (2004). Chemical genetic programming - evolution of amino acid rewriting rules used for genotype-phenotype translation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1639–1646.

[ping Chen & Goldberg, 2004] ping Chen, Y. & Goldberg, D. (2004). Convergence time for the linkage learning genetic algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 39–46.

[Pirzada et al., 2004] Pirzada, A., Datta, A., & McDonald, C. (2004). Trusted routing in ad-hoc networks using pheromone trails. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1938–1943.

[Pulido & Coello-Coello, 2004] Pulido, G. T. & Coello-Coello, C. (2004). A constraint-handling mechanism for particle swarm optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1396–1403.

[Randall, 2004] Randall, M. (2004). Heuristics for ant colony optimisation using the generalised assignment problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1916–1923.

[Ray et al., 2004] Ray, T., Venkatarayalu, N., Won, K. S., & Chan, K. P. (2004). Study on the behaviour and implementation of parent centric crossover within the generalized generation gap model. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1996–2003.

[Ross et al., 2004] Ross, P., Marin-Blazquez, J. G., & Hart, E. (2004). Hyper-heuristics applied to class and exam timetabling problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1691–1698.

[Rowland, 2004] Rowland, J. (2004). On genetic programming and knowledge discovery in transcriptome data. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 158–165.

[S. et al., 2004] S., B., Alphones, A., & Suganthan, P. N. (2004). Concurrent pso and fdr-pso based reconfigurable phase-differentiated antenna array design. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2173–2179.

[S. & Suganthan, 2004] S., B. & Suganthan, P. N. (2004). A novel concurrent particle swarm optimization (cpso). *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 792–796.

[Sait & Al-Ismail, 2004] Sait, S. M. & Al-Ismail, M. (2004). Enhanced simulated evolution algorithm for digital circuit design yielding faster execution in a larger solution space. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1794–1799.

[Salomon, 2004a] Salomon, R. (2004a). The curse of high-dimensional search spaces: Observing premature convergence in unimodal functions. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 918–923.

[Salomon, 2004b] Salomon, R. (2004b). The force model: Concept, behavior, interpretation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1119–1126.

[Sanchez et al., 2004a] Sanchez, E., Squillero, G., & Violante, M. (2004a). A local analysis of the genotype-fitness mapping in hardware optimization problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 871–878.

[Sanchez et al., 2004b] Sanchez, J. J., Galan, M., & Rubio, E. (2004b). Genetic algorithms and cellular automata: A new architecture for traffic light cycles optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1668–1674.

[Santos & Ohishi, 2004] Santos, E. & Ohishi, T. (2004). A hydro unit commitment model using genetic algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1368–1374.

[Sarif et al., 2004] Sarif, B., Abd-El-Barr, M., Sait, S. M., & Al-Saiari, U. (2004). Fuzzified ant colony optimization algorithm for efficient combinational circuits. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1317–1324.

[Sastry et al., 2004] Sastry, K., Pelikan, M., & Goldberg, D. (2004). Efficiency enhancement of genetic algorithms via building-block-wise fitness estimation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 720–727.

[Sato et al., 2004] Sato, H., Aguirre, H., & Tanaka, K. (2004). Local dominance using polar coordinates to enhance multiobjective evolutionary algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 188–195.

[Schoenemann, 2004] Schoenemann, L. (2004). The impact of population sizes and diversity on the adaptability of evolution strategies in dynamic environments. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1270–1277.

[Schonfeld & Ashlock, 2004] Schonfeld, J. & Ashlock, D. (2004). Comparison of robustness of solutions located by evolutionary computation and other search algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 250–257.

[Sedighi et al., 2004] Sedighi, K., Ashenayi, K., Manikas, T., Tai, H.-M., & Wainwright, R. (2004). Autonomous local path-planning for a mobile robot using a genetic algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1338–1345.

[Seo et al., 2004] Seo, D., Yasunaga, M., & Kim, J. H. (2004). A computatioal approach to detect transcritpion regulatory elements in dictyostelium discoideum. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1647–1653.

[Seredynski & Bouvry, 2004] Seredynski, M. & Bouvry, P. (2004). Block cipher based on reversible cellular automata. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2138–2143.

[Shan et al., 2004] Shan, Y., McKay, R. I., Baxter, R., Abbass, H., Essam, D., & Nguyen, H. (2004). Grammar model-based program evolution. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 478–485.

[Sheng & Liu, 2004] Sheng, W. & Liu, X. (2004). A hybrid algorithm for k-medoid clustering of large data sets. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 77–82.

[Shuyuan et al., 2004a] Shuyuan, Y., Min, W., & Licheng, J. (2004a). A novel quantum evolutionary algorithm and its application. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 820–826.

[Shuyuan et al., 2004b] Shuyuan, Y., Min, W., & Licheng, J. (2004b). A quantum particle swarm optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 320–324.

[Simionescu et al., 2004] Simionescu, P. A., Beale, D. G., & Dozier, G. V. (2004). Constrained optimization problem solving using estimation of distribution algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 296–302.

[Simsek et al., 2004] Simsek, B., Albayrak, S., & Korth, A. (2004). Reinforcement learning for procurement agents of the factory of the future. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1331–1337.

[Sinka & Corne, 2004] Sinka, M. & Corne, D. (2004). Evolving document features for web document clustering: A feasability study. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 891–897.

[Slade et al., 2004] Slade, W., Ressom, H., Musavi, M., & Miller, R. (2004). Ocean color inversion by particle swarm optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 971–977.

[Smith et al., 2004] Smith, K., Everson, R., & Fieldsend, J. (2004). Dominance measures for multi-objective simulated annealing. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 23–30.

[Song & Ciesielski, 2004] Song, A. & Ciesielski, V. (2004). Texture analysis by genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2092–2099.

[Speer et al., 2004] Speer, N., Spieth, C., & Zell, A. (2004). A memetic co-clustering algorithm for gene expression profiles and biological annotation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1631–1638.

[Spieth et al., 2004a] Spieth, C., Streichert, F., Speer, N., & Zell, A. (2004a). A memetic inference method for gene regulatory networks based on s-systems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 152–157.

[Spieth et al., 2004b] Spieth, C., Streichert, F., Speer, N., & Zell, A. (2004b). Utilizing an island model for ea to preserve solution diversity for inferring gene regulatory networks. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 146–151.

[Stanhope, 2004] Stanhope, S. (2004). Evolution strategies for multivariate-to-anything partially specified random vector generation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2235–2240.

[Stephan & Sullivan, 2004] Stephan, C. & Sullivan, J. (2004). An agent-based hydrogen vehicle/infrastructure model. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1774–1779.

[Stoica et al., 2004] Stoica, A., Arslan, T., Keymeulen, D., Duong, V., Zebulum, R., Guo, X., Ferguson, I., & Daud, T. (2004). Evolutionary recovery of electronic circuits from radiation induced faults. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1786–1793.

[Streichert et al., 2004] Streichert, F., Ulmer, H., & Zell, A. (2004). Evaluating a hybrid encoding and three crossover operators on the constrained portfolio selection problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 932–939.

[Sun et al., 2004] Sun, J., Feng, B., Xu, W., Liu, J., & Bao, L. (2004). Particle swarm optimization with particles having quantum behavior. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 325–331.

[Sun & Just, 2004] Sun, X. & Just, W. (2004). Evolution of strategies in modified sequential assessment games. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 388–394.

[Suram et al., 2004] Suram, S., Bryden, K., & Ashlock, D. (2004). Quantitative trait loci based solution of an inverse radiation heat transfer problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 427–432.

[Takahashi & Kobayashi, 2004] Takahashi, O. & Kobayashi, S. (2004). An angular distance dependent alternation model for real-coded genetic algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2159–2165.

[Tanaka-Yamawaki & Motoyama, 2004] Tanaka-Yamawaki, M. & Motoyama, T. (2004). Predicting the tick-wise price fluctuations by means of evolutional computation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 955–958.

[Tanev et al., 2004] Tanev, I., Ray, T., & Buller, A. (2004). Evolutionary design, robustness and adaptation of sidewinding locomotion of simulated libmless wheelless robot. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2312–2319.

[Tang et al., 2004] Tang, K., Suganthan, P. N., & Yao, X. (2004). Generalized lda using relevance weighting and evolution strategy. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2230–2234.

[Tasgetiren et al., 2004] Tasgetiren, M. F., Sevkli, M., Liang, Y.-C., & Gencyilmaz, G. (2004). Particle swarm optimization algorithm for single machine total weighted tardiness problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1412–1419.

[Tasoulis et al., 2004] Tasoulis, D., Pavlidis, N., Plagianakos, V., & Vrahatis, M. (2004). Parallel differential evolution. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2023–2029.

[Tavares et al., 2004] Tavares, J., Pereira, F., & Costa, E. (2004). Understanding the role of insertion and correction in the evolution of golomb rulers. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 69–76.

[Teredesai & Govindaraju, 2004] Teredesai, A. & Govindaraju, V. (2004). Issues in evolving gp based classifiers for a pattern recognition task. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 509–515.

[Thomsen, 2004] Thomsen, R. (2004). Multimodal optimization using crowding-based differential evolution. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1382–1389.

[Timmis et al., 2004] Timmis, J., Edmonds, C., & Kelsey, J. (2004). Assessing the performance of two immune inspired algorithms and a hybrid genetic algorithm for function optimisation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1044–1051.

[Tinos & Carvalho, 2004] Tinos, R. & Carvalho, A. (2004). A genetic algorithm with gene dependent mutation probability for non-stationary optimization problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1278–1285.

[Tomassini et al., 2004] Tomassini, M., Vanneschi, L., Cuendet, J., & Fernandez, F. (2004). A new technique for dynamic size populations in genetic programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 486–493.

[Tongchim & Yao, 2004] Tongchim, S. & Yao, X. (2004). Parallel evolutionary programming. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1362–1367.

[Treptow & Zell, 2004] Treptow, A. & Zell, A. (2004). Combining adaboost learning and evolutionary search to select features for real-time object detection. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2107–2113.

[Tsutsui & Wilson, 2004] Tsutsui, S. & Wilson, G. (2004). Solving capacitated vehicle routing problems using edge histogram based sampling algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1150–1157.

[Tulai & Oppacher, 2004] Tulai, A. & Oppacher, F. (2004). Maintaining diversity and increasing the accuracy of classification rules through automatic speciation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2241–2249.

[Ulmer et al., 2004] Ulmer, H., Streichert, F., & Zell, A. (2004). Evolution strategies with controlled model assistance. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1569–1576.

[Uosaki et al., 2004] Uosaki, K., Kimura, Y., & Hatanaka, T. (2004). Evolution strategies based particle filters for state and parameter estimation of nonlinear models. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 884–890.

[Uyar & Uyar, 2004] Uyar, A. S. & Uyar, H. T. (2004). An event-driven test framework for evolutionary algorithms in dynamic environments. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2265–2272.

[Venkatraman & Yen, 2004] Venkatraman, S. & Yen, G. (2004). A simple elitist genetic algorithm for constrained optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 288–295.

[Verel et al., 2004] Verel, S., Collard, P., & Clergue, M. (2004). Scuba search: when selection meets innovation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 924–931.

[Vesterstroem & Thomsen, 2004] Vesterstroem, J. & Thomsen, R. (2004). A comparative study of differential evolution, particle swarm optimization, and evolutionary algorithms on numerical benchmark problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1980–1987.

[Vigraham & Gallagher, 2004] Vigraham, S. & Gallagher, J. (2004). On the relative efficacies of space saving *cgas for evolvable hardware applications. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2187–2193.

[Walker, 2004] Walker, R. L. (2004). Honeybee search strategies: Adaptive exploration of an information ecosystem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1209–1216.

[Walsh & Fenton, 2004] Walsh, P. & Fenton, P. (2004). A high-throughput computing environment for job shop scheduling genetic algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1554–1560.

[Watanabe & Nodu, 2004] Watanabe, I. & Nodu, M. (2004). A genetic algorithm for optimizing switching sequence of service restoration in distribution systems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1683–1690.

[Wei & Lee, 2004] Wei, J.-D. & Lee, D.-T. (2004). A new approach to the traveling salesman problem using genetic algorithms with priority encoding. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1457–1464.

[Weinberg & Talbi, 2004] Weinberg, B. & Talbi, E.-G. (2004). Nfl theorem is unusable on structured classes of problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 220–226.

[White & Yen, 2004] White, C. & Yen, G. (2004). A hybrid evolutionary algorithm for traveling salesman problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1473–1478.

[Won & Ray, 2004] Won, K. S. & Ray, T. (2004). Performance of kriging and cokriging based surrogate models within the unified framework for surrogate assisted optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1577–1585.

[Wong et al., 2004] Wong, T., Cote, P., & Sabourin, R. (2004). A hybrid moea for the capacitated exam proximity problem. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1495–1501.

[Wood & Chen, 2004] Wood, D. & Chen, J. (2004). Fredkin gate circuits via recombination enzymes. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1896–1900.

[Wu et al., 2004] Wu, Z., Tang, Z., Zou, J., Kang, L., & Li, M. (2004). An evolutionary algorithm for solving parameter identification problems in elliptic systems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 803–808.

[Xie et al., 2004a] Xie, X.-F., Zhang, W.-J., & Bi, D.-C. (2004a). Handling equality constraints by adaptive relaxing rule for swarm algorithms. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2012–2016.

[Xie et al., 2004b] Xie, X.-F., Zhang, W.-J., & Bi, D.-C. (2004b). Optimizing semiconductor devices by self-organizing particle swarm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2017–2022.

[Xu et al., 2004] Xu, Y., Salcedo-Sanz, S., & Yao, X. (2004). Non-standard cost terminal assignment problems using tabu search approach. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2302–2306.

[Yang & Shen, 2004] Yang, J.-M. & Shen, T.-W. (2004). A pharmacophore-based evolutionary approach for screening estrogen receptor antagonists. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1028–1035.

[Yang, 2004] Yang, S. (2004). Constructing dynamic test environments for genetic algorithms based on problem difficulty. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1262–1269.

[Yannakakis et al., 2004] Yannakakis, G., Levine, J., & Hallam, J. (2004). An evolutionary approach for interactive computer games. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 986–993.

[Yapicioglu et al., 2004] Yapicioglu, H., Dozier, G. V., & Smith, A. E. (2004). Bi-criteria model for locating a semi-desirable facility on a plane using particle swarm optimization. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2328–2334.

[Yong-Duk et al., 2004] Yong-Duk, K., Jong-Hwan, K., & Yong-Jae, K. (2004). Behavior selection and learning for synthetic character. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 898–903.

[Yuchi & Kim, 2004] Yuchi, M. & Kim, J.-H. (2004). Grouping-based evolutionary algorithm: Seeking balance between feasible and infeasible individuals of constrained optimization problems. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 280–287.

[Yun et al., 2004] Yun, Y., Nakayama, H., & Arakawa, M. (2004). Fitness evaluation using generalized data envelopment analysis in moga. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 464–471.

[Zhang & Dozier, 2004] Zhang, F. & Dozier, G. V. (2004). A comparison of distributed restricted recombination operators for genetic and evolutionary societies of hill-climbers: A disacsp perspective. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1988–1995.

[Zhang & Huang, 2004] Zhang, G.-Z. & Huang, D.-S. (2004). Radial basis function neural network optimized by ga for soybean protein sequence residue spatial distance prediction. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1015–1019.

[Zhang et al., 2004a] Zhang, J., Chung, H., & Hu, B. (2004a). Adaptive probabilities of crossover and mutation in genetic algorithms based on clustering technique. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2280–2287.

[Zhang et al., 2004b] Zhang, J., Yuan, X., & Buckles, B. (2004b). Subspace fdc for sharing distance estimation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1735–1742.

[Zhang et al., 2004c] Zhang, W.-J., Xie, X.-F., & Bi, D.-C. (2004c). Handling boundary constraints for numrical optimization by particle swarm flying in periodic search space. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2307–2311.

[Zheng et al., 2004] Zheng, J., Ling, C. X., Shi, Z., & Xie, Y. (2004). Some discussions about mogas: Individual relations, non-dominated set, and application on automatic negotiation. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 706–712.

[Zhou et al., 2004] Zhou, Z., Ong, Y. S., & Nair, P. B. (2004). Hierarchical surrogate-assisted evolutionary optimization framework. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 1586–1593.

[Zou et al., 2004a] Zou, P., Zhou, Z., Chen, G., & Yao, X. (2004a). A novel memetic algorithm with random multi-local-search: A case study of tsp. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 2335–2340.

[Zou et al., 2004b] Zou, Y., Zhuang, Z., & Chen, H. (2004b). Hw-sw partitioning based on genetic algorithm. *Proceedings of the 2004 IEEE Congress on Evolutionary Computation*, 628–633.