

Список литературы

- [Antal *et al.*(2002)Antal, Fannes, Moreau & Moor] ANTAL, P., FANNES, G., MOREAU, Y. & MOOR, B. D. (2002). Using literature and data to annotate and learn bayesian networks. In: [Blockeel & Denecker(2002)], pp. 3–10.
- [Apistola *et al.*(2002)Apistola, Brazier, Kubbe, Oskamp, Schellekens & Voulon] APISTOLA, M., BRAZIER, F., KUBBE, O., OSKAMP, A., SCHELLEKENS, M. & VOULON, M. (2002). Legal aspects of agent technology. In: [Blockeel & Denecker(2002)], pp. 399–400.
- [Areces & Heguiabehere(2002)] ARECES, C. & HEGUIABEHERE, J. (2002). Hylores: A hybrid logic prover based on direct resolution. In: [Blockeel & Denecker(2002)], pp. 511–512.
- [Beule *et al.*(2002)Beule, Looveren & Zuidema] BEULE, J. D., LOOVEREN, J. V. & ZUIDEMA, W. (2002). From perception to language: grounding formal syntax in an almost real world. In: [Blockeel & Denecker(2002)], pp. 83–90.
- [Bioch & Popova(2002)] BIOCH, J. & POPOVA, V. (2002). Monotone decision trees and noisy data. In: [Blockeel & Denecker(2002)], pp. 19–26.
- [Blockeel & Denecker(2002)] BLOCKEEL, H. & DENECKER, M. (eds.) (2002). *Fourteenth Belgium-Netherlands Conference on Artificial Intelligence*. K.U.Leuven.
- [Bohte *et al.*(2002)Bohte, Gerding & Poutré] BOHTE, S., GERDING, E. & POUTRÉ, H. L. (2002). Competitive market-based allocation of consumer attention space. In: [Blockeel & Denecker(2002)], pp. 403–404.
- [Bosman & Thierens(2002)] BOSMAN, P. & THIERENS, D. (2002). Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms. In: [Blockeel & Denecker(2002)], pp. 407–408.
- [Brazier *et al.*(2002a)Brazier, Mobach, Overeinder, Posthumus, van Splunter, van Steen & Wijngaards] BRAZIER, F., MOBACH, D., OVEREINDER, B., POSTHUMUS, E., VAN SPLUNTER, S., VAN STEEN, M. & WIJNGAARDS, N. (2002a). Agentscape demonstration. In: [Blockeel & Denecker(2002)], pp. 513–514.
- [Brazier *et al.*(2002b)Brazier, Overeinder, van Steen & Wijngaards] BRAZIER, F., OVEREINDER, B., VAN STEEN, M. & WIJNGAARDS, N. (2002b). Generative migration of agents. In: [Blockeel & Denecker(2002)], pp. 409–410.
- [Broersen *et al.*(2002)Broersen, Dastani & van der Torre] BROERSEN, J., DASTANI, M. & VAN DER TORRE, L. (2002). Relating functionality descriptions to proof rules of input/output logic. In: [Blockeel & Denecker(2002)], pp. 27–34.
- [Caminada(2002)] CAMINADA, M. (2002). Agent dialogues using hang yourself arguments. In: [Blockeel & Denecker(2002)], pp. 43–50.
- [Cheung *et al.*(2002)Cheung, Klakow, Bauer & Rothkrantz] CHEUNG, Y.-F., KLAHOW, D., BAUER, G. & ROTHKRANTZ, L. (2002). Broadcast information topic segmentation - BITS -. In: [Blockeel & Denecker(2002)], pp. 51–58.
- [Dastani *et al.*(2002a)Dastani, de Boer, Dignum, van der Hoek, Kroese & Meyer] DASTANI, M., DE BOER, F., DIGNUM, F., VAN DER HOEK, W., KROESE, M. & MEYER, J.-J. (2002a). Implementing cognitive agents in 3APL. In: [Blockeel & Denecker(2002)], pp. 515–516.
- [Dastani *et al.*(2002b)Dastani, Dignum & Dignum] DASTANI, M., DIGNUM, V. & DIGNUM, F. (2002b). Organizations and normative agents. In: [Blockeel & Denecker(2002)], pp. 411–412.
- [Dastani & van der Torre(2002a)] DASTANI, M. & VAN DER TORRE, L. (2002a). An extension of BDI_{ctl} with functional dependencies and components. In: [Blockeel & Denecker(2002)], pp. 67–74.

- [Dastani & van der Torre(2002b)] DASTANI, M. & VAN DER TORRE, L. (2002b). What is a normative goal? In: [Blockeel & Denecker(2002)], pp. 75–82.
- [de Graaf *et al.*(2002)de Graaf, Kusters, Pijls & Popova] DE GRAAF, J., KOSTERS, W., PIJLS, W. & POPOVA, V. (2002). A theoretical and practical comparison of depth first and FP-growth implementations of apriori. In: [Blockeel & Denecker(2002)], pp. 115–122.
- [de Jong & Oates(2002)] DE JONG, E. & OATES, T. (2002). A coevolutionary approach to representation development. In: [Blockeel & Denecker(2002)], pp. 431–432.
- [de Vos *et al.*(2002)de Vos, Witteman & Beun] DE VOS, E., WITTEMAN, C. & BEUN, R.-J. (2002). Embodied conversational agents in human-computer interaction. In: [Blockeel & Denecker(2002)], pp. 339–346.
- [Denecker *et al.*(2002)Denecker, Pelov & Bruynooghe] DENECKER, M., PELOV, N. & BRUYNOOGHE, M. (2002). Ultimate well-founded and stable semantics for logic programs with aggregates. In: [Blockeel & Denecker(2002)], pp. 413–414.
- [Donkers *et al.*(2002)Donkers, Uiterwijk & van den Herik] DONKERS, J., UITERWIJK, J. & VAN DEN HERIK, J. (2002). Learning opponent-type probabilities for prOM search. In: [Blockeel & Denecker(2002)], pp. 91–98.
- [Driessens & Džeroski(2002)] DRIESSENS, K. & DŽEROSKI, S. (2002). Integrating experimentation and guidance in relational reinforcement learning. In: [Blockeel & Denecker(2002)], pp. 415–416.
- [Drugan *et al.*(2002)Drugan, Thierens & van der Gaag] DRUGAN, M., THIERENS, D. & VAN DER GAAG, L. (2002). MDL-based feature selection for bayesian network classifiers. In: [Blockeel & Denecker(2002)], pp. 99–106.
- [Eggermont(2002)] EGGERMONT, J. (2002). Evolving fuzzy decision trees for data classification. In: [Blockeel & Denecker(2002)], pp. 417–418.
- [Eggermont & Lenaerts(2002)] EGGERMONT, J. & LENAERTS, T. (2002). Dynamic optimization using evolutionary algorithms with a case-based memory. In: [Blockeel & Denecker(2002)], pp. 107–114.
- [Fluit *et al.*(2002)Fluit, Sabou & van Harmelen] FLUIT, C., SABOU, M. & VAN HARMELEN, F. (2002). Ontology-based information visualisation. In: [Blockeel & Denecker(2002)], pp. 419–420.
- [Gilis & Denecker(2002)] GILIS, D. & DENECKER, M. (2002). Compositionality results for stratified nonmonotone operators. In: [Blockeel & Denecker(2002)], pp. 421–422.
- [Hay *et al.*(2002)Hay, Wets & Vanhoof] HAY, B., WETS, G. & VANHOOF, K. (2002). Web usage mining by means of multidimensional sequence alignment methods. In: [Blockeel & Denecker(2002)], pp. 123–130.
- [Helsper & van der Gaag(2002)] HELSPER, E. & VAN DER GAAG, L. (2002). Building bayesian networks through ontologies. In: [Blockeel & Denecker(2002)], pp. 423–424.
- [Heskes & Zoeter(2002)] HESKES, T. & ZOETER, O. (2002). Expectation propagation for approximate inference in dynamic bayesian networks. In: [Blockeel & Denecker(2002)], pp. 425–426.
- [Horrocks *et al.*(2002)Horrocks, Patel-Schneider & van Harmelen] HORROCKS, I., PATEL-SCHNEIDER, P. & VAN HARMELEN, F. (2002). Reviewing the design of DAML+oil: an ontology language for the semantic web. In: [Blockeel & Denecker(2002)], pp. 427–428.
- [Huygen(2002)] HUYGEN, P. (2002). Use of bayesian belief networks in legal reasoning. In: [Blockeel & Denecker(2002)], pp. 429–430.
- [Infante-Lopez *et al.*(2002)Infante-Lopez, de Rijke & Simaˆan] INFANTE-LOPEZ, G., DE RIJKE, M. & SIMAˆAN, K. (2002). A general probabilistic model for dependency parsing. In: [Blockeel & Denecker(2002)], pp. 139–146.

- [Jacobs & Blockeel(2002)] JACOBS, N. & BLOCKEEL, H. (2002). Sequence prediction with mixed order markov chains. In: [Blockeel & Denecker(2002)], pp. 147–154.
- [Jamroga(2002)] JAMROGA, W. (2002). Multiple models of reality and how to use them. In: [Blockeel & Denecker(2002)], pp. 155–162.
- [Janssens *et al.*(2002)Janssens, Brijs, Vanhoof & Wets] JANSSENS, D., BRIJS, T., VANHOOF, K. & WETS, G. (2002). Evaluating the performance of cost-based discretization versus entropy- and error-based discretization. In: [Blockeel & Denecker(2002)], pp. 163–170.
- [Jonker *et al.*(2002a)Jonker, de Kock, Meijer & Vermeulen] JONKER, C., DE KOCK, A., MEIJER, J. & VERMEULEN, B. (2002a). Deliberate evolution agents: Comparing reproduction strategies. In: [Blockeel & Denecker(2002)], pp. 433–434.
- [Jonker *et al.*(2002b)Jonker, Snoep, Treur, Westerhoff & Wijngaards] JONKER, C., SNOEP, J., TREUR, J., WESTERHOFF, H. & WIJNGAARDS, W. (2002b). BDI-modelling of intracellular dynamics. In: [Blockeel & Denecker(2002)], pp. 435–436.
- [Jonker *et al.*(2002c)Jonker, Snoep, Treur, Westerhoff & Wijngaards] JONKER, C., SNOEP, J., TREUR, J., WESTERHOFF, H. & WIJNGAARDS, W. (2002c). Putting intentions into cell biochemistry: An artificial intelligence perspective. In: [Blockeel & Denecker(2002)], pp. 437–438.
- [Jonker & Treur(2002a)] JONKER, C. & TREUR, J. (2002a). Analysis of the dynamics of reasoning using multiple representations. In: [Blockeel & Denecker(2002)], pp. 441–442.
- [Jonker & Treur(2002b)] JONKER, C. & TREUR, J. (2002b). A dynamic perspective on an agent’s mental states and interaction with its environment. In: [Blockeel & Denecker(2002)], pp. 439–440.
- [Jonker *et al.*(2002d)Jonker, Treur & de Vries] JONKER, C., TREUR, J. & DE VRIES, W. (2002d). Temporal analysis of the dynamics of beliefs, desires, and intentions. In: [Blockeel & Denecker(2002)], pp. 443–444.
- [Jonker *et al.*(2002e)Jonker, Treur & Wijngaards] JONKER, C., TREUR, J. & WIJNGAARDS, W. (2002e). Requirements specification and automated evaluation of dynamic properties of a component-based design. In: [Blockeel & Denecker(2002)], pp. 445–446.
- [Jonker *et al.*(2002f)Jonker, Treur & Wijngaards] JONKER, C., TREUR, J. & WIJNGAARDS, W. (2002f). Temporal languages for simulation and analysis of the dynamics within an organisation. In: [Blockeel & Denecker(2002)], pp. 447–448.
- [Kamps & Marx(2002)] KAMPS, J. & MARX, M. (2002). Words with attitude. In: [Blockeel & Denecker(2002)], pp. 449–450.
- [Kappen & Wiegerinck(2002)] KAPPEN, H. & WIEGERINCK, W. (2002). Novel iteration schemes for the cluster variation method. In: [Blockeel & Denecker(2002)], pp. 451–452.
- [Keller *et al.*(2002)Keller, Kusters, van der Vaart & Witsenburg] KELLER, R., KOSTERS, W., VAN DER VAART, M. & WITSENBURG, M. (2002). Genetic programming produces strategies for agents in a dynamic environment. In: [Blockeel & Denecker(2002)], pp. 171–178.
- [Kleijkers *et al.*(2002)Kleijkers, Wiesman & Roos] KLEIJKERS, S., WIESMAN, F. & ROOS, N. (2002). A mobile multi-agent system for distributed computing. In: [Blockeel & Denecker(2002)], pp. 453–454.
- [Knězu & Rothkrantz(2002)] KNĚZU, V. & ROTHKRANTZ, L. (2002). A system for automated bookmark management. In: [Blockeel & Denecker(2002)], pp. 179–186.
- [Kosala *et al.*(2002)Kosala, den Bussche, Bruynooghe & Blockeel] KOSALA, R., DEN BUSSCHE, J. V., BRUYNORGHE, M. & BLOCKEEL, H. (2002). Information extraction in structured documents using tree automata induction. In: [Blockeel & Denecker(2002)], pp. 455–456.

- [Kremer & Raskin(2002)] KREMER, S. & RASKIN, J.-F. (2002). Game analysis of abuse-free contract signing. In: [Blockeel & Denecker(2002)], pp. 457–458.
- [Langdon(2002)] LANGDON, W. (2002). Size of random programs to ensure uniformity. In: [Blockeel & Denecker(2002)], pp. 459–460.
- [Lebbink *et al.*(2002)Lebbink, Witteman & Meyer] LEBBINK, H.-J., WITTEMAN, C. & MEYER, J.-J. (2002). Ontology-based knowledge acquisition for knowledge systems. In: [Blockeel & Denecker(2002)], pp. 195–202.
- [Lenaerts *et al.*(2002)Lenaerts, Defaweux, van Remortel & Manderick] LENAERTS, T., DEFAWEUX, A., VAN REMORTELE, P. & MANDERICK, B. (2002). Multi-level selection in a simple evolutionary model. In: [Blockeel & Denecker(2002)], pp. 203–210.
- [Lucas(2002)] LUCAS, P. (2002). Restricted bayesian network structure learning. In: [Blockeel & Denecker(2002)], pp. 211–218.
- [Marcos *et al.*(2002)Marcos, Roomans, ten Teije & van Harmelen] MARCOS, M., ROOMANS, H., TEN TEIJE, A. & VAN HARMELEN, F. (2002). Improving medical protocols through formalisation: a case study. In: [Blockeel & Denecker(2002)], pp. 463–464.
- [Maruster *et al.*(2002)Maruster, Weijters, de Vries, van den Bosch & Daelemans] MARUSTER, L., WEIJTERS, T., DE VRIES, G., VAN DEN BOSCH, A. & DAELEMANS, W. (2002). Logistic-based patient grouping for multi-disciplinary treatment. In: [Blockeel & Denecker(2002)], pp. 465–466.
- [Mastop *et al.*(2002)Mastop, Lampe & de Groote] MASTOP, M., LAMPE, M. & DE GROOTE, O. (2002). Knowledge framework. In: [Blockeel & Denecker(2002)], pp. 517–518.
- [Monz & de Rijke(2002)] MONZ, C. & DE RIJKE, M. (2002). Knowledge-intensive question answering. In: [Blockeel & Denecker(2002)], pp. 467–468.
- [Nijssen & Bäck(2002)] NIJSSEN, S. & BÄCK, T. (2002). An analysis of the behaviour of simplified evolutionary algorithms on trap functions. In: [Blockeel & Denecker(2002)], pp. 469–470.
- [Nijssen & Kok(2002)] NIJSSEN, S. & KOK, J. (2002). Tree sets: Towards a set-oriented view on multi-relational data mining. In: [Blockeel & Denecker(2002)], pp. 219–226.
- [Noncheva & Marques(2002)] NONCHEVA, V. & MARQUES, N. C. (2002). Agent’s belief: A stochastic approach. In: [Blockeel & Denecker(2002)], pp. 227–234.
- [Nuffelen(2002)] NUFFELEN, B. V. (2002). Reasoning with preferences in ID-logic. In: [Blockeel & Denecker(2002)], pp. 323–330.
- [Oost *et al.*(2002)Oost, ten Hagen & Schulze] OOST, E., TEN HAGEN, S. & SCHULZE, F. (2002). Extracting multivariate power functions from complex data sets. In: [Blockeel & Denecker(2002)], pp. 235–242.
- [Peek(2002)] PEEK, N. (2002). Representation of decision-theoretic plans as sets of symbolic decision rules. In: [Blockeel & Denecker(2002)], pp. 471–472.
- [Prakken(2002)] PRAKKEN, H. (2002). An exercise in formalising teleological case-based reasoning. In: [Blockeel & Denecker(2002)], pp. 473–474.
- [Proviijn(2002)] PROVIJN, D. (2002). How to obtain elegant fitch-style proofs from goal directed ones. In: [Blockeel & Denecker(2002)], pp. 243–250.
- [Renooij *et al.*(2002)Renooij, Parsons & Pardieck] RENOOIJ, S., PARSONS, S. & PARDIECK, P. (2002). Using kappas as indicators of strength in QPNs. In: [Blockeel & Denecker(2002)], pp. 267–274.
- [Roos *et al.*(2002)Roos, ten Teije, Bos & Witteveen] ROOS, N., TEN TEIJE, A., BOS, A. & WITTEVEEN, C. (2002). Multi-agent diagnosis with spatially distributed knowledge. In: [Blockeel & Denecker(2002)], pp. 275–282.

- [Salles *et al.*(2002)Salles, Bredeweg, Araujo & Neto] SALLES, P., BREDEWEG, B., ARAUJO, S. & NETO, W. (2002). Qualitative models of interactions between two populations. In: [Blockeel & Denecker(2002)], pp. 475–476.
- [Schaar *et al.*(2002)Schaar, Rothkrantz, Lassche & Jonkers] SCHAAR, R., ROTHKRANTZ, L., LASSCHE, M. & JONKERS, M. (2002). Agent-based intelligent personal unified messaging. In: [Blockeel & Denecker(2002)], pp. 283–290.
- [Schelfthout & Holvoet(2002)] SCHELFTHOUT, K. & HOLVOET, T. (2002). “to do or not to do” : The individual’s model for emergent task allocation. In: [Blockeel & Denecker(2002)], pp. 477–478.
- [Schoot & Jansweijer(2002)] SCHOOT, N. & JANSWEIJER, W. (2002). Improving the quality of information in document based communications using a reusable multi-agent system. In: [Blockeel & Denecker(2002)], pp. 519–520.
- [Sent & van der Gaag(2002)] SENT, D. & VAN DER GAAG, L. (2002). Test selection: the gini index and the shannon entropy behave differently. In: [Blockeel & Denecker(2002)], pp. 291–298.
- [Serebrenik & Schreye(2002a)] SEREBRENİK, A. & SCHREYE, D. D. (2002a). Inference of termination conditions for numerical loops. In: [Blockeel & Denecker(2002)], pp. 479–480.
- [Serebrenik & Schreye(2002b)] SEREBRENİK, A. & SCHREYE, D. D. (2002b). On termination of meta-programs. In: [Blockeel & Denecker(2002)], pp. 481–482.
- [Spreeuwenberg & Gerrits(2002)] SPREEUWENBERG, S. & GERRITS, R. (2002). VALENS verification component. In: [Blockeel & Denecker(2002)], pp. 521–522.
- [Spronck *et al.*(2002)Spronck, Sprinkhuizen-Kuyper & Postma] SPRONCK, P., SPRINKHUIZEN-KUYPER, I. & POSTMA, E. (2002). Improving opponent intelligence through machine learning. In: [Blockeel & Denecker(2002)], pp. 299–306.
- [Storms *et al.*(2002)Storms, Herweijer & van Aart] STORMS, P., HERWEIJER, E. & VAN AART, C. (2002). Practical design guidelines for embodied conversational agents. In: [Blockeel & Denecker(2002)], pp. 307–314.
- [Struyf *et al.*(2002)Struyf, Ramon & Blockeel] STRUYF, J., RAMON, J. & BLOCKEEL, H. (2002). Compact representation of knowledge bases in ILP. In: [Blockeel & Denecker(2002)], pp. 483–484.
- [Stuckenschmidt(2002)] STUCKENSCHMIDT, H. (2002). Approximate information filtering with multiple classification hierarchies. In: [Blockeel & Denecker(2002)], pp. 485–486.
- [ter Brugge *et al.*(2002)ter Brugge, Nijhuis & Spaanenburg] TER BRUGGE, M., NIJHUIS, J. & SPAANENBURG, L. (2002). Morphological template decomposition for DT-cnn. In: [Blockeel & Denecker(2002)], pp. 35–42.
- [ter Horst *et al.*(2002)ter Horst, van Doorn, Kravtsova, ten Kate & Siahaan] TER HORST, H., VAN DOORN, M., KRAVTSOVA, N., TEN KATE, W. & SIAHAAN, D. (2002). Context-aware music selection using knowledge on the semantic web. In: [Blockeel & Denecker(2002)], pp. 131–138.
- [Tonino *et al.*(2002)Tonino, Bos, de Weerd & Witteveen] TONINO, H., BOS, A., DE WEERDT, M. & WITTEVEEN, C. (2002). Plan coordination by revision in collective agent based systems. In: [Blockeel & Denecker(2002)], pp. 487–488.
- [Tuyls *et al.*(2002)Tuyls, Lenaerts, Verbeeck, Maes & Manderick] TUYLS, K., LENAERTS, T., VERBEECK, K., MAES, S. & MANDERICK, B. (2002). Towards a relation between learning agents and evolutionary dynamics. In: [Blockeel & Denecker(2002)], pp. 315–322.
- [Valk & Witteveen(2002)] VALK, J. & WITTEVEEN, C. (2002). Multi-agent coordination in planning. In: [Blockeel & Denecker(2002)], pp. 489–490.

- [van Aart *et al.*(2002)van Aart, Marcke, Pels & Smulders] VAN AART, C., MARCKE, K. V., PELS, R. & SMULDERS, J. (2002). International insurance traffic with software agents. In: [Blockeel & Denecker(2002)], pp. 397–398.
- [van Dartel *et al.*(2002)van Dartel, Postma & van den Herik] VAN DARTEL, M., POSTMA, E. & VAN DEN HERIK, J. (2002). Universal properties of adaptive behaviour. In: [Blockeel & Denecker(2002)], pp. 59–66.
- [van de Vrie(2002)] VAN DE VRIE, E. (2002). LOK: Implementation of a platform for distributed development and use of educational tasks. In: [Blockeel & Denecker(2002)], pp. 525–526.
- [van den Berg *et al.*(2002a)van den Berg, Kaymak & van den Bergh] VAN DEN BERG, J., KAYMAK, U. & VAN DEN BERGH, W.-M. (2002a). Fuzzy classification by using probability-based rule weighting. In: [Blockeel & Denecker(2002)], pp. 401–402.
- [van den Berg *et al.*(2002b)van den Berg, Kaymak & van den Bergh] VAN DEN BERG, J., KAYMAK, U. & VAN DEN BERGH, W.-M. (2002b). Probabilistic reasoning in fuzzy rule-based systems. In: [Blockeel & Denecker(2002)], pp. 11–18.
- [van den Bosch & Buchholz(2002)] VAN DEN BOSCH, A. & BUCHHOLZ, S. (2002). Shallow parsing on the basis of words only: A case study. In: [Blockeel & Denecker(2002)], pp. 405–406.
- [van der Krogt *et al.*(2002)van der Krogt, Aronson, Roos, Witteveen & Zutt] VAN DER KROGT, R., ARONSON, L., ROOS, N., WITTEVEEN, C. & ZUTT, J. (2002). Tactical planning using heuristics. In: [Blockeel & Denecker(2002)], pp. 187–194.
- [van der Putten *et al.*(2002)van der Putten, Ramaekers, den Uyl & Kok] VAN DER PUTTEN, P., RAMAEKERS, M., DEN UYL, M. & KOK, J. (2002). A process model for a data fusion factory. In: [Blockeel & Denecker(2002)], pp. 251–258.
- [van der Werf *et al.*(2002)van der Werf, Uiterwijk & van den Herik] VAN DER WERF, E., UITERWIJK, J. & VAN DEN HERIK, J. (2002). Solving ponnuki-go on small boards. In: [Blockeel & Denecker(2002)], pp. 347–354.
- [van der Zwaag *et al.*(2002)van der Zwaag, Slump & Spaanenburg] VAN DER ZWAAG, B. J., SLUMP, K. & SPAANENBURG, L. (2002). Process identification through modular neural networks and rule extraction. In: [Blockeel & Denecker(2002)], pp. 507–508.
- [van Leeuwen *et al.*(2002)van Leeuwen, Hesselink & Rohling] VAN LEEUWEN, P., HESSELINK, H. & ROHLING, J. (2002). Scheduling aircraft using constraint satisfaction. In: [Blockeel & Denecker(2002)], pp. 461–462.
- [van Remortel *et al.*(2002)van Remortel, Lenaerts & Manderick] VAN REMORTELE, P., LENAERTS, T. & MANDERICK, B. (2002). Testing the overall functional robustness of 2D ca phenotypes for development. In: [Blockeel & Denecker(2002)], pp. 259–266.
- [van Stokkum(2002)] VAN STOKKUM, W. (2002). Knowledge intensive content model management within integrated back offices. In: [Blockeel & Denecker(2002)], pp. 523–524.
- [van Wezel & Kusters(2002)] VAN WEZEL, M. & KOSTERS, W. (2002). Numerical integration by cubature formulae in bayesian neural networks. In: [Blockeel & Denecker(2002)], pp. 355–362.
- [Verbeeck *et al.*(2002)Verbeeck, Nowé & Parent] VERBEECK, K., NOWÉ, A. & PARENT, J. (2002). Social agents playing a periodical policy. In: [Blockeel & Denecker(2002)], pp. 491–492.
- [Verbeeck *et al.*(2002)Verbeeck, Vlassis & Kröse] VERBEECK, J., VLASSIS, N. & KRÖSE, B. (2002). Coordinating principal component analyzers. In: [Blockeel & Denecker(2002)], pp. 493–494.
- [Vogt(2002)] VOGT, P. (2002). Anchoring symbols to sensorimotor control. In: [Blockeel & Denecker(2002)], pp. 331–338.

- [Vollebregt *et al.*(2002)Vollebregt, Hannessen, Hesselink & Beetstra] VOLLEBREGT, A., HANNESSEN, D., HESSELINK, H. & BEETSTRA, J. (2002). Modelling crew assistants with multi-agent systems in aircraft. In: [Blockeel & Denecker(2002)], pp. 495–496.
- [Voorbraak(2002)] VOORBRAAK, F. (2002). Uncertainty in AI and bioinformatics. In: [Blockeel & Denecker(2002)], pp. 497–498.
- [Wiegerinck & Heskes(2002)] WIEGERINCK, W. & HESKES, T. (2002). IPF for discrete chain factor graphs. In: [Blockeel & Denecker(2002)], pp. 499–500.
- [Wiering(2002)] WIERING, M. (2002). Hierarchical mixtures of naive bayesian classifiers. In: [Blockeel & Denecker(2002)], pp. 363–370.
- [Wijngaards *et al.*(2002)Wijngaards, Overeinder, van Steen & Brazier] WIJNGAARDS, N., OVEREINDER, B., VAN STEEN, M. & BRAZIER, F. (2002). Supporting internet-scale multi-agent systems. In: [Blockeel & Denecker(2002)], pp. 501–502.
- [Winands *et al.*(2002)Winands, Kocsis, Uiterwijk & van den Herik] WINANDS, M., KOCISIS, L., UITERWIJK, J. & VAN DEN HERIK, J. (2002). Learning in lines of action. In: [Blockeel & Denecker(2002)], pp. 371–378.
- [Winkels *et al.*(2002)Winkels, Boer & Hoekstra] WINKELS, R., BOER, A. & HOEKSTRA, R. (2002). Lessons learned in legal information serving. In: [Blockeel & Denecker(2002)], pp. 503–504.
- [Ypma & Heskes(2002)] YPMA, A. & HESKES, T. (2002). Clustering web surfers with mixtures of hidden markov models. In: [Blockeel & Denecker(2002)], pp. 505–506.
- [Zajdel & Kröse(2002)] ZAJDEL, W. & KRÖSE, B. (2002). Bayesian network for multiple hypothesis tracking. In: [Blockeel & Denecker(2002)], pp. 379–386.
- [Zutt *et al.*(2002)Zutt, Aronson, van der Krogt, Roos & Witteveen] ZUTT, J., ARONSON, L., VAN DER KROGT, R., ROOS, N. & WITTEVEEN, C. (2002). Multi-agent transport planning. In: [Blockeel & Denecker(2002)], pp. 387–394.