

Список литературы

- [Antal et al.(2002)Antal, Fannes, Moreau and Moor] **Antal, P., Fannes, G., Moreau, Y. and Moor, B. D.** (2002). Using literature and data to annotate and learn bayesian networks. In [Blockeel and Denecker(2002)], pages 3–10.
- [Apistola et al.(2002)Apistola, Brazier, Kubbe, Oskamp, Schellekens and Voulon] **Apistola, M., Brazier, F., Kubbe, O., Oskamp, A., Schellekens, M. and Voulon, M.** (2002). Legal aspects of agent technology. In [Blockeel and Denecker(2002)], pages 399–400.
- [Areces and Heguiabehere(2002)] **Areces, C. and Heguiabehere, J.** (2002). Hyllores: A hybrid logic prover based on direct resolution. In [Blockeel and Denecker(2002)], pages 511–512.
- [Beule et al.(2002)Beule, Loooveren and Zuidema] **Beule, J. D., Loooveren, J. V. and Zuidema, W.** (2002). From perception to language: grounding formal syntax in an almost real world. In [Blockeel and Denecker(2002)], pages 83–90.
- [Bioch and Popova(2002)] **Bioch, J. and Popova, V.** (2002). Monotone decision trees and noisy data. In [Blockeel and Denecker(2002)], pages 19–26.
- [Blockeel and Denecker(2002)] **Blockeel, H. and Denecker, M.**, eds. (2002). *Fourteenth Belgium-Netherlands Conference on Artificial Intelligence*. K.U.Leuven.
- [Bohte et al.(2002)Bohte, Gerding and Poutr ] **Bohte, S., Gerding, E. and Poutr , H. L.** (2002). Competitive market-based allocation of consumer attention space. In [Blockeel and Denecker(2002)], pages 403–404.
- [Bosman and Thierens(2002)] **Bosman, P. and Thierens, D.** (2002). Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms. In [Blockeel and Denecker(2002)], pages 407–408.
- [Brazier et al.(2002a)Brazier, Mobach, Overeinder, Posthumus, van Splunter, van Steen and Wijngaards] **Brazier, F., Mobach, D., Overeinder, B., Posthumus, E., van Splunter, S., van Steen, M. and Wijngaards, N.** (2002a). Agentscape demonstration. In [Blockeel and Denecker(2002)], pages 513–514.
- [Brazier et al.(2002b)Brazier, Overeinder, van Steen and Wijngaards] **Brazier, F., Overeinder, B., van Steen, M. and Wijngaards, N.** (2002b). Generative migration of agents. In [Blockeel and Denecker(2002)], pages 409–410.
- [Broersen et al.(2002)Broersen, Dastani and van der Torre] **Broersen, J., Dastani, M. and van der Torre, L.** (2002). Relating functionality descriptions to proof rules of input/output logic. In [Blockeel and Denecker(2002)], pages 27–34.
- [Caminada(2002)] **Caminada, M.** (2002). Agent dialogues using hang yourself arguments. In [Blockeel and Denecker(2002)], pages 43–50.
- [Cheung et al.(2002)Cheung, Klakow, Bauer and Rothkrantz] **Cheung, Y.-F., Klakow, D., Bauer, G. and Rothkrantz, L.** (2002). Broadcast information topic segmentation - BITS -. In [Blockeel and Denecker(2002)], pages 51–58.
- [Dastani et al.(2002a)Dastani, de Boer, Dignum, van der Hoek, Kroese and Meyer] **Dastani, M., de Boer, F., Dignum, F., van der Hoek, W., Kroese, M. and Meyer, J.-J.** (2002a). Implementing cognitive agents in 3APL. In [Blockeel and Denecker(2002)], pages 515–516.
- [Dastani et al.(2002b)Dastani, Dignum and Dignum] **Dastani, M., Dignum, V. and Dignum, F.** (2002b). Organizations and normative agents. In [Blockeel and Denecker(2002)], pages 411–412.
- [Dastani and van der Torre(2002a)] **Dastani, M. and van der Torre, L.** (2002a). An extension of BDI_{ctl} with functional dependencies and components. In [Blockeel and Denecker(2002)], pages 67–74.

- [Dastani and van der Torre(2002b)] **Dastani, M. and van der Torre, L.** (2002b). What is a normative goal? In [Blockeel and Denecker(2002)], pages 75–82.
- [de Graaf et al.(2002)de Graaf, Kusters, Pijls and Popova] **de Graaf, J., Kusters, W., Pijls, W. and Popova, V.** (2002). A theoretical and practical comparison of depth first and FP-growth implementations of apriori. In [Blockeel and Denecker(2002)], pages 115–122.
- [de Jong and Oates(2002)] **de Jong, E. and Oates, T.** (2002). A coevolutionary approach to representation development. In [Blockeel and Denecker(2002)], pages 431–432.
- [de Vos et al.(2002)de Vos, Witteman and Beun] **de Vos, E., Witteman, C. and Beun, R.-J.** (2002). Embodied conversational agents in human-computer interaction. In [Blockeel and Denecker(2002)], pages 339–346.
- [Denecker et al.(2002)Denecker, Pelov and Bruynooghe] **Denecker, M., Pelov, N. and Bruynooghe, M.** (2002). Ultimate well-founded and stable semantics for logic programs with aggregates. In [Blockeel and Denecker(2002)], pages 413–414.
- [Donkers et al.(2002)Donkers, Uiterwijk and van den Herik] **Donkers, J., Uiterwijk, J. and van den Herik, J.** (2002). Learning opponent-type probabilities for prOM search. In [Blockeel and Denecker(2002)], pages 91–98.
- [Driessens and Džeroski(2002)] **Driessens, K. and Džeroski, S.** (2002). Integrating experimentation and guidance in relational reinforcement learning. In [Blockeel and Denecker(2002)], pages 415–416.
- [Drugan et al.(2002)Drugan, Thierens and van der Gaag] **Drugan, M., Thierens, D. and van der Gaag, L.** (2002). MDL-based feature selection for bayesian network classifiers. In [Blockeel and Denecker(2002)], pages 99–106.
- [Eggermont(2002)] **Eggermont, J.** (2002). Evolving fuzzy decision trees for data classification. In [Blockeel and Denecker(2002)], pages 417–418.
- [Eggermont and Lenaerts(2002)] **Eggermont, J. and Lenaerts, T.** (2002). Dynamic optimization using evolutionary algorithms with a case-based memory. In [Blockeel and Denecker(2002)], pages 107–114.
- [Fluit et al.(2002)Fluit, Sabou and van Harmelen] **Fluit, C., Sabou, M. and van Harmelen, F.** (2002). Ontology-based information visualisation. In [Blockeel and Denecker(2002)], pages 419–420.
- [Gilis and Denecker(2002)] **Gilis, D. and Denecker, M.** (2002). Compositionality results for stratified nonmonotone operators. In [Blockeel and Denecker(2002)], pages 421–422.
- [Hay et al.(2002)Hay, Wets and Vanhoof] **Hay, B., Wets, G. and Vanhoof, K.** (2002). Web usage mining by means of multidimensional sequence alignment methods. In [Blockeel and Denecker(2002)], pages 123–130.
- [Helsper and van der Gaag(2002)] **Helsper, E. and van der Gaag, L.** (2002). Building bayesian networks through ontologies. In [Blockeel and Denecker(2002)], pages 423–424.
- [Heskes and Zoeter(2002)] **Heskes, T. and Zoeter, O.** (2002). Expectation propagation for approximate inference in dynamic bayesian networks. In [Blockeel and Denecker(2002)], pages 425–426.
- [Horrocks et al.(2002)Horrocks, Patel-Schneider and van Harmelen] **Horrocks, I., Patel-Schneider, P. and van Harmelen, F.** (2002). Reviewing the design of DAML+oil: an ontology language for the semantic web. In [Blockeel and Denecker(2002)], pages 427–428.
- [Huygen(2002)] **Huygen, P.** (2002). Use of bayesian belief networks in legal reasoning. In [Blockeel and Denecker(2002)], pages 429–430.

- [Infante-Lopez et al.(2002)Infante-Lopez, de Rijke and Sima'an] **Infante-Lopez, G., de Rijke, M. and Sima'an, K.** (2002). A general probabilistic model for dependency parsing. In [Blockeel and Denecker(2002)], pages 139–146.
- [Jacobs and Blockeel(2002)] **Jacobs, N. and Blockeel, H.** (2002). Sequence prediction with mixed order markov chains. In [Blockeel and Denecker(2002)], pages 147–154.
- [Jamroga(2002)] **Jamroga, W.** (2002). Multiple models of reality and how to use them. In [Blockeel and Denecker(2002)], pages 155–162.
- [Janssens et al.(2002)Janssens, Brijs, Vanhoof and Wets] **Janssens, D., Brijs, T., Vanhoof, K. and Wets, G.** (2002). Evaluating the performance of cost-based discretization versus entropy- and error-based discretization. In [Blockeel and Denecker(2002)], pages 163–170.
- [Jonker et al.(2002a)Jonker, de Kock, Meijer and Vermeulen] **Jonker, C., de Kock, A., Meijer, J. and Vermeulen, B.** (2002a). Deliberate evolution agents: Comparing reproduction strategies. In [Blockeel and Denecker(2002)], pages 433–434.
- [Jonker et al.(2002b)Jonker, Snoep, Treur, Westerhoff and Wijngaards] **Jonker, C., Snoep, J., Treur, J., Westerhoff, H. and Wijngaards, W.** (2002b). BDI-modelling of intracellular dynamics. In [Blockeel and Denecker(2002)], pages 435–436.
- [Jonker et al.(2002c)Jonker, Snoep, Treur, Westerhoff and Wijngaards] **Jonker, C., Snoep, J., Treur, J., Westerhoff, H. and Wijngaards, W.** (2002c). Putting intentions into cell biochemistry: An artificial intelligence perspective. In [Blockeel and Denecker(2002)], pages 437–438.
- [Jonker and Treur(2002a)] **Jonker, C. and Treur, J.** (2002a). Analysis of the dynamics of reasoning using multiple representations. In [Blockeel and Denecker(2002)], pages 441–442.
- [Jonker and Treur(2002b)] **Jonker, C. and Treur, J.** (2002b). A dynamic perspective on an agent's mental states and interaction with its environment. In [Blockeel and Denecker(2002)], pages 439–440.
- [Jonker et al.(2002d)Jonker, Treur and de Vries] **Jonker, C., Treur, J. and de Vries, W.** (2002d). Temporal analysis of the dynamics of beliefs, desires, and intentions. In [Blockeel and Denecker(2002)], pages 443–444.
- [Jonker et al.(2002e)Jonker, Treur and Wijngaards] **Jonker, C., Treur, J. and Wijngaards, W.** (2002e). Requirements specification and automated evaluation of dynamic properties of a component-based design. In [Blockeel and Denecker(2002)], pages 445–446.
- [Jonker et al.(2002f)Jonker, Treur and Wijngaards] **Jonker, C., Treur, J. and Wijngaards, W.** (2002f). Temporal languages for simulation and analysis of the dynamics within an organisation. In [Blockeel and Denecker(2002)], pages 447–448.
- [Kamps and Marx(2002)] **Kamps, J. and Marx, M.** (2002). Words with attitude. In [Blockeel and Denecker(2002)], pages 449–450.
- [Kappen and Wiegerinck(2002)] **Kappen, H. and Wiegerinck, W.** (2002). Novel iteration schemes for the cluster variation method. In [Blockeel and Denecker(2002)], pages 451–452.
- [Keller et al.(2002)Keller, Kusters, van der Vaart and Witsenburg] **Keller, R., Kusters, W., van der Vaart, M. and Witsenburg, M.** (2002). Genetic programming produces strategies for agents in a dynamic environment. In [Blockeel and Denecker(2002)], pages 171–178.
- [Kleijkers et al.(2002)Kleijkers, Wiesman and Roos] **Kleijkers, S., Wiesman, F. and Roos, N.** (2002). A mobile multi-agent system for distributed computing. In [Blockeel and Denecker(2002)], pages 453–454.
- [Knězu and Rothkrantz(2002)] **Knězu, V. and Rothkrantz, L.** (2002). A system for automated bookmark management. In [Blockeel and Denecker(2002)], pages 179–186.

- [Kosala et al.(2002)Kosala, den Bussche, Bruynooghe and Blockeel] **Kosala, R., den Bussche, J. V., Bruynooghe, M. and Blockeel, H.** (2002). Information extraction in structured documents using tree automata induction. In [Blockeel and Denecker(2002)], pages 455–456.
- [Kremer and Raskin(2002)] **Kremer, S. and Raskin, J.-F.** (2002). Game analysis of abuse-free contract signing. In [Blockeel and Denecker(2002)], pages 457–458.
- [Langdon(2002)] **Langdon, W.** (2002). Size of random programs to ensure uniformity. In [Blockeel and Denecker(2002)], pages 459–460.
- [Lebbink et al.(2002)Lebbink, Witteman and Meyer] **Lebbink, H.-J., Witteman, C. and Meyer, J.-J.** (2002). Ontology-based knowledge acquisition for knowledge systems. In [Blockeel and Denecker(2002)], pages 195–202.
- [Lenaerts et al.(2002)Lenaerts, Defaweux, van Remortel and Manderick] **Lenaerts, T., Defaweux, A., van Remortel, P. and Manderick, B.** (2002). Multi-level selection in a simple evolutionary model. In [Blockeel and Denecker(2002)], pages 203–210.
- [Lucas(2002)] **Lucas, P.** (2002). Restricted bayesian network structure learning. In [Blockeel and Denecker(2002)], pages 211–218.
- [Marcos et al.(2002)Marcos, Roomans, ten Teije and van Harmelen] **Marcos, M., Roomans, H., ten Teije, A. and van Harmelen, F.** (2002). Improving medical protocols through formalisation: a case study. In [Blockeel and Denecker(2002)], pages 463–464.
- [Maruster et al.(2002)Maruster, Weijters, de Vries, van den Bosch and Daelemans] **Maruster, L., Weijters, T., de Vries, G., van den Bosch, A. and Daelemans, W.** (2002). Logistic-based patient grouping for multi-disciplinary treatment. In [Blockeel and Denecker(2002)], pages 465–466.
- [Mastop et al.(2002)Mastop, Lampe and de Groote] **Mastop, M., Lampe, M. and de Groote, O.** (2002). Knowledge framework. In [Blockeel and Denecker(2002)], pages 517–518.
- [Monz and de Rijke(2002)] **Monz, C. and de Rijke, M.** (2002). Knowledge-intensive question answering. In [Blockeel and Denecker(2002)], pages 467–468.
- [Nijssen and Bäck(2002)] **Nijssen, S. and Bäck, T.** (2002). An analysis of the behaviour of simplified evolutionary algorithms on trap functions. In [Blockeel and Denecker(2002)], pages 469–470.
- [Nijssen and Kok(2002)] **Nijssen, S. and Kok, J.** (2002). Tree sets: Towards a set-oriented view on multi-relational data mining. In [Blockeel and Denecker(2002)], pages 219–226.
- [Noncheva and Marques(2002)] **Noncheva, V. and Marques, N. C.** (2002). Agent’s belief: A stochastic approach. In [Blockeel and Denecker(2002)], pages 227–234.
- [Nuffelen(2002)] **Nuffelen, B. V.** (2002). Reasoning with preferences in ID-logic. In [Blockeel and Denecker(2002)], pages 323–330.
- [Oost et al.(2002)Oost, ten Hagen and Schulze] **Oost, E., ten Hagen, S. and Schulze, F.** (2002). Extracting multivariate power functions from complex data sets. In [Blockeel and Denecker(2002)], pages 235–242.
- [Peek(2002)] **Peek, N.** (2002). Representation of decision-theoretic plans as sets of symbolic decision rules. In [Blockeel and Denecker(2002)], pages 471–472.
- [Prakken(2002)] **Prakken, H.** (2002). An exercise in formalising teleological case-based reasoning. In [Blockeel and Denecker(2002)], pages 473–474.
- [Provijn(2002)] **Provijn, D.** (2002). How to obtain elegant fitch-style proofs from goal directed ones. In [Blockeel and Denecker(2002)], pages 243–250.
- [Renooij et al.(2002)Renooij, Parsons and Pardieck] **Renooij, S., Parsons, S. and Pardieck, P.** (2002). Using kappas as indicators of strength in QPNs. In [Blockeel and Denecker(2002)], pages 267–274.

- [Roos et al.(2002)Roos, ten Teije, Bos and Witteveen] **Roos, N., ten Teije, A., Bos, A. and Witteveen, C.** (2002). Multi-agent diagnosis with spatially distributed knowledge. In [Blockeel and Denecker(2002)], pages 275–282.
- [Salles et al.(2002)Salles, Bredeweg, Araujo and Neto] **Salles, P., Bredeweg, B., Araujo, S. and Neto, W.** (2002). Qualitative models of interactions between two populations. In [Blockeel and Denecker(2002)], pages 475–476.
- [Schaar et al.(2002)Schaar, Rothkrantz, Lassche and Jonkers] **Schaar, R., Rothkrantz, L., Lassche, M. and Jonkers, M.** (2002). Agent-based intelligent personal unified messaging. In [Blockeel and Denecker(2002)], pages 283–290.
- [Schelfhout and Holvoet(2002)] **Schelfhout, K. and Holvoet, T.** (2002). “to do or not to do” : The individual’s model for emergent task allocation. In [Blockeel and Denecker(2002)], pages 477–478.
- [Schoot and Jansweijer(2002)] **Schoot, N. and Jansweijer, W.** (2002). Improving the quality of information in document based communications using a reusable multi-agent system. In [Blockeel and Denecker(2002)], pages 519–520.
- [Sent and van der Gaag(2002)] **Sent, D. and van der Gaag, L.** (2002). Test selection: the gini index and the shannon entropy behave differently. In [Blockeel and Denecker(2002)], pages 291–298.
- [Serebrenik and Schreye(2002a)] **Serebrenik, A. and Schreye, D. D.** (2002a). Inference of termination conditions for numerical loops. In [Blockeel and Denecker(2002)], pages 479–480.
- [Serebrenik and Schreye(2002b)] **Serebrenik, A. and Schreye, D. D.** (2002b). On termination of meta-programs. In [Blockeel and Denecker(2002)], pages 481–482.
- [Spreeuwenberg and Gerrits(2002)] **Spreeuwenberg, S. and Gerrits, R.** (2002). VALENS verification component. In [Blockeel and Denecker(2002)], pages 521–522.
- [Spronck et al.(2002)Spronck, Sprinkhuizen-Kuyper and Postma] **Spronck, P., Sprinkhuizen-Kuyper, I. and Postma, E.** (2002). Improving opponent intelligence through machine learning. In [Blockeel and Denecker(2002)], pages 299–306.
- [Storms et al.(2002)Storms, Herweijer and van Aart] **Storms, P., Herweijer, E. and van Aart, C.** (2002). Practical design guidelines for embodied conversational agents. In [Blockeel and Denecker(2002)], pages 307–314.
- [Struyf et al.(2002)Struyf, Ramon and Blockeel] **Struyf, J., Ramon, J. and Blockeel, H.** (2002). Compact representation of knowledge bases in ILP. In [Blockeel and Denecker(2002)], pages 483–484.
- [Stuckenschmidt(2002)] **Stuckenschmidt, H.** (2002). Approximate information filtering with multiple classification hierarchies. In [Blockeel and Denecker(2002)], pages 485–486.
- [ter Brugge et al.(2002)ter Brugge, Nijhuis and Spaanenburg] **ter Brugge, M., Nijhuis, J. and Spaanenburg, L.** (2002). Morphological template decomposition for DT-cnn. In [Blockeel and Denecker(2002)], pages 35–42.
- [ter Horst et al.(2002)ter Horst, van Doorn, Kravtsova, ten Kate and Siahaan] **ter Horst, H., van Doorn, M., Kravtsova, N., ten Kate, W. and Siahaan, D.** (2002). Context-aware music selection using knowledge on the semantic web. In [Blockeel and Denecker(2002)], pages 131–138.
- [Tonino et al.(2002)Tonino, Bos, de Weerd and Witteveen] **Tonino, H., Bos, A., de Weerd, M. and Witteveen, C.** (2002). Plan coordination by revision in collective agent based systems. In [Blockeel and Denecker(2002)], pages 487–488.
- [Tuyls et al.(2002)Tuyls, Lenaerts, Verbeeck, Maes and Manderick] **Tuyls, K., Lenaerts, T., Verbeeck, K., Maes, S. and Manderick, B.** (2002). Towards a relation between learning agents and evolutionary dynamics. In [Blockeel and Denecker(2002)], pages 315–322.

- [Valk and Witteveen(2002)] **Valk, J. and Witteveen, C.** (2002). Multi-agent coordination in planning. In [Blockeel and Denecker(2002)], pages 489–490.
- [van Aart et al.(2002)van Aart, Marcke, Pels and Smulders] **van Aart, C., Marcke, K. V., Pels, R. and Smulders, J.** (2002). International insurance traffic with software agents. In [Blockeel and Denecker(2002)], pages 397–398.
- [van Dartel et al.(2002)van Dartel, Postma and van den Herik] **van Dartel, M., Postma, E. and van den Herik, J.** (2002). Universal properties of adaptive behaviour. In [Blockeel and Denecker(2002)], pages 59–66.
- [van de Vrie(2002)] **van de Vrie, E.** (2002). LOK: Implementation of a platform for distributed development and use of educational tasks. In [Blockeel and Denecker(2002)], pages 525–526.
- [van den Berg et al.(2002a)van den Berg, Kaymak and van den Bergh] **van den Berg, J., Kaymak, U. and van den Bergh, W.-M.** (2002a). Fuzzy classification by using probability-based rule weighting. In [Blockeel and Denecker(2002)], pages 401–402.
- [van den Berg et al.(2002b)van den Berg, Kaymak and van den Bergh] **van den Berg, J., Kaymak, U. and van den Bergh, W.-M.** (2002b). Probabilistic reasoning in fuzzy rule-based systems. In [Blockeel and Denecker(2002)], pages 11–18.
- [van den Bosch and Buchholz(2002)] **van den Bosch, A. and Buchholz, S.** (2002). Shallow parsing on the basis of words only: A case study. In [Blockeel and Denecker(2002)], pages 405–406.
- [van der Krogt et al.(2002)van der Krogt, Aronson, Roos, Witteveen and Zutt] **van der Krogt, R., Aronson, L., Roos, N., Witteveen, C. and Zutt, J.** (2002). Tactical planning using heuristics. In [Blockeel and Denecker(2002)], pages 187–194.
- [van der Putten et al.(2002)van der Putten, Ramaekers, den Uyl and Kok] **van der Putten, P., Ramaekers, M., den Uyl, M. and Kok, J.** (2002). A process model for a data fusion factory. In [Blockeel and Denecker(2002)], pages 251–258.
- [van der Werf et al.(2002)van der Werf, Uiterwijk and van den Herik] **van der Werf, E., Uiterwijk, J. and van den Herik, J.** (2002). Solving ponnuki-go on small boards. In [Blockeel and Denecker(2002)], pages 347–354.
- [van der Zwaag et al.(2002)van der Zwaag, Slump and Spaanenburg] **van der Zwaag, B. J., Slump, K. and Spaanenburg, L.** (2002). Process identification through modular neural networks and rule extraction. In [Blockeel and Denecker(2002)], pages 507–508.
- [van Leeuwen et al.(2002)van Leeuwen, Hesselink and Rohling] **van Leeuwen, P., Hesselink, H. and Rohling, J.** (2002). Scheduling aircraft using constraint satisfaction. In [Blockeel and Denecker(2002)], pages 461–462.
- [van Remortel et al.(2002)van Remortel, Lenaerts and Manderick] **van Remortel, P., Lenaerts, T. and Manderick, B.** (2002). Testing the overall functional robustness of 2D ca phenotypes for development. In [Blockeel and Denecker(2002)], pages 259–266.
- [van Stokkum(2002)] **van Stokkum, W.** (2002). Knowledge intensive content model management within integrated back offices. In [Blockeel and Denecker(2002)], pages 523–524.
- [van Wezel and Kusters(2002)] **van Wezel, M. and Kusters, W.** (2002). Numerical integration by cubature formulae in bayesian neural networks. In [Blockeel and Denecker(2002)], pages 355–362.
- [Verbeeck et al.(2002)Verbeeck, Nowé and Parent] **Verbeeck, K., Nowé, A. and Parent, J.** (2002). Social agents playing a periodical policy. In [Blockeel and Denecker(2002)], pages 491–492.
- [Verbeeck et al.(2002)Verbeeck, Vlassis and Kröse] **Verbeeck, J., Vlassis, N. and Kröse, B.** (2002). Coordinating principal component analyzers. In [Blockeel and Denecker(2002)], pages 493–494.

- [Vogt(2002)] **Vogt, P.** (2002). Anchoring symbols to sensorimotor control. In [Blockeel and Denecker(2002)], pages 331–338.
- [Vollebregt et al.(2002)Vollebregt, Hannessen, Hesselink and Beetstra] **Vollebregt, A., Hannessen, D., Hesselink, H. and Beetstra, J.** (2002). Modelling crew assistants with multi-agent systems in aircraft. In [Blockeel and Denecker(2002)], pages 495–496.
- [Voorbraak(2002)] **Voorbraak, F.** (2002). Uncertainty in AI and bioinformatics. In [Blockeel and Denecker(2002)], pages 497–498.
- [Wiegerinck and Heskes(2002)] **Wiegerinck, W. and Heskes, T.** (2002). IPF for discrete chain factor graphs. In [Blockeel and Denecker(2002)], pages 499–500.
- [Wiering(2002)] **Wiering, M.** (2002). Hierarchical mixtures of naive bayesian classifiers. In [Blockeel and Denecker(2002)], pages 363–370.
- [Wijngaards et al.(2002)Wijngaards, Overeinder, van Steen and Brazier] **Wijngaards, N., Overeinder, B., van Steen, M. and Brazier, F.** (2002). Supporting internet-scale multi-agent systems. In [Blockeel and Denecker(2002)], pages 501–502.
- [Winands et al.(2002)Winands, Kocsis, Uiterwijk and van den Herik] **Winands, M., Kocsis, L., Uiterwijk, J. and van den Herik, J.** (2002). Learning in lines of action. In [Blockeel and Denecker(2002)], pages 371–378.
- [Winkels et al.(2002)Winkels, Boer and Hoekstra] **Winkels, R., Boer, A. and Hoekstra, R.** (2002). Lessons learned in legal information serving. In [Blockeel and Denecker(2002)], pages 503–504.
- [Ypma and Heskes(2002)] **Ypma, A. and Heskes, T.** (2002). Clustering web surfers with mixtures of hidden markov models. In [Blockeel and Denecker(2002)], pages 505–506.
- [Zajdel and Kröse(2002)] **Zajdel, W. and Kröse, B.** (2002). Bayesian network for multiple hypothesis tracking. In [Blockeel and Denecker(2002)], pages 379–386.
- [Zutt et al.(2002)Zutt, Aronson, van der Krogt, Roos and Witteveen] **Zutt, J., Aronson, L., van der Krogt, R., Roos, N. and Witteveen, C.** (2002). Multi-agent transport planning. In [Blockeel and Denecker(2002)], pages 387–394.