Список литературы

[Antal et al., 2002] Antal, P., Fannes, G., Moreau, Y., & Moor, B. D. (2002). Using literature and data to annotate and learn bayesian networks. In [Blockeel & Denecker, 2002], 3–10.

[Apistola et al., 2002] Apistola, M., Brazier, F., Kubbe, O., Oskamp, A., Schellekens, M., & Voulon, M. (2002). Legal aspects of agent technology. In [Blockeel & Denecker, 2002], 399–400.

[Areces & Heguiabehere, 2002] Areces, C. & Heguiabehere, J. (2002). Hylores: A hybrid logic prover based on direct resolution. In [Blockeel & Denecker, 2002], 511–512.

[Beule et al., 2002] Beule, J. D., Looveren, J. V., & Zuidema, W. (2002). From perception to language: grounding formal syntax in an almost real world. In [Blockeel & Denecker, 2002], 83–90.

[Bioch & Popova, 2002] Bioch, J. & Popova, V. (2002). Monotone decision trees and noisy data. In [Blockeel & Denecker, 2002], 19–26.

[Blockeel & Denecker, 2002] (2002). *Fourteenth Belgium-Netherlands Conference on Artificial Intelligence*. K.U.Leuven.

[Bohte et al., 2002] Bohte, S., Gerding, E., & Poutré, H. L. (2002). Competitive market-based allocation of consumer attention space. In [Blockeel & Denecker, 2002], 403–404.

[Bosman & Thierens, 2002] Bosman, P. & Thierens, D. (2002). Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms. In [Blockeel & Denecker, 2002], 407–408.

[Brazier et al., 2002a] Brazier, F., Mobach, D., Overeinder, B., Posthumus, E., van Splunter, S., van Steen, M., & Wijngaards, N. (2002a). Agentscape demonstration. In [Blockeel & Denecker, 2002], 513–514.

[Brazier et al., 2002b] Brazier, F., Overeinder, B., van Steen, M., & Wijngaards, N. (2002b). Generative migration of agents. In [Blockeel & Denecker, 2002], 409–410.

[Broersen et al., 2002] Broersen, J., Dastani, M., & van der Torre, L. (2002). Relating functionality descriptions to proof rules of input/output logic. In [Blockeel & Denecker, 2002], 27–34.

[Caminada, 2002] Caminada, M. (2002). Agent dialogues using hang yourself arguments. In [Blockeel & Denecker, 2002], 43–50.

[Cheung et al., 2002] Cheung, Y.-F., Klakow, D., Bauer, G., & Rothkrantz, L. (2002). Broadcast information topic segmentation - BITS -. In [Blockeel & Denecker, 2002], 51–58.

[Dastani et al., 2002a] Dastani, M., de Boer, F., Dignum, F., van der Hoek, W., Kroese, M., & Meyer, J.-J. (2002a). Implementing cognitive agents in 3APL. In [Blockeel & Denecker, 2002], 515–516.

[Dastani et al., 2002b] Dastani, M., Dignum, V., & Dignum, F. (2002b). Organizations and normative agents. In [Blockeel & Denecker, 2002], 411–412.

[Dastani & van der Torre, 2002a] Dastani, M. & van der Torre, L. (2002a). An extension of BDI_{ctl} with functional dependencies and components. In [Blockeel & Denecker, 2002], 67–74.

[Dastani & van der Torre, 2002b] Dastani, M. & van der Torre, L. (2002b). What is a normative goal? In [Blockeel & Denecker, 2002], 75–82.

[de Graaf et al., 2002] de Graaf, J., Kosters, W., Pijls, W., & Popova, V. (2002). A theoretical and practical comparison of depth first and FP-growth implementations of apriori. In [Blockeel & Denecker, 2002], 115–122.

[de Jong & Oates, 2002] de Jong, E. & Oates, T. (2002). A coevolutionary approach to representation development. In [Blockeel & Denecker, 2002], 431–432.

[de Vos et al., 2002] de Vos, E., Witteman, C., & Beun, R.-J. (2002). Embodied conversational agents in human-computer interaction. In [Blockeel & Denecker, 2002], 339–346.

[Denecker et al., 2002] Denecker, M., Pelov, N., & Bruynooghe, M. (2002). Ultimate well-founded and stable semantics for logic programs with aggregates. In [Blockeel & Denecker, 2002], 413–414.

[Donkers et al., 2002] Donkers, J., Uiterwijk, J., & van den Herik, J. (2002). Learning opponent-type probabilities for prOM search. In [Blockeel & Denecker, 2002], 91–98.

[Driessens & Džeroski, 2002] Driessens, K. & Džeroski, S. (2002). Integrating experimentation and guidance in relational reinforcement learning. In [Blockeel & Denecker, 2002], 415–416.

[Drugan et al., 2002] Drugan, M., Thierens, D., & van der Gaag, L. (2002). MDL-based feature selection for bayesian network classifiers. In [Blockeel & Denecker, 2002], 99–106.

[Eggermont, 2002] Eggermont, J. (2002). Evolving fuzzy decision trees for data classification. In [Blockeel & Denecker, 2002], 417–418.

[Eggermont & Lenaerts, 2002] Eggermont, J. & Lenaerts, T. (2002). Dynamic optimization using evolutionary algorithms with a case-based memory. In [Blockeel & Denecker, 2002], 107–114.

[Fluit et al., 2002] Fluit, C., Sabou, M., & van Harmelen, F. (2002). Ontology-based information visualisation. In [Blockeel & Denecker, 2002], 419–420.

[Gilis & Denecker, 2002] Gilis, D. & Denecker, M. (2002). Compositionality results for stratified nonmonotone operators. In [Blockeel & Denecker, 2002], 421–422.

[Hay et al., 2002] Hay, B., Wets, G., & Vanhoof, K. (2002). Web usage mining by means of multidimensional sequence alignment methods. In [Blockeel & Denecker, 2002], 123–130.

[Helsper & van der Gaag, 2002] Helsper, E. & van der Gaag, L. (2002). Building bayesian networks through ontologies. In [Blockeel & Denecker, 2002], 423–424.

[Heskes & Zoeter, 2002] Heskes, T. & Zoeter, O. (2002). Expectation propagation for approximate inference in dynamic bayesian networks. In [Blockeel & Denecker, 2002], 425–426.

[Horrocks et al., 2002] Horrocks, I., Patel-Schneider, P., & van Harmelen, F. (2002). Reviewing the design of DAML+oil: an ontology language for the semantic web. In [Blockeel & Denecker, 2002], 427–428.

[Huygen, 2002] Huygen, P. (2002). Use of bayesian belief networks in legal reasoning. In [Blockeel & Denecker, 2002], 429–430.

[Infante-Lopez et al., 2002] Infante-Lopez, G., de Rijke, M., & Sima´an, K. (2002). A general probabilistic model for dependency parsing. In [Blockeel & Denecker, 2002], 139–146.

[Jacobs & Blockeel, 2002] Jacobs, N. & Blockeel, H. (2002). Sequence prediction with mixed order markov chains. In [Blockeel & Denecker, 2002], 147–154.

[Jamroga, 2002] Jamroga, W. (2002). Multiple models of reality and how to use them. In [Blockeel & Denecker, 2002], 155–162.

[Janssens et al., 2002] Janssens, D., Brijs, T., Vanhoof, K., & Wets, G. (2002). Evaluating the performance of cost-based discretization versus entropy- and error-based discretization. In [Blockeel & Denecker, 2002], 163–170.

[Jonker et al., 2002a] Jonker, C., de Kock, A., Meijer, J., & Vermeulen, B. (2002a). Deliberate evolution agents: Comparing reproduction strategies. In [Blockeel & Denecker, 2002], 433–434.

[Jonker et al., 2002b] Jonker, C., Snoep, J., Treur, J., Westerhoff, H., & Wijngaards, W. (2002b). BDI-modelling of intracellular dynamics. In [Blockeel & Denecker, 2002], 435–436.

[Jonker et al., 2002c] Jonker, C., Snoep, J., Treur, J., Westerhoff, H., & Wijngaards, W. (2002c). Putting intentions into cell biochemistry: An artificial intelligence perspective. In [Blockeel & Denecker, 2002], 437–438.

[Jonker & Treur, 2002a] Jonker, C. & Treur, J. (2002a). Analysis of the dynamics of reasoning using multiple representations. In [Blockeel & Denecker, 2002], 441–442.

[Jonker & Treur, 2002b] Jonker, C. & Treur, J. (2002b). A dynamic perspective on an agent's mental states and interaction with its environment. In [Blockeel & Denecker, 2002], 439–440.

[Jonker et al., 2002d] Jonker, C., Treur, J., & de Vries, W. (2002d). Temporal analysis of the dynamics of beliefs, desires, and intentions. In [Blockeel & Denecker, 2002], 443–444.

[Jonker et al., 2002e] Jonker, C., Treur, J., & Wijngaards, W. (2002e). Requirements specification and automated evaluation of dynamic properties of a component-based design. In [Blockeel & Denecker, 2002], 445–446.

[Jonker et al., 2002f] Jonker, C., Treur, J., & Wijngaards, W. (2002f). Temporal languages for simulation and analysis of the dynamics within an organisation. In [Blockeel & Denecker, 2002], 447–448.

[Kamps & Marx, 2002] Kamps, J. & Marx, M. (2002). Words with attitude. In [Blockeel & Denecker, 2002], 449–450.

[Kappen & Wiegerinck, 2002] Kappen, H. & Wiegerinck, W. (2002). Novel iteration schemes for the cluster variation method. In [Blockeel & Denecker, 2002], 451–452.

[Keller et al., 2002] Keller, R., Kosters, W., van der Vaart, M., & Witsenburg, M. (2002). Genetic programming produces strategies for agents in a dynamic environment. In [Blockeel & Denecker, 2002], 171–178.

[Kleijkers et al., 2002] Kleijkers, S., Wiesman, F., & Roos, N. (2002). A mobile multi-agent system for distributed computing. In [Blockeel & Denecker, 2002], 453–454.

[Knězu & Rothkrantz, 2002] Knězu, V. & Rothkrantz, L. (2002). A system for automated bookmark management. In [Blockeel & Denecker, 2002], 179–186.

[Kosala et al., 2002] Kosala, R., den Bussche, J. V., Bruynooghe, M., & Blockeel, H. (2002). Information extraction in structured documents using tree automata induction. In [Blockeel & Denecker, 2002], 455–456.

[Kremer & Raskin, 2002] Kremer, S. & Raskin, J.-F. (2002). Game analysis of abuse-free contract signing. In [Blockeel & Denecker, 2002], 457–458.

[Langdon, 2002] Langdon, W. (2002). Size of random programs to ensure uniformity. In [Blockeel & Denecker, 2002], 459–460.

[Lebbink et al., 2002] Lebbink, H.-J., Witteman, C., & Meyer, J.-J. (2002). Ontology-based knowledge acquisition for knowledge systems. In [Blockeel & Denecker, 2002], 195–202.

[Lenaerts et al., 2002] Lenaerts, T., Defaweux, A., van Remortel, P., & Manderick, B. (2002). Multi-level selection in a simple evolutionary model. In [Blockeel & Denecker, 2002], 203–210.

[Lucas, 2002] Lucas, P. (2002). Restricted bayesian network structure learning. In [Blockeel & Denecker, 2002], 211–218.

[Marcos et al., 2002] Marcos, M., Roomans, H., ten Teije, A., & van Harmelen, F. (2002). Improving medical protocols through formalisation: a case study. In [Blockeel & Denecker, 2002], 463–464.

[Maruster et al., 2002] Maruster, L., Weijters, T., de Vries, G., van den Bosch, A., & Daelemans, W. (2002). Logistic-based patient grouping for multi-disciplinary treatment. In [Blockeel & Denecker, 2002], 465–466.

[Mastop et al., 2002] Mastop, M., Lampe, M., & de Groote, O. (2002). Knowledge framework. In [Blockeel & Denecker, 2002], 517–518.

[Monz & de Rijke, 2002] Monz, C. & de Rijke, M. (2002). Knowledge-intensive question answering. In [Blockeel & Denecker, 2002], 467–468.

[Nijssen & Bäck, 2002] Nijssen, S. & Bäck, T. (2002). An analysis of the behaviour of simplified evolutionary algorithms on trap functions. In [Blockeel & Denecker, 2002], 469–470.

[Nijssen & Kok, 2002] Nijssen, S. & Kok, J. (2002). Tree sets: Towards a set-oriented view on multi-relational data mining. In [Blockeel & Denecker, 2002], 219–226.

[Noncheva & Marques, 2002] Noncheva, V. & Marques, N. C. (2002). Agent's belief: A stochastic approach. In [Blockeel & Denecker, 2002], 227–234.

[Nuffelen, 2002] Nuffelen, B. V. (2002). Reasoning with preferences in ID-logic. In [Blockeel & Denecker, 2002], 323–330.

[Oost et al., 2002] Oost, E., ten Hagen, S., & Schulze, F. (2002). Extracting multivariate power functions from complex data sets. In [Blockeel & Denecker, 2002], 235–242.

[Peek, 2002] Peek, N. (2002). Representation of decision-theoretic plans as sets of symbolic decision rules. In [Blockeel & Denecker, 2002], 471–472.

[Prakken, 2002] Prakken, H. (2002). An exercise in formalising teleological case-based reasoning. In [Blockeel & Denecker, 2002], 473–474.

[Provijn, 2002] Provijn, D. (2002). How to obtain elegant fitch-style proofs from goal directed ones. In [Blockeel & Denecker, 2002], 243–250.

[Renooij et al., 2002] Renooij, S., Parsons, S., & Pardieck, P. (2002). Using kappas as indicators of strength in QPNs. In [Blockeel & Denecker, 2002], 267–274.

[Roos et al., 2002] Roos, N., ten Teije, A., Bos, A., & Witteveen, C. (2002). Multi-agent diagnosis with spatially distributed knowledge. In [Blockeel & Denecker, 2002], 275–282.

[Salles et al., 2002] Salles, P., Bredeweg, B., Araujo, S., & Neto, W. (2002). Qualitative models of interactions between two populations. In [Blockeel & Denecker, 2002], 475–476.

[Schaar et al., 2002] Schaar, R., Rothkrantz, L., Lassche, M., & Jonkers, M. (2002). Agent-based intelligent personal unified messaging. In [Blockeel & Denecker, 2002], 283–290.

[Schelfthout & Holvoet, 2002] Schelfthout, K. & Holvoet, T. (2002). "to do or not to do" : The individual's model for emergent task allocation. In [Blockeel & Denecker, 2002], 477–478.

[Schoot & Jansweijer, 2002] Schoot, N. & Jansweijer, W. (2002). Improving the quality of information in document based communications using a reusable multi-agent system. In [Blockeel & Denecker, 2002], 519–520.

[Sent & van der Gaag, 2002] Sent, D. & van der Gaag, L. (2002). Test selection: the gini index and the shannon entropy behave differently. In [Blockeel & Denecker, 2002], 291–298.

[Serebrenik & Schreye, 2002a] Serebrenik, A. & Schreye, D. D. (2002a). Inference of termination conditions for numerical loops. In [Blockeel & Denecker, 2002], 479–480.

[Serebrenik & Schreye, 2002b] Serebrenik, A. & Schreye, D. D. (2002b). On termination of meta-programs. In [Blockeel & Denecker, 2002], 481–482.

[Spreeuwenberg & Gerrits, 2002] Spreeuwenberg, S. & Gerrits, R. (2002). VALENS verification component. In [Blockeel & Denecker, 2002], 521–522.

[Spronck et al., 2002] Spronck, P., Sprinkhuizen-Kuyper, I., & Postma, E. (2002). Improving opponent intelligence through machine learning. In [Blockeel & Denecker, 2002], 299–306.

[Storms et al., 2002] Storms, P., Herweijer, E., & van Aart, C. (2002). Practical design guidelines for embodied conversational agents. In [Blockeel & Denecker, 2002], 307–314.

[Struyf et al., 2002] Struyf, J., Ramon, J., & Blockeel, H. (2002). Compact representation of knowledge bases in ILP. In [Blockeel & Denecker, 2002], 483–484.

[Stuckenschmidt, 2002] Stuckenschmidt, H. (2002). Approximate information filtering with multiple classification hierarchies. In [Blockeel & Denecker, 2002], 485–486.

[ter Brugge et al., 2002] ter Brugge, M., Nijhuis, J., & Spaanenburg, L. (2002). Morphological template decomposition for DT-cnn. In [Blockeel & Denecker, 2002], 35–42.

[ter Horst et al., 2002] ter Horst, H., van Doorn, M., Kravtsova, N., ten Kate, W., & Siahaan, D. (2002). Context-aware music selection using knowledge on the semantic web. In [Blockeel & Denecker, 2002], 131–138.

[Tonino et al., 2002] Tonino, H., Bos, A., de Weerdt, M., & Witteveen, C. (2002). Plan coordination by revision in collective agent based systems. In [Blockeel & Denecker, 2002], 487–488.

[Tuyls et al., 2002] Tuyls, K., Lenaerts, T., Verbeeck, K., Maes, S., & Manderick, B. (2002). Towards a relation between learning agents and evolutionary dynamics. In [Blockeel & Denecker, 2002], 315–322.

[Valk & Witteveen, 2002] Valk, J. & Witteveen, C. (2002). Multi-agent coordination in planning. In [Blockeel & Denecker, 2002], 489–490.

[van Aart et al., 2002] van Aart, C., Marcke, K. V., Pels, R., & Smulders, J. (2002). International insurance traffic with software agents. In [Blockeel & Denecker, 2002], 397–398.

[van Dartel et al., 2002] van Dartel, M., Postma, E., & van den Herik, J. (2002). Universal properties of adaptive behaviour. In [Blockeel & Denecker, 2002], 59–66.

[van de Vrie, 2002] van de Vrie, E. (2002). LOK: Implementation of a platform for distributed development and use of educational tasks. In [Blockeel & Denecker, 2002], 525–526.

[van den Berg et al., 2002a] van den Berg, J., Kaymak, U., & van den Bergh, W.-M. (2002a). Fuzzy classification by using probability-based rule weighting. In [Blockeel & Denecker, 2002], 401–402.

[van den Berg et al., 2002b] van den Berg, J., Kaymak, U., & van den Bergh, W.-M. (2002b). Probabilistic reasoning in fuzzy rule-based systems. In [Blockeel & Denecker, 2002], 11–18.

[van den Bosch & Buchholz, 2002] van den Bosch, A. & Buchholz, S. (2002). Shallow parsing on the basis of words only: A case study. In [Blockeel & Denecker, 2002], 405–406.

[van der Krogt et al., 2002] van der Krogt, R., Aronson, L., Roos, N., Witteveen, C., & Zutt, J. (2002). Tactical planning using heuristics. In [Blockeel & Denecker, 2002], 187–194.

[van der Putten et al., 2002] van der Putten, P., Ramaekers, M., den Uyl, M., & Kok, J. (2002). A process model for a data fusion factory. In [Blockeel & Denecker, 2002], 251–258.

[van der Werf et al., 2002] van der Werf, E., Uiterwijk, J., & van den Herik, J. (2002). Solving ponnuki-go on small boards. In [Blockeel & Denecker, 2002], 347–354.

[van der Zwaag et al., 2002] van der Zwaag, B. J., Slump, K., & Spaanenburg, L. (2002). Process identification through modular neural networks and rule extraction. In [Blockeel & Denecker, 2002], 507–508.

[van Leeuwen et al., 2002] van Leeuwen, P., Hesselink, H., & Rohling, J. (2002). Scheduling aircraft using constraint satisfaction. In [Blockeel & Denecker, 2002], 461–462.

[van Remortel et al., 2002] van Remortel, P., Lenaerts, T., & Manderick, B. (2002). Testing the overall functional robustness of 2D ca phenotypes for development. In [Blockeel & Denecker, 2002], 259–266.

[van Stokkum, 2002] van Stokkum, W. (2002). Knowledge intensive content model management within integrated back offices. In [Blockeel & Denecker, 2002], 523–524.

[van Wezel & Kosters, 2002] van Wezel, M. & Kosters, W. (2002). Numerical integration by cubature formulae in bayesian neural networks. In [Blockeel & Denecker, 2002], 355–362.

[Verbeeck et al., 2002] Verbeeck, K., Nowé, A., & Parent, J. (2002). Social agents playing a periodical policy. In [Blockeel & Denecker, 2002], 491–492.

[Verbeek et al., 2002] Verbeek, J., Vlassis, N., & Kröse, B. (2002). Coordinating principal component analyzers. In [Blockeel & Denecker, 2002], 493–494.

[Vogt, 2002] Vogt, P. (2002). Anchoring symbols to sensorimotor control. In [Blockeel & Denecker, 2002], 331–338.

[Vollebregt et al., 2002] Vollebregt, A., Hannessen, D., Hesselink, H., & Beetstra, J. (2002). Modelling crew assistants with multi-agent systems in aircraft. In [Blockeel & Denecker, 2002], 495–496.

[Voorbraak, 2002] Voorbraak, F. (2002). Uncertainty in AI and bioinformatics. In [Blockeel & Denecker, 2002], 497–498.

[Wiegerinck & Heskes, 2002] Wiegerinck, W. & Heskes, T. (2002). IPF for discrete chain factor graphs. In [Blockeel & Denecker, 2002], 499–500.

[Wiering, 2002] Wiering, M. (2002). Hierarchical mixtures of naive bayesian classifiers. In [Blockeel & Denecker, 2002], 363–370.

[Wijngaards et al., 2002] Wijngaards, N., Overeinder, B., van Steen, M., & Brazier, F. (2002). Supporting internet-scale multi-agent systems. In [Blockeel & Denecker, 2002], 501–502.

[Winands et al., 2002] Winands, M., Kocsis, L., Uiterwijk, J., & van den Herik, J. (2002). Learning in lines of action. In [Blockeel & Denecker, 2002], 371–378.

[Winkels et al., 2002] Winkels, R., Boer, A., & Hoekstra, R. (2002). Lessons learned in legal information serving. In [Blockeel & Denecker, 2002], 503–504.

[Ypma & Heskes, 2002] Ypma, A. & Heskes, T. (2002). Clustering web surfers with mixtures of hidden markov models. In [Blockeel & Denecker, 2002], 505–506.

[Zajdel & Kröse, 2002] Zajdel, W. & Kröse, B. (2002). Bayesian network for multiple hypothesis tracking. In [Blockeel & Denecker, 2002], 379–386.

[Zutt et al., 2002] Zutt, J., Aronson, L., van der Krogt, R., Roos, N., & Witteveen, C. (2002). Multi-agent transport planning. In [Blockeel & Denecker, 2002], 387–394.