

Список литературы

- [Antal et al.(2002)Antal, Fannes, Moreau, & Moor] Antal, P., Fannes, G., Moreau, Y., & Moor, B. D. (2002). Using literature and data to annotate and learn bayesian networks. In [Blockeel & Denecker(2002)], pp. 3–10.
- [Apistola et al.(2002)Apistola, Brazier, Kubbe, Oskamp, Schellekens, & Voulon] Apistola, M., Brazier, F., Kubbe, O., Oskamp, A., Schellekens, M., & Voulon, M. (2002). Legal aspects of agent technology. In [Blockeel & Denecker(2002)], pp. 399–400.
- [Areces & Heguiabehere(2002)] Areces, C. & Heguiabehere, J. (2002). Hylotes: A hybrid logic prover based on direct resolution. In [Blockeel & Denecker(2002)], pp. 511–512.
- [Beule et al.(2002)Beule, Looveren, & Zuidema] Beule, J. D., Looveren, J. V., & Zuidema, W. (2002). From perception to language: grounding formal syntax in an almost real world. In [Blockeel & Denecker(2002)], pp. 83–90.
- [Bioch & Popova(2002)] Bioch, J. & Popova, V. (2002). Monotone decision trees and noisy data. In [Blockeel & Denecker(2002)], pp. 19–26.
- [Blockeel & Denecker(2002)] Blockeel, H. & Denecker, M. eds. (2002). Fourteenth Belgium-Netherlands Conference on Artificial Intelligence. K.U.Leuven.
- [Bohte et al.(2002)Bohte, Gerding, & Poutré] Bohte, S., Gerding, E., & Poutré, H. L. (2002). Competitive market-based allocation of consumer attention space. In [Blockeel & Denecker(2002)], pp. 403–404.
- [Bosman & Thierens(2002)] Bosman, P. & Thierens, D. (2002). Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms. In [Blockeel & Denecker(2002)], pp. 407–408.
- [Brazier et al.(2002a)Brazier, Mobach, Overeinder, Posthumus, van Splunter, van Steen, & Wijngaards] Brazier, F., Mobach, D., Overeinder, B., Posthumus, E., van Splunter, S., van Steen, M., & Wijngaards, N. (2002a). Agentscape demonstration. In [Blockeel & Denecker(2002)], pp. 513–514.
- [Brazier et al.(2002b)Brazier, Overeinder, van Steen, & Wijngaards] Brazier, F., Overeinder, B., van Steen, M., & Wijngaards, N. (2002b). Generative migration of agents. In [Blockeel & Denecker(2002)], pp. 409–410.
- [Broersen et al.(2002)Broersen, Dastani, & van der Torre] Broersen, J., Dastani, M., & van der Torre, L. (2002). Relating functionality descriptions to proof rules of input/output logic. In [Blockeel & Denecker(2002)], pp. 27–34.
- [Caminada(2002)] Caminada, M. (2002). Agent dialogues using hang yourself arguments. In [Blockeel & Denecker(2002)], pp. 43–50.
- [Cheung et al.(2002)Cheung, Klakow, Bauer, & Rothkrantz] Cheung, Y.-F., Klakow, D., Bauer, G., & Rothkrantz, L. (2002). Broadcast information topic segmentation - BITS -. In [Blockeel & Denecker(2002)], pp. 51–58.
- [Dastani et al.(2002a)Dastani, de Boer, Dignum, van der Hoek, Kroese, & Meyer] Dastani, M., de Boer, F., Dignum, F., van der Hoek, W., Kroese, M., & Meyer, J.-J. (2002a). Implementing cognitive agents in 3APL. In [Blockeel & Denecker(2002)], pp. 515–516.
- [Dastani et al.(2002b)Dastani, Dignum, & Dignum] Dastani, M., Dignum, V., & Dignum, F. (2002b). Organizations and normative agents. In [Blockeel & Denecker(2002)], pp. 411–412.
- [Dastani & van der Torre(2002a)] Dastani, M. & van der Torre, L. (2002a). An extension of BDI_{ctl} with functional dependencies and components. In [Blockeel & Denecker(2002)], pp. 67–74.
- [Dastani & van der Torre(2002b)] Dastani, M. & van der Torre, L. (2002b). What is a normative goal? In [Blockeel & Denecker(2002)], pp. 75–82.

- [de Graaf et al.(2002)de Graaf, Kusters, Pijls, & Popova] de Graaf, J., Kusters, W., Pijls, W., & Popova, V. (2002). A theoretical and practical comparison of depth first and FP-growth implementations of apriori. In [Blockeel & Denecker(2002)], pp. 115–122.
- [de Jong & Oates(2002)] de Jong, E. & Oates, T. (2002). A coevolutionary approach to representation development. In [Blockeel & Denecker(2002)], pp. 431–432.
- [de Vos et al.(2002)de Vos, Witteman, & Beun] de Vos, E., Witteman, C., & Beun, R.-J. (2002). Embodied conversational agents in human-computer interaction. In [Blockeel & Denecker(2002)], pp. 339–346.
- [Denecker et al.(2002)Denecker, Pelov, & Bruynooghe] Denecker, M., Pelov, N., & Bruynooghe, M. (2002). Ultimate well-founded and stable semantics for logic programs with aggregates. In [Blockeel & Denecker(2002)], pp. 413–414.
- [Donkers et al.(2002)Donkers, Uiterwijk, & van den Herik] Donkers, J., Uiterwijk, J., & van den Herik, J. (2002). Learning opponent-type probabilities for prOM search. In [Blockeel & Denecker(2002)], pp. 91–98.
- [Driessens & Džeroski(2002)] Driessens, K. & Džeroski, S. (2002). Integrating experimentation and guidance in relational reinforcement learning. In [Blockeel & Denecker(2002)], pp. 415–416.
- [Drugan et al.(2002)Drugan, Thierens, & van der Gaag] Drugan, M., Thierens, D., & van der Gaag, L. (2002). MDL-based feature selection for bayesian network classifiers. In [Blockeel & Denecker(2002)], pp. 99–106.
- [Eggermont(2002)] Eggermont, J. (2002). Evolving fuzzy decision trees for data classification. In [Blockeel & Denecker(2002)], pp. 417–418.
- [Eggermont & Lenaerts(2002)] Eggermont, J. & Lenaerts, T. (2002). Dynamic optimization using evolutionary algorithms with a case-based memory. In [Blockeel & Denecker(2002)], pp. 107–114.
- [Fluit et al.(2002)Fluit, Sabou, & van Harmelen] Fluit, C., Sabou, M., & van Harmelen, F. (2002). Ontology-based information visualisation. In [Blockeel & Denecker(2002)], pp. 419–420.
- [Gilis & Denecker(2002)] Gilis, D. & Denecker, M. (2002). Compositionality results for stratified nonmonotone operators. In [Blockeel & Denecker(2002)], pp. 421–422.
- [Hay et al.(2002)Hay, Wets, & Vanhoof] Hay, B., Wets, G., & Vanhoof, K. (2002). Web usage mining by means of multidimensional sequence alignment methods. In [Blockeel & Denecker(2002)], pp. 123–130.
- [Helsper & van der Gaag(2002)] Helsper, E. & van der Gaag, L. (2002). Building bayesian networks through ontologies. In [Blockeel & Denecker(2002)], pp. 423–424.
- [Heskes & Zoeter(2002)] Heskes, T. & Zoeter, O. (2002). Expectation propagation for approximate inference in dynamic bayesian networks. In [Blockeel & Denecker(2002)], pp. 425–426.
- [Horrocks et al.(2002)Horrocks, Patel-Schneider, & van Harmelen] Horrocks, I., Patel-Schneider, P., & van Harmelen, F. (2002). Reviewing the design of DAML+oil: an ontology language for the semantic web. In [Blockeel & Denecker(2002)], pp. 427–428.
- [Huygen(2002)] Huygen, P. (2002). Use of bayesian belief networks in legal reasoning. In [Blockeel & Denecker(2002)], pp. 429–430.
- [Infante-Lopez et al.(2002)Infante-Lopez, de Rijke, & Sima'an] Infante-Lopez, G., de Rijke, M., & Sima'an, K. (2002). A general probabilistic model for dependency parsing. In [Blockeel & Denecker(2002)], pp. 139–146.
- [Jacobs & Blockeel(2002)] Jacobs, N. & Blockeel, H. (2002). Sequence prediction with mixed order markov chains. In [Blockeel & Denecker(2002)], pp. 147–154.

- [Jamroga(2002)] Jamroga, W. (2002). Multiple models of reality and how to use them. In [Blockeel & Denecker(2002)], pp. 155–162.
- [Janssens et al.(2002)] Janssens, Brijs, Vanhoof, & Wets] Janssens, D., Brijs, T., Vanhoof, K., & Wets, G. (2002). Evaluating the performance of cost-based discretization versus entropy- and error-based discretization. In [Blockeel & Denecker(2002)], pp. 163–170.
- [Jonker et al.(2002a)] Jonker, de Kock, Meijer, & Vermeulen] Jonker, C., de Kock, A., Meijer, J., & Vermeulen, B. (2002a). Deliberate evolution agents: Comparing reproduction strategies. In [Blockeel & Denecker(2002)], pp. 433–434.
- [Jonker et al.(2002b)] Jonker, Snoep, Treur, Westerhoff, & Wijngaards] Jonker, C., Snoep, J., Treur, J., Westerhoff, H., & Wijngaards, W. (2002b). BDI-modelling of intracellular dynamics. In [Blockeel & Denecker(2002)], pp. 435–436.
- [Jonker et al.(2002c)] Jonker, Snoep, Treur, Westerhoff, & Wijngaards] Jonker, C., Snoep, J., Treur, J., Westerhoff, H., & Wijngaards, W. (2002c). Putting intentions into cell biochemistry: An artificial intelligence perspective. In [Blockeel & Denecker(2002)], pp. 437–438.
- [Jonker & Treur(2002a)] Jonker, C. & Treur, J. (2002a). Analysis of the dynamics of reasoning using multiple representations. In [Blockeel & Denecker(2002)], pp. 441–442.
- [Jonker & Treur(2002b)] Jonker, C. & Treur, J. (2002b). A dynamic perspective on an agent’s mental states and interaction with its environment. In [Blockeel & Denecker(2002)], pp. 439–440.
- [Jonker et al.(2002d)] Jonker, Treur, & de Vries] Jonker, C., Treur, J., & de Vries, W. (2002d). Temporal analysis of the dynamics of beliefs, desires, and intentions. In [Blockeel & Denecker(2002)], pp. 443–444.
- [Jonker et al.(2002e)] Jonker, Treur, & Wijngaards] Jonker, C., Treur, J., & Wijngaards, W. (2002e). Requirements specification and automated evaluation of dynamic properties of a component-based design. In [Blockeel & Denecker(2002)], pp. 445–446.
- [Jonker et al.(2002f)] Jonker, Treur, & Wijngaards] Jonker, C., Treur, J., & Wijngaards, W. (2002f). Temporal languages for simulation and analysis of the dynamics within an organisation. In [Blockeel & Denecker(2002)], pp. 447–448.
- [Kamps & Marx(2002)] Kamps, J. & Marx, M. (2002). Words with attitude. In [Blockeel & Denecker(2002)], pp. 449–450.
- [Kappen & Wiegerinck(2002)] Kappen, H. & Wiegerinck, W. (2002). Novel iteration schemes for the cluster variation method. In [Blockeel & Denecker(2002)], pp. 451–452.
- [Keller et al.(2002)] Keller, Kusters, van der Vaart, & Witsenburg] Keller, R., Kusters, W., van der Vaart, M., & Witsenburg, M. (2002). Genetic programming produces strategies for agents in a dynamic environment. In [Blockeel & Denecker(2002)], pp. 171–178.
- [Kleijkers et al.(2002)] Kleijkers, Wiesman, & Roos] Kleijkers, S., Wiesman, F., & Roos, N. (2002). A mobile multi-agent system for distributed computing. In [Blockeel & Denecker(2002)], pp. 453–454.
- [Knězu & Rothkrantz(2002)] Knězu, V. & Rothkrantz, L. (2002). A system for automated bookmark management. In [Blockeel & Denecker(2002)], pp. 179–186.
- [Kosala et al.(2002)] Kosala, den Bussche, Bruynooghe, & Blockeel] Kosala, R., den Bussche, J. V., Bruynooghe, M., & Blockeel, H. (2002). Information extraction in structured documents using tree automata induction. In [Blockeel & Denecker(2002)], pp. 455–456.
- [Kremer & Raskin(2002)] Kremer, S. & Raskin, J.-F. (2002). Game analysis of abuse-free contract signing. In [Blockeel & Denecker(2002)], pp. 457–458.
- [Langdon(2002)] Langdon, W. (2002). Size of random programs to ensure uniformity. In [Blockeel & Denecker(2002)], pp. 459–460.

- [Lebbink et al.(2002)Lebbink, Witteman, & Meyer] Lebbink, H.-J., Witteman, C., & Meyer, J.-J. (2002). Ontology-based knowledge acquisition for knowledge systems. In [Blockeel & Denecker(2002)], pp. 195–202.
- [Lenaerts et al.(2002)Lenaerts, Defaweux, van Remortel, & Manderick] Lenaerts, T., Defaweux, A., van Remortel, P., & Manderick, B. (2002). Multi-level selection in a simple evolutionary model. In [Blockeel & Denecker(2002)], pp. 203–210.
- [Lucas(2002)] Lucas, P. (2002). Restricted bayesian network structure learning. In [Blockeel & Denecker(2002)], pp. 211–218.
- [Marcos et al.(2002)Marcos, Roomans, ten Teije, & van Harmelen] Marcos, M., Roomans, H., ten Teije, A., & van Harmelen, F. (2002). Improving medical protocols through formalisation: a case study. In [Blockeel & Denecker(2002)], pp. 463–464.
- [Maruster et al.(2002)Maruster, Weijters, de Vries, van den Bosch, & Daelemans] Maruster, L., Weijters, T., de Vries, G., van den Bosch, A., & Daelemans, W. (2002). Logistic-based patient grouping for multi-disciplinary treatment. In [Blockeel & Denecker(2002)], pp. 465–466.
- [Mastop et al.(2002)Mastop, Lampe, & de Groote] Mastop, M., Lampe, M., & de Groote, O. (2002). Knowledge framework. In [Blockeel & Denecker(2002)], pp. 517–518.
- [Monz & de Rijke(2002)] Monz, C. & de Rijke, M. (2002). Knowledge-intensive question answering. In [Blockeel & Denecker(2002)], pp. 467–468.
- [Nijssen & Bäck(2002)] Nijssen, S. & Bäck, T. (2002). An analysis of the behaviour of simplified evolutionary algorithms on trap functions. In [Blockeel & Denecker(2002)], pp. 469–470.
- [Nijssen & Kok(2002)] Nijssen, S. & Kok, J. (2002). Tree sets: Towards a set-oriented view on multi-relational data mining. In [Blockeel & Denecker(2002)], pp. 219–226.
- [Noncheva & Marques(2002)] Noncheva, V. & Marques, N. C. (2002). Agent’s belief: A stochastic approach. In [Blockeel & Denecker(2002)], pp. 227–234.
- [Nuffelen(2002)] Nuffelen, B. V. (2002). Reasoning with preferences in ID-logic. In [Blockeel & Denecker(2002)], pp. 323–330.
- [Oost et al.(2002)Oost, ten Hagen, & Schulze] Oost, E., ten Hagen, S., & Schulze, F. (2002). Extracting multivariate power functions from complex data sets. In [Blockeel & Denecker(2002)], pp. 235–242.
- [Peek(2002)] Peek, N. (2002). Representation of decision-theoretic plans as sets of symbolic decision rules. In [Blockeel & Denecker(2002)], pp. 471–472.
- [Prakken(2002)] Prakken, H. (2002). An exercise in formalising teleological case-based reasoning. In [Blockeel & Denecker(2002)], pp. 473–474.
- [Provijn(2002)] Provijn, D. (2002). How to obtain elegant fitch-style proofs from goal directed ones. In [Blockeel & Denecker(2002)], pp. 243–250.
- [Renooij et al.(2002)Renooij, Parsons, & Pardieck] Renooij, S., Parsons, S., & Pardieck, P. (2002). Using kappas as indicators of strength in QPNs. In [Blockeel & Denecker(2002)], pp. 267–274.
- [Roos et al.(2002)Roos, ten Teije, Bos, & Witteveen] Roos, N., ten Teije, A., Bos, A., & Witteveen, C. (2002). Multi-agent diagnosis with spatially distributed knowledge. In [Blockeel & Denecker(2002)], pp. 275–282.
- [Salles et al.(2002)Salles, Bredeweg, Araujo, & Neto] Salles, P., Bredeweg, B., Araujo, S., & Neto, W. (2002). Qualitative models of interactions between two populations. In [Blockeel & Denecker(2002)], pp. 475–476.
- [Schaar et al.(2002)Schaar, Rothkrantz, Lassche, & Jonkers] Schaar, R., Rothkrantz, L., Lassche, M., & Jonkers, M. (2002). Agent-based intelligent personal unified messaging. In [Blockeel & Denecker(2002)], pp. 283–290.

- [Schelfthout & Holvoet(2002)] Schelfthout, K. & Holvoet, T. (2002). “to do or not to do” : The individual’s model for emergent task allocation. In [Blockeel & Denecker(2002)], pp. 477–478.
- [Schoot & Jansweijer(2002)] Schoot, N. & Jansweijer, W. (2002). Improving the quality of information in document based communications using a reusable multi-agent system. In [Blockeel & Denecker(2002)], pp. 519–520.
- [Sent & van der Gaag(2002)] Sent, D. & van der Gaag, L. (2002). Test selection: the gini index and the shannon entropy behave differently. In [Blockeel & Denecker(2002)], pp. 291–298.
- [Serebrenik & Schreye(2002a)] Serebrenik, A. & Schreye, D. D. (2002a). Inference of termination conditions for numerical loops. In [Blockeel & Denecker(2002)], pp. 479–480.
- [Serebrenik & Schreye(2002b)] Serebrenik, A. & Schreye, D. D. (2002b). On termination of meta-programs. In [Blockeel & Denecker(2002)], pp. 481–482.
- [Spreeuwenberg & Gerrits(2002)] Spreeuwenberg, S. & Gerrits, R. (2002). VALENS verification component. In [Blockeel & Denecker(2002)], pp. 521–522.
- [Spronck et al.(2002)] Spronck, Sprinkhuizen-Kuyper, & Postma] Spronck, P., Sprinkhuizen-Kuyper, I., & Postma, E. (2002). Improving opponent intelligence through machine learning. In [Blockeel & Denecker(2002)], pp. 299–306.
- [Storms et al.(2002)] Storms, Herweijer, & van Aart] Storms, P., Herweijer, E., & van Aart, C. (2002). Practical design guidelines for embodied conversational agents. In [Blockeel & Denecker(2002)], pp. 307–314.
- [Struyf et al.(2002)] Struyf, Ramon, & Blockeel] Struyf, J., Ramon, J., & Blockeel, H. (2002). Compact representation of knowledge bases in ILP. In [Blockeel & Denecker(2002)], pp. 483–484.
- [Stuckenschmidt(2002)] Stuckenschmidt, H. (2002). Approximate information filtering with multiple classification hierarchies. In [Blockeel & Denecker(2002)], pp. 485–486.
- [ter Brugge et al.(2002)] ter Brugge, Nijhuis, & Spaanenburg] ter Brugge, M., Nijhuis, J., & Spaanenburg, L. (2002). Morphological template decomposition for DT-cnn. In [Blockeel & Denecker(2002)], pp. 35–42.
- [ter Horst et al.(2002)] ter Horst, van Doorn, Kravtsova, ten Kate, & Siahaan] ter Horst, H., van Doorn, M., Kravtsova, N., ten Kate, W., & Siahaan, D. (2002). Context-aware music selection using knowledge on the semantic web. In [Blockeel & Denecker(2002)], pp. 131–138.
- [Tonino et al.(2002)] Tonino, Bos, de Weerd, & Witteveen] Tonino, H., Bos, A., de Weerd, M., & Witteveen, C. (2002). Plan coordination by revision in collective agent based systems. In [Blockeel & Denecker(2002)], pp. 487–488.
- [Tuyts et al.(2002)] Tuyts, Lenaerts, Verbeeck, Maes, & Manderick] Tuyts, K., Lenaerts, T., Verbeeck, K., Maes, S., & Manderick, B. (2002). Towards a relation between learning agents and evolutionary dynamics. In [Blockeel & Denecker(2002)], pp. 315–322.
- [Valk & Witteveen(2002)] Valk, J. & Witteveen, C. (2002). Multi-agent coordination in planning. In [Blockeel & Denecker(2002)], pp. 489–490.
- [van Aart et al.(2002)] van Aart, Marcke, Pels, & Smulders] van Aart, C., Marcke, K. V., Pels, R., & Smulders, J. (2002). International insurance traffic with software agents. In [Blockeel & Denecker(2002)], pp. 397–398.
- [van Dartel et al.(2002)] van Dartel, Postma, & van den Herik] van Dartel, M., Postma, E., & van den Herik, J. (2002). Universal properties of adaptive behaviour. In [Blockeel & Denecker(2002)], pp. 59–66.
- [van de Vrie(2002)] van de Vrie, E. (2002). LOK: Implementation of a platform for distributed development and use of educational tasks. In [Blockeel & Denecker(2002)], pp. 525–526.

- [van den Berg et al.(2002a)van den Berg, Kaymak, & van den Bergh] van den Berg, J., Kaymak, U., & van den Bergh, W.-M. (2002a). Fuzzy classification by using probability-based rule weighting. In [Blokkeel & Denecker(2002)], pp. 401–402.
- [van den Berg et al.(2002b)van den Berg, Kaymak, & van den Bergh] van den Berg, J., Kaymak, U., & van den Bergh, W.-M. (2002b). Probabilistic reasoning in fuzzy rule-based systems. In [Blokkeel & Denecker(2002)], pp. 11–18.
- [van den Bosch & Buchholz(2002)] van den Bosch, A. & Buchholz, S. (2002). Shallow parsing on the basis of words only: A case study. In [Blokkeel & Denecker(2002)], pp. 405–406.
- [van der Krogt et al.(2002)van der Krogt, Aronson, Roos, Witteveen, & Zutt] van der Krogt, R., Aronson, L., Roos, N., Witteveen, C., & Zutt, J. (2002). Tactical planning using heuristics. In [Blokkeel & Denecker(2002)], pp. 187–194.
- [van der Putten et al.(2002)van der Putten, Ramaekers, den Uyl, & Kok] van der Putten, P., Ramaekers, M., den Uyl, M., & Kok, J. (2002). A process model for a data fusion factory. In [Blokkeel & Denecker(2002)], pp. 251–258.
- [van der Werf et al.(2002)van der Werf, Uiterwijk, & van den Herik] van der Werf, E., Uiterwijk, J., & van den Herik, J. (2002). Solving ponnuki-go on small boards. In [Blokkeel & Denecker(2002)], pp. 347–354.
- [van der Zwaag et al.(2002)van der Zwaag, Slump, & Spaanenburg] van der Zwaag, B. J., Slump, K., & Spaanenburg, L. (2002). Process identification through modular neural networks and rule extraction. In [Blokkeel & Denecker(2002)], pp. 507–508.
- [van Leeuwen et al.(2002)van Leeuwen, Hesselink, & Rohling] van Leeuwen, P., Hesselink, H., & Rohling, J. (2002). Scheduling aircraft using constraint satisfaction. In [Blokkeel & Denecker(2002)], pp. 461–462.
- [van Remortel et al.(2002)van Remortel, Lenaerts, & Manderick] van Remortel, P., Lenaerts, T., & Manderick, B. (2002). Testing the overall functional robustness of 2D ca phenotypes for development. In [Blokkeel & Denecker(2002)], pp. 259–266.
- [van Stokkum(2002)] van Stokkum, W. (2002). Knowledge intensive content model management within integrated back offices. In [Blokkeel & Denecker(2002)], pp. 523–524.
- [van Wezel & Kusters(2002)] van Wezel, M. & Kusters, W. (2002). Numerical integration by cubature formulae in bayesian neural networks. In [Blokkeel & Denecker(2002)], pp. 355–362.
- [Verbeeck et al.(2002)Verbeeck, Nowé, & Parent] Verbeeck, K., Nowé, A., & Parent, J. (2002). Social agents playing a periodical policy. In [Blokkeel & Denecker(2002)], pp. 491–492.
- [Verbeeck et al.(2002)Verbeeck, Vlassis, & Kröse] Verbeeck, J., Vlassis, N., & Kröse, B. (2002). Coordinating principal component analyzers. In [Blokkeel & Denecker(2002)], pp. 493–494.
- [Vogt(2002)] Vogt, P. (2002). Anchoring symbols to sensorimotor control. In [Blokkeel & Denecker(2002)], pp. 331–338.
- [Vollebregt et al.(2002)Vollebregt, Hannessen, Hesselink, & Beetstra] Vollebregt, A., Hannessen, D., Hesselink, H., & Beetstra, J. (2002). Modelling crew assistants with multi-agent systems in aircraft. In [Blokkeel & Denecker(2002)], pp. 495–496.
- [Voorbraak(2002)] Voorbraak, F. (2002). Uncertainty in AI and bioinformatics. In [Blokkeel & Denecker(2002)], pp. 497–498.
- [Wiegerinck & Heskes(2002)] Wiegerinck, W. & Heskes, T. (2002). IPF for discrete chain factor graphs. In [Blokkeel & Denecker(2002)], pp. 499–500.
- [Wiering(2002)] Wiering, M. (2002). Hierarchical mixtures of naive bayesian classifiers. In [Blokkeel & Denecker(2002)], pp. 363–370.

- [Wijngaards et al.(2002)Wijngaards, Overeinder, van Steen, & Brazier] Wijngaards, N., Overeinder, B., van Steen, M., & Brazier, F. (2002). Supporting internet-scale multi-agent systems. In [Blockeel & Denecker(2002)], pp. 501–502.
- [Winands et al.(2002)Winands, Kocsis, Uiterwijk, & van den Herik] Winands, M., Kocsis, L., Uiterwijk, J., & van den Herik, J. (2002). Learning in lines of action. In [Blockeel & Denecker(2002)], pp. 371–378.
- [Winkels et al.(2002)Winkels, Boer, & Hoekstra] Winkels, R., Boer, A., & Hoekstra, R. (2002). Lessons learned in legal information serving. In [Blockeel & Denecker(2002)], pp. 503–504.
- [Ypma & Heskes(2002)] Ypma, A. & Heskes, T. (2002). Clustering web surfers with mixtures of hidden markov models. In [Blockeel & Denecker(2002)], pp. 505–506.
- [Zajdel & Kröse(2002)] Zajdel, W. & Kröse, B. (2002). Bayesian network for multiple hypothesis tracking. In [Blockeel & Denecker(2002)], pp. 379–386.
- [Zutt et al.(2002)Zutt, Aronson, van der Krogt, Roos, & Witteveen] Zutt, J., Aronson, L., van der Krogt, R., Roos, N., & Witteveen, C. (2002). Multi-agent transport planning. In [Blockeel & Denecker(2002)], pp. 387–394.