

Список литературы

- [1] G. Arratia, K. A. González-Rodríguez, and C. Hernández-Guerrero, “A new Pachyrhizodontid Fish (Actinopterygii, Teleostei) from the Muhi Quarry (Albian-Cenomanian), Hidalgo, Mexico,” *Fossil Record*, vol. 21, no. 1, pp. 93–107, 2018.
- [2] L. Agassiz, *Recherches sur les Poissons Fossiles. Tome II*, 1833.
- [3] R. Doiuchi and T. Nakabo, “The *Sphyraena obtusata* group (Perciformes: Sphyraenidae) with a description of a new species from southern Japan,” *Ichthyological Research*, vol. 52, pp. 132–151, 2005.
- [4] A. J. Mainwaring, “Anatomical and Systematic review of the Pachycormidae, a family of Mesozoic fossil fishes,” p. 162, 1978.
- [5] M. R. Sánchez-Villagra, R. J. Asher, A. D. Rincón, A. A. Carlini, P. A. Meylan, and R. W. Purdy, “New faunal reports for the cerro La Cruz locality (Lower Miocene), north-eastern Venezuela,” *Special Papers in Palaeontology*, vol. 71, pp. 105–112, 2004.
- [6] R. Betancur-R, E. O. Wiley, G. Arratia, A. Acero, N. Bailly, M. Miya, G. Lecointre, and G. Ortí, “Phylogenetic classification of bony fishes,” *BMC Evolutionary Biology*, vol. 17, no. 162, pp. 1–40, 2017.
- [7] H. W. Fowler, “New and little known Mugilidae and Sphyraenidae,” *Proceedings of the Academy of Natural Sciences of Philadelphia*, vol. 55, no. 1903, pp. 743–752, 1903.
- [8] R. Brzobohatý and D. Nolf, “Fish otoliths from the middle Eocene (Bartonian) of Yebra de Basa, province of Huesca, Spain,” *Bulletin de l’Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre*, vol. 81, pp. 279–295, 2011.
- [9] E. D. Cope, “Synopsis of the Vertebrata of the Miocene of Cumberland County, New Jersey,” *Proceedings of the American Philosophical Society*, vol. 14, no. 94, pp. 361–364, 1875.
- [10] J. D. Bryant, “New early Barstovian (Middle Miocene) vertebrates from the upper Torreya Formation, Eastern Florida Panhandle,” *Journal of Vertebrate Paleontology*, vol. 11, no. 4, pp. 472–489, 1991.
- [11] K. Okonechnikov, O. Golosova, M. Fursov, A. Varlamov, Y. Vaskin, I. Efremov, O. G. German Grehov, D. Kandrov, K. Rasputin, M. Syabro, and T. Tleukenov, “Unipro UGENE: A unified bioinformatics toolkit,” *Bioinformatics*, vol. 28, pp. 1166–1167, 2012.
- [12] C. Arambourg, “Les poissons oligocènes de l’Iran,” *Notes et Mémoires sur le Moyen-Orient*, vol. 3, pp. 1–210, 1966.
- [13] J. Amalfitano, L. Giusberti, E. Fornaciari, and G. Carnevale, “A reappraisal of the Italian record of the cretaceous Pachycormid Fish *Protosphyraena* Leidy, 1857,” *Rivista Italiana di Paleontologia e Stratigrafia*, vol. 123, no. 3, pp. 475–485, 2017.
- [14] L. Dollo and R. Storms, “Sur les Téléostéens du Rupélien,” *Zoologischer Anzeiger*, vol. 11, pp. 265–267, 1888.
- [15] F. Ronquist, M. Teslenko, P. Van Der Mark, D. L. Ayres, A. Darling, S. Höhna, B. Larget, L. Liu, M. A. Suchard, and J. P. Huelsenbeck, “MrBayes 3.2: Efficient bayesian phylogenetic inference and model choice across a large model space,” *Systematic Biology*, vol. 61, no. 3, pp. 539–542, 2012.
- [16] R Core Development Team, “R: A language and environment for statistical computing,” Vienna, 2017. [Online]. Available: <http://www.r-project.org/>
- [17] A. F. Bannikov, *Iskopaemye pozvonochnye Rossii i sopredel’nykh stran. Iskopaemye kolyucheperye ryby (Teleostei, Acanthopterygii)*. Moscow: GEOS, 2010.

- [18] J. Leidy, “Notice of remains of extinct vertebrated animals of New-Jersey, collected by Prof. Cook of the State Geological Survey under the direction of Dr. W. Kittell,” *Proceedings of the Academy of Natural Sciences of Philadelphia*, vol. 8, pp. 220–221, 1856.
- [19] W. v. W. Weiler, “Neue Untersuchungen an Mitteloligozänen Fischen Ungarns,” *Geologica Hungarica. Series Palaeontologica*, vol. 15, no. 1–30, 1938.
- [20] D. A. Bone, J. A. Todd, and S. Tracey, “Fossils from the Bracklesham Group exposed in the M27 Motorway excavations, Southampton, Hampshire,” *Tertiary Research*, vol. 12, no. 3–4, pp. 131–137, 1991.
- [21] FAO-FIGIS, “*Trachurus trachurus*,” in *A World Overview of Species of Interest to Fisheries*. Rome: FAO, 2005, pp. 1–3.
- [22] R. S. Rana, “Palaeontology and palaeoecology of the intertrappean (Cretaceous-Tertiary transition) beds of the Peninsular India,” *Journal of the Palaeontological Society of India*, vol. 35, pp. 105–120, 1990.
- [23] J. Leidy, “Indications of twelve species of fossil Fishes,” *Proceedings of the Academy of Natural Sciences of Philadelphia*, vol. 7, pp. 395–397, 1855.
- [24] J. R. Grubich, A. N. Rice, and M. W. Westneat, “Functional morphology of bite mechanics in the Great Barracuda (*Sphyraena barracuda*),” *Zoology*, vol. 111, no. 1, pp. 16–29, jan 2008. [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/18082386>
- [25] D. Bardack, “Anatomy and evolution of Chirocentrid fishes,” *University of Kansas Paleontological Contributions*, vol. 10, pp. 1–86, 1969.
- [26] E. Casier, “La faune ichthyologique de l’Yprésien de la Belgique,” *Mémoires du Musée Royal d’Histoire Naturelle de Belgique*, vol. 104, pp. 1–267, 1946.
- [27] O. Mateus, P. M. Callapez, M. J. Polcyn, A. S. Schulp, A. O. Gonçalves, and L. L. Jacobs, “The Fossil Record of Biodiversity in Angola Through Time: A Paleontological Perspective,” *Biodiversity of Angola*, pp. 53–76, 2019. [Online]. Available: http://link.springer.com/10.1007/978-3-030-03083-4_4
- [28] M. Friedman and G. Carnevale, “The Bolca Lagerstätten: shallow marine life in the Eocene,” *Journal of the Geological Society*, vol. 175, no. 4, pp. 569–579, 2018.
- [29] K. A. Monsch, “The Phylogeny of the Scombroid Fishes,” Ph.D. dissertation, 2000.
- [30] A. F. Bannikov, “Revision of the Atheriniform fish genera *Rhamphognathus* Agassiz and *Mesogaster* Agassiz (Teleostei) From the Eocene of Bolca, northern Italy,” *Studie Ricerche sui Giacimenti Terziari di Bolca*, vol. 9, pp. 65–76, 2008.
- [31] J. S. Nelson, T. Grande, and M. V. H. Wilson, *Fishes of the World*, 5th ed. New Jersey: John Wiley & Sons, 2016.
- [32] M. A. Pastore, “*Sphyraena intermedia* sp. nov. (Pisces: Sphyraenidae): a potential new species of barracuda identified from the central Mediterranean Sea,” *Journal of the Marine Biological Association of the United Kingdom*, vol. 89, no. 6, pp. 1299–1303, 2009.
- [33] P. L. Forey, “The osteology of *Notelops* Woodward, *Rhacolepis* Agassiz and *Pachyrhizodus* Dixon (Pisces: Teleostei),” *Bulletin of the British Museum (Natural History)*, vol. 28, no. 2, pp. 123–204, 1977.
- [34] G. Mas, “Ictiofauna del Pliocè mitjà-superior de la conca sedimentària de Palma (Illes Balears, Mediterrània Occidental). Implicacions paleoambientals,” *Bolletí de la Societat d’Historia Natural de les Balears*, vol. 43, pp. 39–61, 2000.
- [35] D. Nolf, *Handbook of Paleoichthyology. Otolithi Piscium*, H.-P. Schultze, Ed. Gustav Fischer Verlag, 1985.

- [36] I. Hays, “Description of a fragment of the head of a new fossil animal, discovered in a Marl Pit, near Moorestown, New Jersey,” *Transactions of the American Philosophical Society*, vol. 3, pp. 471–477, 1830.
- [37] J. D. Carrillo-Briceño, A. E. Reyes-Cespedes, R. Salas-Gismondi, and R. Sánchez, “A new vertebrate continental assemblage from the Tortonian of Venezuela,” *Swiss Journal of Palaeontology*, vol. 0123456789, 2018.
- [38] R. Fricke, M. Kulbick, and L. Wantiez, “Checklist of the fishes of New Caledonia, and their distribution in the Southwest Pacific Ocean (Pisces),” *Stuttgarter Beiträge zur Naturkunde A, New Series*, vol. 4, pp. 341–463, 2011.
- [39] A. S. Woodward, *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part III*. London: Taylor & Francis, 1895.
- [40] P. Artedi, *Petri Artedi Angermannia-Sueci synonymia nominum piscium fere omnium;... Ichthyologiae pars IV. Editio II. Grypeswaldiae*, A. F. Röse, Ed., 1793.
- [41] R. Fricke, W. N. Eschmeyer, and R. van der Laan, “Eschmeyer’s catalog of Fishes: Genera, species, references,” 2019. [Online]. Available: <http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>
- [42] F. Fanti, D. Minelli, G. L. Conte, and T. Miyashita, “An exceptionally preserved Eocene Shark and the rise of modern predator–prey interactions in the coral reef food web,” *Zoological Letters*, vol. 2, pp. 2–18, 2016. [Online]. Available: <http://dx.doi.org/10.1186/s40851-016-0045-4>
- [43] D. P. de Sylva, “Systematics and life history of the great barracuda *Sphyræna barracuda* (Walbaum),” *Studies in Tropical Oceanography*, vol. 1, pp. 1–179, 1963.
- [44] F. T. W. Dames, “Über eine tertiäre Wirbelthier-fauna von der westlichen Insel Birket-el-Qurun im Fajum (Aegypten).” *Sitzungsber. d. kgl. pr. Akad. d. Wiss. zu Berlin*, vol. 6, pp. 129–135, 1883.
- [45] M. E. Páramo-Fonseca, “Los peces de la familia Pachyrhizodontidae (Teleostei) del Turoniano del Valle Superior del Magdalena,” *Bolteín Geológico Ingeominas*, vol. 39, pp. 47–83, 2001.
- [46] G. P. Whitley, “New sharks and fishes from Western Australia. Part 3,” *Australian Zoologist*, vol. 11, no. 2, pp. 129–150, 1947.
- [47] T. A. Deméré, M. A. Roeder, R. M. Chandler, and J. A. Minch, “Paleontology of the middle Miocene Los Indios Member of the Rosarito Formation, northwestern Baja California, Mexico,” in *Miocene and Cretaceous Depositional Environments, Northwestern Baja California, Mexico*, J. A. Minch and J. R. Ashby, Eds. Baja California: Pacific Section AAPG, 1984, pp. 47–56.
- [48] J. R. Bourque, “Fossil Kinosternidae from the Oligocene and Miocene of Florida, USA,” in *Morphology and Evolution of Turtles*. Dordrecht: Springer Sciences+Business Media, 2013, pp. 459–475.
- [49] F. Santini, G. Carnevale, and L. Sorenson, “First timetree of Sphyrænidae (Percomorpha) reveals a Middle Eocene crown age and an Oligo–Miocene radiation of Barracudas,” *Italian Journal of Zoology*, vol. 82, no. 1, pp. 133–142, 2015. [Online]. Available: <http://dx.doi.org/10.1080/11250003.2014.962630>
- [50] D. Darriba, G. L. Taboada, R. Doallo, and D. Posada, “jModelTest 2: more models, new heuristics and parallel computing,” *Nature Methods*, vol. 9, no. 8, pp. 772–772, aug 2012. [Online]. Available: <http://www.nature.com/nmeth/journal/v9/n8/full/nmeth.2109.htmlhttp://www.nature.com/doi/10.1038/nmeth.2109>
- [51] W. F. Rapp, “Check list of the fossil fishes of New Jersey,” *Journal of Paleontology*, vol. 20, no. 5, pp. 510–513, 1946.

- [52] S. Marsili, G. Carnevale, E. Danese, G. Bianucci, and W. Landini, “Early Miocene vertebrates from Montagna della Maiella, Italy,” *Annales de Paléontologie*, vol. 93, no. 1, pp. 27–66, jan 2007. [Online]. Available: <http://linkinghub.elsevier.com/retrieve/pii/S075339690700002X>
- [53] E. Casier, “Contributions a l’etude des poissons fossiles de la Belgique. VII. Morphologie du dentaire de *Sphyrænodus lerichei* Casier,” *Bulletin du Musée Royal d’Histoire Naturelle de Belgique*, vol. 20, no. 23, pp. 1–8, 1944.
- [54] B. Huyghebaert and D. Nolf, “on fish-otoliths, published since 1968,” *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, vol. 16, no. 4, pp. 139–170, 1979.
- [55] W. E. Bemis, A. Giuliano, and B. McGuire, “Structure, attachment, replacement and growth of teeth in bluefish, *Pomatomus saltatrix* (Linnaeus, 1766), a teleost with deeply socketed teeth,” *Zoology*, vol. 108, no. 4, pp. 317–327, 2005.
- [56] I. Nakamura, *FAO Species Catalogue. Volume 5. Billfishes of the World*. Rome: FAO, 1985, vol. 5, no. 125.
- [57] E. T. Newton, “On the remains of *Hypsodon*, *Porthoeus*, and *Ichthyodectes* from British Cretaceous strata, with descriptions of new species,” *Quarterly Journal of the Geological Society*, vol. 33, no. 1-4, pp. 505–523, 1877.
- [58] F. Bassani, “Ricerche sui pesci fossili di Chiavon (Strati di Sotzka - Miocene Inferiore),” *Atti della Reale Accademia delle Scienze Fisiche e Matematiche*, vol. 3, no. 2, pp. 1–100, 1889.
- [59] A. S. Woodward, *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part IV*. London: Taylor & Francis, 1901.
- [60] J. Leidy, “Description of vertebrate remains chiefly from the phosphate beds of South Carolina,” *Journal of the Academy of Natural Sciences*, vol. 8, no. 3, pp. 209–261, 1877.
- [61] E. I. White, “Eocene Fishes from Nigeria,” *Bulletin of the Geological Survey of Nigeria*, vol. 10, pp. 1–82, 1926.
- [62] A. J. W. Hendy, D. S. Jones, F. Moreno, V. Zapata, and C. A. Jaramillo, “Neogene molluscs, shallow marine paleoenvironments, and chronostratigraphy of the Guajira Peninsula, Colombia,” *Swiss Journal of Palaeontology*, pp. 1–31, 2015. [Online]. Available: <http://link.springer.com/10.1007/s13358-015-0074-1>
- [63] K. Katoh and D. M. Standley, “MAFFT multiple sequence alignment software version 7: Improvements in performance and usability,” *Molecular Biology and Evolution*, vol. 30, no. 4, pp. 772–780, 2013.
- [64] D. Nolf, “Deuxième note sur les Téléostéens des sabens de Lede (Éocène Belge),” *Bulletin de la Societe Belge de Geologie, Paleontologie et Hydrologie*, vol. 81, no. 1-2, pp. 95–109, 1972.
- [65] H. Senou, “Sphyrænidae,” in *The Living Marine Resources of the Western Central Pacific. Volume 6*, K. E. Carpenter and V. H. Niem, Eds. Rome: FAO, 2001, pp. 3685–3697.
- [66] D. D. Gillette, “A marine ichthyofauna from the Miocene of Panama, and the Tertiary Caribbean Faunal Province,” *Journal of Vertebrate Paleontology*, vol. 4, no. 2, pp. 172–186, 1984.
- [67] A. S. Woodward, *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part I*. London: Taylor & Francis, 1889.
- [68] L. Agassiz, *Nomina Systematica Generum Piscium, tam Viventum Quam Fossilum*, 1846.
- [69] —, *Recherches sur les Poisson Fossiles. Tome III*, 1833.
- [70] C. E. Ray, A. Wetmore, D. H. Dunkle, and P. Drez, “Fossil vertebrates from the marine Pleistocene of southeastern Virginia,” *Smithsonian Miscellaneous Collections*, vol. 153, no. 3, pp. 1–25, 1968.

- [71] F. Quillévéré, E. Koskeridou, J.-J. Cornée, P. Moissette, A. Girone, and K. Agiadi, “Pleistocene marine fish invasions and paleoenvironmental reconstructions in the eastern Mediterranean,” *Quaternary Science Reviews*, vol. 196, pp. 80–99, 2018.
- [72] O. Schultz, R. Brzobohatý, and O. Kroupa, “Fish teeth from the Middle Miocene of Kienberg at Mikulov, Czech Republic, Vienna Basin,” *Annalen des Naturhistorischen Museums in Wien, Serie A*, vol. 112, pp. 489–506, 2010.
- [73] S. Díaz-Franco and R. Rojas-Consuegra, “Dientes fósiles de *Sphyræna* (Perciformes: Sphyrænidae) en el Terciario de Cuba Occidental,” *Solenodon*, vol. 8, pp. 124–129, 2009.
- [74] J. Böhm, “Ueber tertiäre Versteinerungen von den hogenfelder Diamantfeldern,” in *Die Diamantenwüste Südwestafrikas. Vol II*, E. Kaiser, Ed., Berlin, 1926, pp. 55–87.
- [75] J. W. Westgate, “Lower vertebrates from the late Eocene Crow Creek local fauna, St. Francis County, Arkansas,” *Journal of Vertebrate Paleontology*, vol. 4, no. 4, pp. 536–546, 1984.
- [76] M. D. Gottfried, K. E. Samonds, S. A. Ostrowski, T. H. Andrianavalona, and T. N. Ramihangihajason, “New evidence indicates the presence of Barracuda (Sphyrænidae) and supports a tropical marine environment in the Miocene of Madagascar,” *PLoS ONE*, vol. 12, no. 5, pp. 1–9, 2017.
- [77] ICZN, *International Code of Zoological Nomenclature*, 4th ed. London: The International Trust for Zoological Nomenclature, 1999.
- [78] R. Harlan, “On a new fossil genus, of the order Enalio Sauri (of Conybeare): and on a new species of Ichthyosaurus,” *Journal fo the Academy of Natural Sciences of Philadelphia*, vol. 3, pp. 331–338, 1824.
- [79] E. Casier, “Contributions à l’étude des Poissons fossiles de la Belgique. VI. Sur le Sphyrænodus de l’Eocene e sur la présence d’un Sphyrænidé dans le Bruxellien (Lutétien inférieur),” *Bulletin de l’Institut Royal des Sciences Naturelles de Belgique*, vol. 20, no. 11, pp. 11–15, 1944.
- [80] A. S. Woodward, *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part II*. London: Taylor & Francis, 1891.
- [81] STRINGER, GARY L., Department of Ge, “Paleoenvironmental Interpretations Based on Vertebrate Fossil Assemblages: An Example of their Utilization in the Gulf Coast,” *AAPG Bulletin*, vol. 85, 2003.
- [82] M. E. Páramo-Fonseca, “*Bachea huilensis* nov. gen., nov. sp., premier Tselfatioidei (Teleostei) de Colombie,” *Comptes Rendus de l’Academie de Sciences - Serie IIa: Sciences de la Terre et des Planetes*, vol. 325, no. 2, pp. 147–150, 1997.
- [83] F. Chapman, “Descriptions of fossil fish from New Zealand,” *Transactions and Proceedings of the Royal Society of New Zealand*, vol. 64, pp. 117–121, 1935.
- [84] D. P. de Sylva and F. Williams, “Sphyrænidae,” in *Smiths’ Sea Fishes*, M. M. Smith and P. C. Heemstra, Eds. Johannesburg: Macmillan South Africa, 1986, pp. 721–726.
- [85] C. E. Ray and D. J. Bohaska, *Geology and Paleontology of the Lee Creek Mine, North Carolina, III*, smithsonia ed., C. E. Ray and D. J. Bohaska, Eds., Washington DC, 2001, no. 90. [Online]. Available: <http://si-pddr.si.edu/dspace/handle/10088/2006>
- [86] C. Patterson, “An overview of the early fossil record of Acanthomorphs,” *Bulletin of Marine Science*, vol. 52, no. 1, pp. 29–59, 1993.
- [87] D. Bardack and G. Sprinkle, “Morphology and relationships of saurocephalid fishes,” *Fieldiana Geology*, vol. 16, pp. 297–340, 1969.
- [88] K. A. Monsch, “Revision of the scombroid fishes from the Cenozoic of England,” *Transactions of the Royal Society of Edinburgh: Earth Sciences*, vol. 95, no. November 2016, pp. 445–489, 2005. [Online]. Available: http://www.journals.cambridge.org/abstract/_S0263593300001164

- [89] L. Agassiz, *Recherches sur les Poissons Fossiles. Tome IV*, 1833.
- [90] F. Moreno, A. J. W. Hendy, L. Quiroz, N. Hoyos, D. S. Jones, V. Zapata, S. Zapata, G. A. Ballen, E. Cadena, A. L. Cárdenas, J. D. Carrillo-Briceño, J. D. Carrillo, D. Delgado-Sierra, J. Escobar, J. I. Martínez, C. Martínez, C. Montes, J. Moreno, N. Pérez, R. Sánchez, C. Suárez, M. C. Vallejo-Pareja, and C. A. Jaramillo, “Revised stratigraphy of Neogene strata in the Cocinetas Basin, La Guajira, Colombia,” *Swiss Journal of Palaeontology*, vol. 134, pp. 5–43, 2015.
- [91] L. Agassiz, “Recherches sur les Poissons Fossiles. Tome I,” pp. 1–188, 1833.
- [92] R. Van der Laan, “Family-group names of fossil fishes,” *European Journal of Taxonomy*, no. 466, pp. 1–167, 2018.
- [93] S. E. Meek and R. G. Newland, “A review of the American species of the genus *Sphyraena*,” *Proceedings of the Academy of Natural Sciences of Philadelphia*, vol. 36, pp. 67–75, 1884.
- [94] G. L. Stringer, S. Q. Breard, and M. Kontrovitz, “Biostratigraphy and Paleoecology of Diagnostic Invertebrates and Vertebrates from the Type Locality of the Oligocene Rosefield Marl Beds, Louisiana,” *Gulf Coast Association of Geological Societies Transactions*, vol. LI, pp. 321–328, 2001.
- [95] E. D. Cope, “Synopsis of the Batrachia and Reptilia of North America. Part I,” *Transactions of the American Philosophical Society*, vol. 14, pp. 1–252, 1869.
- [96] A. A. Switchenska, “A new genus from the family Sphyræniadae from the middle Miocene of Transcaucasia,” in *Ocherki po Filogenii i Sistematike Iskopaemykh Ryb I Beschelyustnykh*, 1968, pp. 157–161.
- [97] L. Agassiz, *Recherches sur les Poisson Fossiles. Tome V*, 1843.
- [98] L. W. Viñola-López, R. Rojas-Consuegra, and O. Jiménez-Vásquez, “Nuevos registros de *Sphyraena* (Perciformes: Sphyræniidae) para el Neógeno de Cuba y La Española,” *Novitates Caribaea*, vol. 11, pp. 89–94, 2017.
- [99] NCBI, *Entrez Programming Utilities Help*. Bethesda: NCBI, 2018, no. Md. [Online]. Available: <http://www.ncbi.nlm.nih.gov/books/NBK25501/>
- [100] L. Taverne and B. Chanet, “*Faugichthys loryi* n. gen., n. sp. (Teleostei, Ichthyodectiformes) de l’Albien terminal (Crétacé inférieur marin) du vallon de la Fauge (Isère, France) et considérations sur la phylogénie des Ichthyodectidae,” *Geodiversitas*, vol. 22, no. 1, pp. 23–34, 2000.
- [101] J. L. B. Smith, “The fishes of the family Sphyræniidae in the western Indian Ocean,” *Ichthyological Bulletin of the Department of Ichthyology of Rhodes University*, vol. 3, pp. 37–46, 1956.
- [102] V. d. A. Távora, A. A. R. dos Santos, and R. N. Araújo, “Localidades fossilíferas da Formação Pirabas (Mioceno Inferior),” *Boletim do Museu Paraense Emílio Goeldi Ciências Naturais*, vol. 5, no. 2, pp. 207–224, 2010.