## Список литературы

- [Aggarwal, 2003] Aggarwal, V. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 67–76, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Aguirre & Coello, 2003] Aguirre, A. & Coello, C. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 13–20, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Amaral et al., 2003] Amaral, J. F., Santini, C., Tanscheit, R., Vellasco, M., Pacheco, M., & Mesquita, A. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 101–110, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [A.Stoica et al., 2003] A.Stoica, R.Zebulum, X.Guo, D.Keymeulen, Duong, V., & M.I.Ferguson (2003).
  In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 21–25, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Botelho et al., 2003] Botelho, J., Leonardo, B., Vieira, P., & Mesquita, A. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 50–58, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Coello et al., 2003] Coello, C., Alba, E., Luque, G., & Aguirre, A. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 3–12, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Dinerstein et al., 2003] Dinerstein, J., Dinerstein, N., & de Garis, H. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 273–276, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Gallagher, 2003] Gallagher, J. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 43–49, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Garvie & Thompson, 2003] Garvie, M. & Thompson, A. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 167–173, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Greenwood et al., 2003] Greenwood, G., Ramsden, E., & Ahmed, S. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 59–66, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Gwaltney & Ferguson, 2003] Gwaltney, D. & Ferguson, M. I. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 81–90, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Harding & Miller, 2003] Harding, S. & Miller, J. F. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 221–224, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Jackson et al., 2003] Jackson, A. H., Canham, R., & Tyrrell, A. M. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 91–100, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.

- [Kamio et al., 2003] Kamio, S., Liu, H., Mitsuhasi, H., & Iba, H. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 208–220, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Koza et al., 2003] Koza, J., Keane, M., & Streeter, M. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 33–42, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Kramer & Gallagher, 2003] Kramer, G. R. & Gallagher, J. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 225–234, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Louis, 2003] Louis, S. J. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 17–21, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Plante et al., 2003] Plante, J., Shaw, H., Mickens, L., & Johnson-Be, C. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 77–78, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [R. Canham & Tyrrell, 2003] R. Canham, A. H. J. & Tyrrell, A. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 199–207, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Roggen et al., 2003] Roggen, D., Hofmann, S., Thoma, Y., & Floreano, D. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 189–198, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [R.Zebulum et al., 2003] R.Zebulum, A.Stoica, X.Guo, D.Keymeulen, Duong, V., & M.I.Ferguson (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 182–188, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Sayama, 2003] Sayama, H. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 242–254, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Sekanina & Ruzicka, 2003] Sekanina, L. & Ruzicka, R. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 135–144, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Shanthi & R.Parthasarathi, 2003] Shanthi, A. P. & R.Parthasarathi (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 174–181, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Stauffer & Sipper, 2003] Stauffer, A. & Sipper, M. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 235–241, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Takahashi et al., 2003] Takahashi, E., Murakawa, M., Kasai, Y., & Higuchi, T. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 111–116, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.

- [Tempesti et al., 2003] Tempesti, G., Mange, D., Petraglio, E., Stauffer, A., & Thoma, Y. (2003).
  In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 255–264, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Thomson & Arslan, 2003] Thomson, R. & Arslan, T. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 125–134, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Tian & Arslan, 2003] Tian, L. & Arslan, T. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 117–124, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Vinger & Torresen, 2003] Vinger, K. & Torresen, J. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 26–29, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.
- [Zinchenko & Sorokin, 2003] Zinchenko, L. & Sorokin, S. (2003). In: 2003 NASA/DoD Conference on Evolvable Hardware, (Lohn, J., Zebulum, R., Steincamp, J., Keymeulen, D., Stoica, A., & Ferguson, M. I., eds) pp. 155–166, NASA Ames Research Center Chicago, Illinois: IEEE Computer Society.