## Список литературы

- [Abou-Assaleh et al. (2001) Abou-Assaleh, Zhang, & Cercone] Abou-Assaleh, T., Zhang, J., & Cercone, N. (2001). Evolution of recurrent neural networks to control autonomous life agents. In C. Ryan (Ed.), Graduate Student Workshop. San Francisco, California, USA, 385–388.
- [Anbarasu(2001)] Anbarasu, L. A. (2001). Parallel genetic algorithm for multiple sequence alignment problem. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 389–392.
- [Ang & Li(2001)] Ang, K. H. & Li, Y. (2001). Multi-objective benchmark studies for evolutionary computation. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 393–396.
- [Areibi(2001)] Areibi, S. (2001). Memetic algorithms for vlsi physical design: Implementation issues. In W. Hart, N. Krasnogor, & J. Smith (Eds.), Second Workshop on Memetic Algorithms (2nd WOMA). San Francisco, California, USA, 140–145.
- [Bernado et al. (2001) Bernado, Llora, & Garrell] Bernado, E., Llora, X., & Garrell, J. M. (2001). XCS and GALE: a comparative study of two learning classifier systems with six other learning algorithms on classification tasks. In Fourth International Workshop on Learning Classifier Systems IWLCS-2001. San Francisco, California, USA, 337–341.
- [Berro & Duthen(2001)] Berro, A. & Duthen, Y. (2001). Search for optimum in dynamic environment a efficient agent-based method. In J. Branke & T. Bäck (Eds.), Evolutionary Algorithms for Dynamic Optimization Problems. San Francisco, California, USA, 51–54.
- [Bosman & Thierens(2001)] Bosman, P. A. N. & Thierens, D. (2001). Advancing continuous ideas with mixture distributions and factorization selection metrics. In *Optimization by Building and Using Probabilistic Models (OBUPM) 2001*. San Francisco, California, USA, 208–212.
- [Bot(2001)] Bot, M. C. (2001). Feature extraction for the k-nearest neighbour classifier with genetic programming. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 397–400.
- [Branke(2001)] Branke, J. (2001). Evolutionary approaches to dynamic optimization problems. In J. Branke & T. Bäck (Eds.), Evolutionary Algorithms for Dynamic Optimization Problems. San Francisco, California, USA, 27–30.
- [Burns(2001)] Burns, S. A. (2001). Frame structures with many locally minimum-weight designs. In S. Burns (Ed.), Optimal Structural Design using Genetic and Evolutionary Computation. San Francisco, California, USA, 56–61.
- [Butz(2001)] Butz, M. V. (2001). Model exploitation for faster model learning in an anticipatory learning classifier system. In *Fourth International Workshop on Learning Classifier Systems IWLCS-2001*. San Francisco, California, USA, 377–378.
- [Cantú-Paz(2001)] Cantú-Paz, E. (2001). Supervised and unsupervised discretization methods for evolutionary algorithms. In Optimization by Building and Using Probabilistic Models (OBUPM) 2001. San Francisco, California, USA, 213–216.
- [Carvalho & Freitas(2001)] Carvalho, D. R. & Freitas, A. A. (2001). An immunological algorithm for discovering small-disjunct rules in data mining. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 401–404.
- [Chan & Liu(2001)] Chan, C.-M. & Liu, P. (2001). Structural optimization using hybrid genetic algorithm. In S. Burns (Ed.), Optimal Structural Design using Genetic and Evolutionary Computation. San Francisco, California, USA, 108–113.
- [Correa(2001)] Correa, E. S. (2001). A genetic algorithm for the p-median problem. In C. Ryan (Ed.), Graduate Student Workshop. San Francisco, California, USA, 405–408.

- [Cowling & Kendall(2001)] Cowling, P. & Kendall, G. (2001). The next ten years of scheduling research. In P. Cowling & G. Kendall (Eds.), *The Next Ten Years of Scheduling Research*. San Francisco, California, USA, 115.
- [Davis et al.(2001)Davis, Fu, & Wilson] Davis, L., Fu, C., & Wilson, S. W. (2001). An incremental multiplexer problem and its uses in classifier system research. In Fourth International Workshop on Learning Classifier Systems IWLCS-2001. San Francisco, California, USA, 342–344.
- [Defaweux et al.(2001)Defaweux, Lenaerts, Maes, Manderick, Tuyls, van Remortel, & Verbeeck] Defaweux, A., Lenaerts, T., Maes, S., Manderick, B., Tuyls, A. N. K., van Remortel, P., & Verbeeck, K. (2001). Niching and evolutionary transitions in MAS. In R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow (Eds.), Evolutionary Computation and Multi-Agent Systems (ECOMAS). San Francisco, California, USA, 309–312.
- [Degeratu et al.(2001)Degeratu, Pant, & Menczer] Degeratu, M., Pant, G., & Menczer, F. (2001). Latency-dependent fitness in evolutionary multithreaded web agents. In R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow (Eds.), Evolutionary Computation and Multi-Agent Systems (ECOMAS). San Francisco, California, USA, 313–316.
- [Dixon et al.(2001)Dixon, Corne, & Oates] Dixon, P. W., Corne, D. W., & Oates, M. J. (2001). A preliminary investigation of modified XCS as a generic data mining tool. In Fourth International Workshop on Learning Classifier Systems - IWLCS-2001. San Francisco, California, USA, 345– 350.
- [Edelson & Gargano (2001)] Edelson, W. & Gargano, M. L. (2001). Leaf constrained minimal spanning trees solved by a GA with feasible encodings. In F. Rothlauf (Ed.), Representations and Operators for Network Problems (ROPNET 2001). San Francisco, California, USA, 268–271.
- [Ekman & Nordin(2001)] Ekman, M. & Nordin, P. (2001). Evolvable hardware using state-machines. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 409–412.
- [Enee & Escazut(2001)] Enee, G. & Escazut, C. (2001). A minimal model of communication for a multi-agent classifier system. In *Fourth International Workshop on Learning Classifier Systems IWLCS-2001*. San Francisco, California, USA, 351–356.
- [Erbatur & Hasançebi(2001)] Erbatur, F. & Hasançebi, O. (2001). Layout optimization using GAs and SA. In S. Burns (Ed.), *Optimal Structural Design using Genetic and Evolutionary Computation*. San Francisco, California, USA, 102–107.
- [Estivil-Castro & Torres-Velazques(2001)] Estivil-Castro, V. & Torres-Velazques, R. (2001). How should feasibility be handled by genetic algorithms on constraint combinatorial optimization problems: The case of the valued n-queen problem. In W. Hart, N. Krasnogor, & J. Smith (Eds.), Second Workshop on Memetic Algorithms (2nd WOMA). San Francisco, California, USA, 146–151.
- [Ficici & Pollack(2001)] Ficici, S. G. & Pollack, J. B. (2001). Game theory and the simple coevolutionary algorithm: Some results on fitness sharing. In R. K. Belew & H. Juillè (Eds.), Coevolution: Turning Adaptive Algorithms upon Themselves. San Francisco, California, USA, 2–7.
- [Floriani et al.(2001)Floriani, Caminada, & Ferreira] Floriani, L., Caminada, A., & Ferreira, A. (2001). Principal component analysis for data volume reduction in experimental analysis of heuristics. In R. Roy, G. Jared, A. Tiwari, & O. Munaux (Eds.), Real-life Evolutionary Design Optimisation. San Francisco, California, USA, 283–288.
- [Furuta et al.(2001)Furuta, Hirokane, & Harakawa] Furuta, H., Hirokane, M., & Harakawa, K. (2001). Application of genetic algorithms and rough sets to data mining for integrity assessment of bridge structures. In S. Burns (Ed.), Optimal Structural Design using Genetic and Evolutionary Computation. San Francisco, California, USA, 91–96.

- [Hajel & Yoo(2001)] Hajel, P. & Yoo, J. (2001). Ga based fuzzy optimization for nonconvex pareto surfaces. In S. Burns (Ed.), Optimal Structural Design using Genetic and Evolutionary Computation. San Francisco, California, USA, 85–90.
- [Hart et al.(2001)Hart, Krasnogor, & Smith] Hart, W., Krasnogor, N., & Smith, J. (2001). 2nd workshop on memetic algorithms: Woma2001. In W. Hart, N. Krasnogor, & J. Smith (Eds.), Second Workshop on Memetic Algorithms (2nd WOMA). San Francisco, California, USA, 138– 139.
- [Heckendorn(2001)] Heckendorn, R. B. (Ed.) (2001). San Francisco, California, USA. URL http://www.isgec.org/GECCO-2001/workshops/.
- [Hemberg & O'Reilly(2001)] Hemberg, M. & O'Reilly, U.-M. (2001). GENR8 a design tool for surface generation. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 413–416.
- [Hercog & Fogarty(2001)] Hercog, L. M. & Fogarty, T. C. (2001). Social simulation using a multiagent model based on classifier systems: The emergence of vacillating behaviour in "el farol"bar problem. In *Fourth International Workshop on Learning Classifier Systems IWLCS-2001*. San Francisco, California, USA, 362–366.
- [Hodgson(2001)] Hodgson, R. J. W. (2001). Memetic algorithm approach to thin-film optical coating design. In W. Hart, N. Krasnogor, & J. Smith (Eds.), Second Workshop on Memetic Algorithms (2nd WOMA). San Francisco, California, USA, 152–157.
- [Holmes (2001)] Holmes, J. H. (2001). A representation for accuracy-based assessment of classifier performance. In *Fourth International Workshop on Learning Classifier Systems IWLCS-2001*. San Francisco, California, USA, 379–380.
- [Howe & Belew (2001)] Howe, J. G. & Belew, R. K. (2001). Developmental invariants in the evolution of agents with multiple sensors. In D. Polani, T. Uthmann, & K. Dautenhahn (Eds.), *Evolution of Sensors in Nature, Hardware, and Simulation*. San Francisco, California, USA, 236–240.
- [Hurst & Bull(2001)] Hurst, J. & Bull, L. (2001). A self-adaptive XCS. In Fourth International Workshop on Learning Classifier Systems IWLCS-2001. San Francisco, California, USA, 357–361.
- [Jin(2001)] Jin, H.-D. (2001). Genetic-guided model-based clustering algorithms and their scalability. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 417–420.
- [Julstrom(2001)] Julstrom, B. A. (2001). The blob code: A better string coding of spanning trees for evolutionary search. In F. Rothlauf (Ed.), Representations and Operators for Network Problems (ROPNET 2001). San Francisco, California, USA, 256–261.
- [Jung et al.(2001)Jung, Dauscher, & Uthmann] Jung, T., Dauscher, P., & Uthmann, T. (2001). On individual learning, evolution of sensors and relevant information. In D. Polani, T. Uthmann, & K. Dautenhahn (Eds.), Evolution of Sensors in Nature, Hardware, and Simulation. San Francisco, California, USA, 246–254.
- [Kadrovach et al. (2001) Kadrovach, Michaud, Zydallis, Lamont, Secrest, & Strong Kadrovach, B. A., Michaud, S. R., Zydallis, J. B., Lamont, G. B., Secrest, B., & Strong, D. (2001). Extending the simple genetic algorithm into multi-objective problems via mendelian pressure. In H. Kargupta (Ed.), Computation in Gene Expression. San Francisco, California, USA, 181–188.
- [Kargupta(2001)] Kargupta, H. (2001). Towards machine learning through genetic code-like transformations. In H. Kargupta (Ed.), *Computation in Gene Expression*. San Francisco, California, USA, 189–198.
- [Kennedy(2001)] Kennedy, P. J. (2001). Tempered phenotypes: Relaxing the mapping between geneotype and phenotype. In H. Kargupta (Ed.), *Computation in Gene Expression*. San Francisco, California, USA, 206.

- [Khajehpour & Grierson(2001)] Khajehpour, S. & Grierson, D. E. (2001). Conceptual design using adaptive computing. In S. Burns (Ed.), *Optimal Structural Design using Genetic and Evolutionary Computation*. San Francisco, California, USA, 62–67.
- [Kilic & Kaya(2001)] Kilic, A. & Kaya, M. (2001). A new local search algorithm based on genetic algorithms for the n-queen problem. In W. Hart, N. Krasnogor, & J. Smith (Eds.), Second Workshop on Memetic Algorithms (2nd WOMA). San Francisco, California, USA, 158–161.
- [Kim(2001)] Kim, J. T. (2001). Fitness costs of mutation rate adaptation: A factor in coevolution and its effects in dynamic fitness landscapes. In R. K. Belew & H. Juillè (Eds.), *Coevolution: Turning Adaptive Algorithms upon Themselves*. San Francisco, California, USA, 8–13.
- [Knowles & Corne(2001)] Knowles, J. D. & Corne, D. W. (2001). A comparative assessment of memetic, evolutionary, and constructive algorithms for the multiobjective d-MST problem. In W. Hart, N. Krasnogor, & J. Smith (Eds.), Second Workshop on Memetic Algorithms (2nd WOMA). San Francisco, California, USA, 162–167.
- [Koumousis & Dimou(2001)] Koumousis, V. K. & Dimou, C. K. (2001). Genetic algorithms in a competitive environment with application to reliability optimal design. In S. Burns (Ed.), Optimal Structural Design using Genetic and Evolutionary Computation. San Francisco, California, USA, 79–84.
- [Kovacs(2001)] Kovacs, T. (2001). Two views of classifier systems. In Fourth International Workshop on Learning Classifier Systems IWLCS-2001. San Francisco, California, USA, 367–371.
- [Krommenacker et al.(2001)Krommenacker, Divoux, & Rondeau] Krommenacker, N., Divoux, T., & Rondeau, E. (2001). Configuration of network architectures for co-operative systems by genetic algorithms. In F. Rothlauf (Ed.), Representations and Operators for Network Problems (ROPNET 2001). San Francisco, California, USA, 272–275.
- [Lanzi et al.(2001)Lanzi, Stolzmann, & Wilson] Lanzi, P. L., Stolzmann, W., & Wilson, S. W. (2001). Fourth international workshop on learning classifier systems IWLCS-2001. In Fourth International Workshop on Learning Classifier Systems IWLCS-2001. San Francisco, California, USA, 336.
- [Le Pape (2001)] Le Pape, C. (2001). Integrating operations research algorithms in constraint-based scheduling: Some research directions. In P. Cowling & G. Kendall (Eds.), *The Next Ten Years of Scheduling Research*. San Francisco, California, USA, 127–131.
- [Li & Kwan(2001)] Li, J. & Kwan, R. S. K. (2001). Evolutionary driver scheduling with fuzzy evaluation. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 421–424.
- [Lones & Tyrrell(2001a)] Lones, M. A. & Tyrrell, A. M. (2001a). Biomimetic representation in genetic programming. In H. Kargupta (Ed.), Computation in Gene Expression. San Francisco, California, USA, 199–204.
- [Lones & Tyrrell(2001b)] Lones, M. A. & Tyrrell, A. M. (2001b). Pathways into genetic programming. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 425–428.
- [Lubberts & Miikkulainen(2001)] Lubberts, A. & Miikkulainen, R. (2001). Co-evolving a go-playing neural network. In R. K. Belew & H. Juillè (Eds.), *Coevolution: Turning Adaptive Algorithms upon Themselves*. San Francisco, California, USA, 14–19.
- [Lucas & Havey(2001)] Lucas, W. K. & Havey, T. (2001). Guidelines for economical concrete floor systems established using adaptive simulated annealing. In S. Burns (Ed.), *Optimal Structural Design using Genetic and Evolutionary Computation*. San Francisco, California, USA, 97–101.
- [Merkle & Middendorf(2001)] Merkle, D. & Middendorf, M. (2001). Prospects for dynamic algorithm control: Lessons from the phase structure of ant scheduling algorithms. In P. Cowling & G. Kendall (Eds.), The Next Ten Years of Scheduling Research. San Francisco, California, USA, 121–126.

- [Merz(2001)] Merz, P. (2001). On the performance of memetic algorithms in combinatorial optimization. In W. Hart, N. Krasnogor, & J. Smith (Eds.), Second Workshop on Memetic Algorithms (2nd WOMA). San Francisco, California, USA, 168–173.
- [Monakhov & Monakhova (2001)] Monakhov, O. & Monakhova, E. (2001). Automatic design of families of optimal circulant networks using evolutionary computation. In F. Rothlauf (Ed.), Representations and Operators for Network Problems (ROPNET 2001). San Francisco, California, USA, 276–281.
- [Monett(2001)] Monett, D. (2001). On the automation of evolutionary techniques and their application to inverse problems from chemical kinetics. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 429–432.
- [Montana (2001)] Montana, D. (2001). Optimized scheduling for the masses. In P. Cowling & G. Kendall (Eds.), *The Next Ten Years of Scheduling Research*. San Francisco, California, USA, 132–136.
- [Nawa et al.(2001)Nawa, Shimohara, & Katai] Nawa, N. E., Shimohara, K., & Katai, O. (2001). Does diversity lead to morality? on the evolution of strategies in a 3-agent alternating-offers bargaining model. In R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow (Eds.), Evolutionary Computation and Multi-Agent Systems (ECOMAS). San Francisco, California, USA, 317–320.
- [Pagie & Mitchell(2001)] Pagie, L. & Mitchell, M. (2001). A comparison of evolutionary and coevolutionary search. In R. K. Belew & H. Juillè (Eds.), *Coevolution: Turning Adaptive Algorithms upon Themselves*. San Francisco, California, USA, 20–25.
- [Parker & Moore(2001)] Parker, J. S. & Moore, J. H. (2001). Dynamics based pattern recognition and parallel genetic algorithms for the analysis of multivariate gene expression data. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 433–436.
- [Pelikan & Goldberg(2001)] Pelikan, M. & Goldberg, D. E. (2001). Hierarchical bayesian optimization algorithm = bayesian optimization algorithm + niching + local structures. In *Optimization by Building and Using Probabilistic Models (OBUPM) 2001*. San Francisco, California, USA, 217–221.
- [Polani et al.(2001a)Polani, Martinetz, & Kim] Polani, D., Martinetz, T., & Kim, J. (2001a). An information-theoretic approach for the quantification of relevance. In D. Polani, T. Uthmann, & K. Dautenhahn (Eds.), Evolution of Sensors in Nature, Hardware, and Simulation. San Francisco, California, USA, 241–245.
- [Polani et al.(2001b)Polani, Uthmann, & Dautenhahn] Polani, D., Uthmann, T., & Dautenhahn, K. (2001b). Gecco birds-of-a-feather workshop on evolution of sensors in nature, hardware, and simulation. In D. Polani, T. Uthmann, & K. Dautenhahn (Eds.), Evolution of Sensors in Nature, Hardware, and Simulation. San Francisco, California, USA, 235.
- [Poli & Stephens (2001)] Poli, R. & Stephens, C. (2001). Dynamics of evolutionary algorithms: A panel discussion. In C. Stephens & R. Poli (Eds.), *Dynamics of Evolutionary Algorithms*. San Francisco, California, USA, 334.
- [Raich(2001)] Raich, A. M. (2001). Evolving structural design solutions for unstructured problem domains. In S. Burns (Ed.), Optimal Structural Design using Genetic and Evolutionary Computation. San Francisco, California, USA, 68–72.
- [Raich & Ghaboussi(2001)] Raich, A. M. & Ghaboussi, J. (2001). Optimizing design solutions by changing the design environment during evolution. In R. Roy, G. Jared, A. Tiwari, & O. Munaux (Eds.), Real-life Evolutionary Design Optimisation. San Francisco, California, USA, 295–300.
- [Reimann(2001)] Reimann, M. (2001). On some ideas of multi-colony ant approaches. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 437–440.

- [Ronnewinkel & Martinez(2001)] Ronnewinkel, C. & Martinez, T. (2001). Explicit speciation with few a priori parameters for dynamic optimization problems. In J. Branke & T. Bäck (Eds.), Evolutionary Algorithms for Dynamic Optimization Problems. San Francisco, California, USA, 31–34.
- [Roos(2001)] Roos, R. S. (2001). Parameter relaxation methods in memetic algorithms. In W. Hart, N. Krasnogor, & J. Smith (Eds.), Second Workshop on Memetic Algorithms (2nd WOMA). San Francisco, California, USA, 174–179.
- [Rothlauf et al.(2001)Rothlauf, Goldberg, & Heinzl] Rothlauf, F., Goldberg, D. E., & Heinzl, A. (2001). On the debate concerning evolutionary search using Prüfer numbers. In F. Rothlauf (Ed.), Representations and Operators for Network Problems (ROPNET 2001). San Francisco, California, USA, 262–267.
- [Sastry(2001)] Sastry, K. (2001). Efficient cluster optimization using extended compact genetic algorithm with seeded population. In *Optimization by Building and Using Probabilistic Models* (OBUPM) 2001. San Francisco, California, USA, 222–225.
- [Sauter et al.(2001)Sauter, Van Dyke Parunak, Brueckner, & Matthews] Sauter, J., Van Dyke Parunak, H., Brueckner, S., & Matthews, R. (2001). Tuning synthetic pheromones with evolutionary computing. In R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow (Eds.), Evolutionary Computation and Multi-Agent Systems (ECOMAS). San Francisco, California, USA, 321–324.
- [Schinler & Foley(2001)] Schinler, D. & Foley, C. M. (2001). An object-oriented evolutionary algorithm for automated advanced analysis based design. In S. Burns (Ed.), *Optimal Structural Design using Genetic and Evolutionary Computation*. San Francisco, California, USA, 73–78.
- [Scholoman & Blackford(2001)] Scholoman, J. & Blackford, B. (2001). Genetic programming evolves a human-competitive player for a complex, on-line, interactive, multi-player game of strategy. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 441–444.
- [Schulenburg & Ross(2001a)] Schulenburg, S. & Ross, P. (2001a). An LCS approach to increasing returns: Exploring information sets and rule complexity. In *Fourth International Workshop on Learning Classifier Systems IWLCS-2001*. San Francisco, California, USA, 382–383.
- [Schulenburg & Ross(2001b)] Schulenburg, S. & Ross, P. (2001b). An LCS approach to increasing returns: On market efficiency and evolution. In *Fourth International Workshop on Learning Classifier Systems IWLCS-2001*. San Francisco, California, USA, 381.
- [Sehitoglu(2001)] Sehitoglu, O. T. (2001). A concurrent constraint programming approach to genetic algorithms. In C. Ryan (Ed.), *Graduate Student Workshop*. San Francisco, California, USA, 445–448.
- [Smith et al.(2001)Smith, Bonacina, Hoile, & Marrow] Smith, R. E., Bonacina, C., Hoile, C., & Marrow, P. (2001). Proceedings of the EcoMAS workshop: Forward. In R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow (Eds.), Evolutionary Computation and Multi-Agent Systems (ECOMAS). San Francisco, California, USA, 308a.
- [Smith(2001)] Smith, S. (2001). Is scheduling a solved problem? In P. Cowling & G. Kendall (Eds.), The Next Ten Years of Scheduling Research. San Francisco, California, USA, 116–120.
- [Snoek(2001)] Snoek, M. (2001). Anticipation optimization in dynamic job shops. In J. Branke & T. Bäck (Eds.), Evolutionary Algorithms for Dynamic Optimization Problems. San Francisco, California, USA, 43–46.
- [Soukhal et al.(2001)Soukhal, Monmarché, Laügt, & Slimane] Soukhal, A., Monmarché, N., Laügt, D., & Slimane, M. (2001). How hidden markov models can help artificial ants to optimize. In *Optimization by Building and Using Probabilistic Models (OBUPM) 2001*. San Francisco, California, USA, 226–229.

- [Soule & Ball(2001)] Soule, T. & Ball, A. E. (2001). A genetic algorithm with multiple reading frames. In H. Kargupta (Ed.), *Computation in Gene Expression*. San Francisco, California, USA, 205.
- [Soute et al.(2001)Soute, van de Molengraft, & Angelis] Soute, I. A. C., van de Molengraft, M. J. G., & Angelis, G. Z. (2001). Using genetic programming to find lyapunov functions. In C. Ryan (Ed.), Graduate Student Workshop. San Francisco, California, USA, 449–452.
- [Tiwari et al.(2001)Tiwari, Roy, Jared, & Munaux] Tiwari, A., Roy, R., Jared, G., & Munaux, O. (2001). Challenges in real-life engineering design optimisation: An analysis. In R. Roy, G. Jared, A. Tiwari, & O. Munaux (Eds.), Real-life Evolutionary Design Optimisation. San Francisco, California, USA, 289–294.
- [Tsutsui et al.(2001)Tsutsui, Pelikan, & Goldberg] Tsutsui, S., Pelikan, M., & Goldberg, D. E. (2001). Evolutionary algorithm using marginal histogram in continuous domain. In *Optimization by Building and Using Probabilistic Models (OBUPM) 2001*. San Francisco, California, USA, 230–233.
- [van Hemert et al.(2001)van Hemert, Van Hoyweghen, Lukshandl, & Verbeeck] van Hemert, J., Van Hoyweghen, C., Lukshandl, E., & Verbeeck, K. (2001). A futurist approach to dynamic environments. In J. Branke & T. Bäck (Eds.), Evolutionary Algorithms for Dynamic Optimization Problems. San Francisco, California, USA, 35–38. URL http://www.cwi.nl/~jvhemert/publications/gecco2001.A\_Futurist\_Approach\_to\_Dynamic\_Environments.pdf.
- [Vargas et al.(2001) Vargas, Von Zuben, & Filho] Vargas, P. A., Von Zuben, F. J., & Filho, C. L. (2001). Classifier systems for loss reduction on electric power distribution networks. In Fourth International Workshop on Learning Classifier Systems IWLCS-2001. San Francisco, California, USA, 372–376.
- [Walker et al.(2001)Walker, Brennan, & Norrie] Walker, S. S., Brennan, R. W., & Norrie, D. H. (2001).
  Demonstrating emergent intelligence: An evolutionary multi-agent system for job shop scheduling.
  In R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow (Eds.), Evolutionary Computation and Multi-Agent Systems (ECOMAS).
  San Francisco, California, USA, 329–332.
- [Wallin(2001)] Wallin, D. (2001). Adaptation of hyper objects for classification. In C. Ryan (Ed.), Graduate Student Workshop. San Francisco, California, USA, 453–456.
- [Warrender et al.(2001)Warrender, Forrest, & Segel] Warrender, C., Forrest, S., & Segel, L. (2001). Effective feedback in the immune system. In R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow (Eds.), Evolutionary Computation and Multi-Agent Systems (ECOMAS). San Francisco, California, USA, 325–328.
- [Williams (2001)] Williams, W. (2001). Adapting product development with metaheuristics. In R. Roy, G. Jared, A. Tiwari, & O. Munaux (Eds.), Real-life Evolutionary Design Optimisation. San Francisco, California, USA, 301–306.
- [Yamasaki(2001)] Yamasaki, K. (2001). Dynamic pareto optimum ga against the changing environments. In J. Branke & T. Bäck (Eds.), Evolutionary Algorithms for Dynamic Optimization Problems. San Francisco, California, USA, 47–50.