Список литературы

[1] Blockeel, H. and Denecker, M., editors, *Fourteenth Belgium-Netherlands Conference on Artificial Intelligence*, K.U.Leuven, 2002.

[2] Antal, P., Fannes, G., Moreau, Y., and Moor, B. D., Using literature and data to annotate and learn bayesian networks, In Blockeel and Denecker [1], pages 3–10.

[3] van den Berg, J., Kaymak, U., and van den Bergh, W.-M., Probabilistic reasoning in fuzzy rule-based systems, In Blockeel and Denecker [1], pages 11–18.

[4] Bioch, J. and Popova, V., Monotone decision trees and noisy data, In Blockeel and Denecker [1], pages 19–26.

[5] Broersen, J., Dastani, M., and van der Torre, L., Relating functionality descriptions to proof rules of input/output logic, In Blockeel and Denecker [1], pages 27–34.

[6] ter Brugge, M., Nijhuis, J., and Spaanenburg, L., Morphological template decomposition for DT-cnn, In Blockeel and Denecker [1], pages 35–42.

[7] Caminada, M., Agent dialogues using hang yourself arguments, In Blockeel and Denecker [1], pages 43–50.

[8] Cheung, Y.-F., Klakow, D., Bauer, G., and Rothkrantz, L., Broadcast information topic segmentation - BITS -, In Blockeel and Denecker [1], pages 51–58.

[9] van Dartel, M., Postma, E., and van den Herik, J., Universal properties of adaptive behaviour, In Blockeel and Denecker [1], pages 59–66.

[10] Dastani, M. and van der Torre, L., An extension of BDI_{ctl} with functional dependencies and components, In Blockeel and Denecker [1], pages 67–74.

[11] Dastani, M. and van der Torre, L., What is a normative goal?, In Blockeel and Denecker [1], pages 75–82.

[12] Beule, J. D., Looveren, J. V., and Zuidema, W., From perception to language: grounding formal syntax in an almost real world, In Blockeel and Denecker [1], pages 83–90.

[13] Donkers, J., Uiterwijk, J., and van den Herik, J., Learning opponent-type probabilities for prOM search, In Blockeel and Denecker [1], pages 91–98.

[14] Drugan, M., Thierens, D., and van der Gaag, L., MDL-based feature selection for bayesian network classifiers, In Blockeel and Denecker [1], pages 99–106.

[15] Eggermont, J. and Lenaerts, T., Dynamic optimization using evolutionary algorithms with a case-based memory, In Blockeel and Denecker [1], pages 107–114.

[16] de Graaf, J., Kosters, W., Pijls, W., and Popova, V., A theoretical and practical comparison of depth first and FP-growth implementations of apriori, In Blockeel and Denecker [1], pages 115–122.

[17] Hay, B., Wets, G., and Vanhoof, K., Web usage mining by means of multidimensional sequence alignment methods, In Blockeel and Denecker [1], pages 123–130.

[18] ter Horst, H., van Doorn, M., Kravtsova, N., ten Kate, W., and Siahaan, D., Context-aware music selection using knowledge on the semantic web, In Blockeel and Denecker [1], pages 131–138.

[19] Infante-Lopez, G., de Rijke, M., and Sima´an, K., A general probabilistic model for dependency parsing, In Blockeel and Denecker [1], pages 139–146.

[20] Jacobs, N. and Blockeel, H., Sequence prediction with mixed order markov chains, In Blockeel and Denecker [1], pages 147–154.

[21] Jamroga, W., Multiple models of reality and how to use them, In Blockeel and Denecker [1], pages 155–162.

[22] Janssens, D., Brijs, T., Vanhoof, K., and Wets, G., Evaluating the performance of cost-based discretization versus entropy- and error-based discretization, In Blockeel and Denecker [1], pages 163–170.

[23] Keller, R., Kosters, W., van der Vaart, M., and Witsenburg, M., Genetic programming produces strategies for agents in a dynamic environment, In Blockeel and Denecker [1], pages 171–178.

[24] Kněvu, V. and Rothkrantz, L., A system for automated bookmark management, In Blockeel and Denecker [1], pages 179–186.

[25] van der Krogt, R., Aronson, L., Roos, N., Witteveen, C., and Zutt, J., Tactical planning using heuristics, In Blockeel and Denecker [1], pages 187–194.

[26] Lebbink, H.-J., Witteman, C., and Meyer, J.-J., Ontology-based knowledge acquisition for knowledge systems, In Blockeel and Denecker [1], pages 195–202.

[27] Lenaerts, T., Defaweux, A., van Remortel, P., and Manderick, B., Multi-level selection in a simple evolutionary model, In Blockeel and Denecker [1], pages 203–210.

[28] Lucas, P., Restricted bayesian network structure learning, In Blockeel and Denecker [1], pages 211–218.

[29] Nijssen, S. and Kok, J., Tree sets: Towards a set-oriented view on multi-relational data mining, In Blockeel and Denecker [1], pages 219–226.

[30] Noncheva, V. and Marques, N. C., Agent's belief: A stochastic approach, In Blockeel and Denecker [1], pages 227–234.

[31] Oost, E., ten Hagen, S., and Schulze, F., Extracting multivariate power functions from complex data sets, In Blockeel and Denecker [1], pages 235–242.

[32] Provijn, D., How to obtain elegant fitch-style proofs from goal directed ones, In Blockeel and Denecker [1], pages 243–250.

[33] van der Putten, P., Ramaekers, M., den Uyl, M., and Kok, J., A process model for a data fusion factory, In Blockeel and Denecker [1], pages 251–258.

[34] van Remortel, P., Lenaerts, T., and Manderick, B., Testing the overall functional robustness of 2D ca phenotypes for development, In Blockeel and Denecker [1], pages 259–266.

[35] Renooij, S., Parsons, S., and Pardieck, P., Using kappas as indicators of strength in QPNs, In Blockeel and Denecker [1], pages 267–274.

[36] Roos, N., ten Teije, A., Bos, A., and Witteveen, C., Multi-agent diagnosis with spatially distributed knowledge, In Blockeel and Denecker [1], pages 275–282.

[37] Schaar, R., Rothkrantz, L., Lassche, M., and Jonkers, M., Agent-based intelligent personal unified messaging, In Blockeel and Denecker [1], pages 283–290.

[38] Sent, D. and van der Gaag, L., Test selection: the gini index and the shannon entropy behave differently, In Blockeel and Denecker [1], pages 291–298.

[39] Spronck, P., Sprinkhuizen-Kuyper, I., and Postma, E., Improving opponent intelligence through machine learning, In Blockeel and Denecker [1], pages 299–306.

[40] Storms, P., Herweijer, E., and van Aart, C., Practical design guidelines for embodied conversational agents, In Blockeel and Denecker [1], pages 307–314.

[41] Tuyls, K., Lenaerts, T., Verbeeck, K., Maes, S., and Manderick, B., Towards a relation between learning agents and evolutionary dynamics, In Blockeel and Denecker [1], pages 315–322.

[42] Nuffelen, B. V., Reasoning with preferences in ID-logic, In Blockeel and Denecker [1], pages 323–330.

[43] Vogt, P., Anchoring symbols to sensorimotor control, In Blockeel and Denecker [1], pages 331–338.

[44] de Vos, E., Witteman, C., and Beun, R.-J., Embodied conversational agents in human-computer interaction, In Blockeel and Denecker [1], pages 339–346.

[45] van der Werf, E., Uiterwijk, J., and van den Herik, J., Solving ponnuki-go on small boards, In Blockeel and Denecker [1], pages 347–354.

[46] van Wezel, M. and Kosters, W., Numerical integration by cubature formulae in bayesian neural networks, In Blockeel and Denecker [1], pages 355–362.

[47] Wiering, M., Hierarchical mixtures of naive bayesian classifiers, In Blockeel and Denecker [1], pages 363–370.

[48] Winands, M., Kocsis, L., Uiterwijk, J., and van den Herik, J., Learning in lines of action, In Blockeel and Denecker [1], pages 371–378.

[49] Zajdel, W. and Kröse, B., Bayesian network for multiple hypothesis tracking, In Blockeel and Denecker [1], pages 379–386.

[50] Zutt, J., Aronson, L., van der Krogt, R., Roos, N., and Witteveen, C., Multi-agent transport planning, In Blockeel and Denecker [1], pages 387–394.

[51] van Aart, C., Marcke, K. V., Pels, R., and Smulders, J., International insurance traffic with software agents, In Blockeel and Denecker [1], pages 397–398.

[52] Apistola, M. et al., Legal aspects of agent technology, In Blockeel and Denecker [1], pages 399–400.

[53] van den Berg, J., Kaymak, U., and van den Bergh, W.-M., Fuzzy classification by using probability-based rule weighting, In Blockeel and Denecker [1], pages 401–402.

[54] Bohte, S., Gerding, E., and Poutré, H. L., Competitive market-based allocation of consumer attention space, In Blockeel and Denecker [1], pages 403–404.

[55] van den Bosch, A. and Buchholz, S., Shallow parsing on the basis of words only: A case study, In Blockeel and Denecker [1], pages 405–406.

[56] Bosman, P. and Thierens, D., Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms, In Blockeel and Denecker [1], pages 407–408.

[57] Brazier, F., Overeinder, B., van Steen, M., and Wijngaards, N., Generative migration of agents, In Blockeel and Denecker [1], pages 409–410.

[58] Dastani, M., Dignum, V., and Dignum, F., Organizations and normative agents, In Blockeel and Denecker [1], pages 411–412.

[59] Denecker, M., Pelov, N., and Bruynooghe, M., Ultimate well-founded and stable semantics for logic programs with aggregates, In Blockeel and Denecker [1], pages 413–414.

[60] Driessens, K. and Džeroski, S., Integrating experimentation and guidance in relational reinforcement learning, In Blockeel and Denecker [1], pages 415–416.

[61] Eggermont, J., Evolving fuzzy decision trees for data classification, In Blockeel and Denecker [1], pages 417–418.

[62] Fluit, C., Sabou, M., and van Harmelen, F., Ontology-based information visualisation, In Blockeel and Denecker [1], pages 419–420.

[63] Gilis, D. and Denecker, M., Compositionality results for stratified nonmonotone operators, In Blockeel and Denecker [1], pages 421–422.

[64] Helsper, E. and van der Gaag, L., Building bayesian networks through ontologies, In Blockeel and Denecker [1], pages 423–424.

[65] Heskes, T. and Zoeter, O., Expectation propagation for approximate inference in dynamic bayesian networks, In Blockeel and Denecker [1], pages 425–426.

[66] Horrocks, I., Patel-Schneider, P., and van Harmelen, F., Reviewing the design of DAML+oil: an ontology language for the semantic web, In Blockeel and Denecker [1], pages 427–428.

[67] Huygen, P., Use of bayesian belief networks in legal reasoning, In Blockeel and Denecker [1], pages 429–430.

[68] de Jong, E. and Oates, T., A coevolutionary approach to representation development, In Blockeel and Denecker [1], pages 431–432.

[69] Jonker, C., de Kock, A., Meijer, J., and Vermeulen, B., Deliberate evolution agents: Comparing reproduction strategies, In Blockeel and Denecker [1], pages 433–434.

[70] Jonker, C., Snoep, J., Treur, J., Westerhoff, H., and Wijngaards, W., BDI-modelling of intracellular dynamics, In Blockeel and Denecker [1], pages 435–436.

[71] Jonker, C., Snoep, J., Treur, J., Westerhoff, H., and Wijngaards, W., Putting intentions into cell biochemistry: An artificial intelligence perspective, In Blockeel and Denecker [1], pages 437–438.

[72] Jonker, C. and Treur, J., A dynamic perspective on an agent's mental states and interaction with its environment, In Blockeel and Denecker [1], pages 439–440.

[73] Jonker, C. and Treur, J., Analysis of the dynamics of reasoning using multiple representations, In Blockeel and Denecker [1], pages 441–442.

[74] Jonker, C., Treur, J., and de Vries, W., Temporal analysis of the dynamics of beliefs, desires, and intentions, In Blockeel and Denecker [1], pages 443–444.

[75] Jonker, C., Treur, J., and Wijngaards, W., Requirements specification and automated evaluation of dynamic properties of a component-based design, In Blockeel and Denecker [1], pages 445–446.

[76] Jonker, C., Treur, J., and Wijngaards, W., Temporal languages for simulation and analysis of the dynamics within an organisation, In Blockeel and Denecker [1], pages 447–448.

[77] Kamps, J. and Marx, M., Words with attitude, In Blockeel and Denecker [1], pages 449–450.

[78] Kappen, H. and Wiegerinck, W., Novel iteration schemes for the cluster variation method, In Blockeel and Denecker [1], pages 451–452.

[79] Kleijkers, S., Wiesman, F., and Roos, N., A mobile multi-agent system for distributed computing, In Blockeel and Denecker [1], pages 453–454.

[80] Kosala, R., den Bussche, J. V., Bruynooghe, M., and Blockeel, H., Information extraction in structured documents using tree automata induction, In Blockeel and Denecker [1], pages 455–456.

[81] Kremer, S. and Raskin, J.-F., Game analysis of abuse-free contract signing, In Blockeel and Denecker [1], pages 457–458.

[82] Langdon, W., Size of random programs to ensure uniformity, In Blockeel and Denecker [1], pages 459–460.

[83] van Leeuwen, P., Hesselink, H., and Rohling, J., Scheduling aircraft using constraint satisfaction, In Blockeel and Denecker [1], pages 461–462.

[84] Marcos, M., Roomans, H., ten Teije, A., and van Harmelen, F., Improving medical protocols through formalisation: a case study, In Blockeel and Denecker [1], pages 463–464.

[85] Maruster, L., Weijters, T., de Vries, G., van den Bosch, A., and Daelemans, W., Logistic-based patient grouping for multi-disciplinary treatment, In Blockeel and Denecker [1], pages 465–466.

[86] Monz, C. and de Rijke, M., Knowledge-intensive question answering, In Blockeel and Denecker [1], pages 467–468.

[87] Nijssen, S. and Bäck, T., An analysis of the behaviour of simplified evolutionary algorithms on trap functions, In Blockeel and Denecker [1], pages 469–470.

[88] Peek, N., Representation of decision-theoretic plans as sets of symbolic decision rules, In Blockeel and Denecker [1], pages 471–472.

[89] Prakken, H., An exercise in formalising teleological case-based reasoning, In Blockeel and Denecker [1], pages 473–474.

[90] Salles, P., Bredeweg, B., Araujo, S., and Neto, W., Qualitative models of interactions between two populations, In Blockeel and Denecker [1], pages 475–476.

[91] Schelfthout, K. and Holvoet, T., "to do or not to do" : The individual's model for emergent task allocation, In Blockeel and Denecker [1], pages 477–478.

[92] Serebrenik, A. and Schreye, D. D., Inference of termination conditions for numerical loops, In Blockeel and Denecker [1], pages 479–480.

[93] Serebrenik, A. and Schreye, D. D., On termination of meta-programs, In Blockeel and Denecker [1], pages 481–482.

[94] Struyf, J., Ramon, J., and Blockeel, H., Compact representation of knowledge bases in ILP, In Blockeel and Denecker [1], pages 483–484.

[95] Stuckenschmidt, H., Approximate information filtering with multiple classification hierarchies, In Blockeel and Denecker [1], pages 485–486.

[96] Tonino, H., Bos, A., de Weerdt, M., and Witteveen, C., Plan coordination by revision in collective agent based systems, In Blockeel and Denecker [1], pages 487–488.

[97] Valk, J. and Witteveen, C., Multi-agent coordination in planning, In Blockeel and Denecker [1], pages 489–490.

[98] Verbeeck, K., Nowé, A., and Parent, J., Social agents playing a periodical policy, In Blockeel and Denecker [1], pages 491–492.

[99] Verbeek, J., Vlassis, N., and Kröse, B., Coordinating principal component analyzers, In Blockeel and Denecker [1], pages 493–494.

[100] Vollebregt, A., Hannessen, D., Hesselink, H., and Beetstra, J., Modelling crew assistants with multi-agent systems in aircraft, In Blockeel and Denecker [1], pages 495–496.

[101] Voorbraak, F., Uncertainty in AI and bioinformatics, In Blockeel and Denecker [1], pages 497–498.

[102] Wiegerinck, W. and Heskes, T., IPF for discrete chain factor graphs, In Blockeel and Denecker [1], pages 499–500.

[103] Wijngaards, N., Overeinder, B., van Steen, M., and Brazier, F., Supporting internet-scale multi-agent systems, In Blockeel and Denecker [1], pages 501–502.

[104] Winkels, R., Boer, A., and Hoekstra, R., Lessons learned in legal information serving, In Blockeel and Denecker [1], pages 503–504.

[105] Ypma, A. and Heskes, T., Clustering web surfers with mixtures of hidden markov models, In Blockeel and Denecker [1], pages 505–506.

[106] van der Zwaag, B. J., Slump, K., and Spaanenburg, L., Process identification through modular neural networks and rule extraction, In Blockeel and Denecker [1], pages 507–508.

[107] Areces, C. and Heguiabehere, J., Hylores: A hybrid logic prover based on direct resolution, In Blockeel and Denecker [1], pages 511–512.

[108] Brazier, F. et al., Agentscape demonstration, In Blockeel and Denecker [1], pages 513–514.

[109] Dastani, M. et al., Implementing cognitive agents in 3APL, In Blockeel and Denecker [1], pages 515–516.

[110] Mastop, M., Lampe, M., and de Groote, O., Knowledge framework, In Blockeel and Denecker [1], pages 517–518.

[111] Schoot, N. and Jansweijer, W., Improving the quality of information in document based communications using a reusable multi-agent system, In Blockeel and Denecker [1], pages 519–520.

[112] Spreeuwenberg, S. and Gerrits, R., VALENS verification component, In Blockeel and Denecker [1], pages 521–522.

[113] van Stokkum, W., Knowledge intensive content model management within integrated back offices, In Blockeel and Denecker [1], pages 523–524.

[114] van de Vrie, E., LOK: Implementation of a platform for distributed development and use of educational tasks, In Blockeel and Denecker [1], pages 525–526.