

Список литературы

- [van Aart *et al.*(2002)van Aart, Marcke, Pels and Smulders] van Aart, C., Marcke, K.V., Pels, R. and Smulders, J. (2002) ‘International insurance traffic with software agents’. In [Blockeel and Denecker(2002)], pp. 397–398.
- [Antal *et al.*(2002)Antal, Fannes, Moreau and Moor] Antal, P., Fannes, G., Moreau, Y. and Moor, B.D. (2002) ‘Using literature and data to annotate and learn bayesian networks’. In [Blockeel and Denecker(2002)], pp. 3–10.
- [Apistola *et al.*(2002)Apistola, Brazier, Kubbe, Oskamp, Schellekens and Voulon] Apistola, M., Brazier, F., Kubbe, O., Oskamp, A., Schellekens, M. and Voulon, M. (2002) ‘Legal aspects of agent technology’. In [Blockeel and Denecker(2002)], pp. 399–400.
- [Areces and Heguiabehere(2002)] Areces, C. and Heguiabehere, J. (2002) ‘Hylores: A hybrid logic prover based on direct resolution’. In [Blockeel and Denecker(2002)], pp. 511–512.
- [van den Berg *et al.*(2002a)van den Berg, Kaymak and van den Bergh] van den Berg, J., Kaymak, U. and van den Bergh, W.M. (2002a) ‘Fuzzy classification by using probability-based rule weighting’. In [Blockeel and Denecker(2002)], pp. 401–402.
- [van den Berg *et al.*(2002b)van den Berg, Kaymak and van den Bergh] van den Berg, J., Kaymak, U. and van den Bergh, W.M. (2002b) ‘Probabilistic reasoning in fuzzy rule-based systems’. In [Blockeel and Denecker(2002)], pp. 11–18.
- [Beule *et al.*(2002)Beule, Looveren and Zuidema] Beule, J.D., Looveren, J.V. and Zuidema, W. (2002) ‘From perception to language: grounding formal syntax in an almost real world’. In [Blockeel and Denecker(2002)], pp. 83–90.
- [Bioch and Popova(2002)] Bioch, J. and Popova, V. (2002) ‘Monotone decision trees and noisy data’. In [Blockeel and Denecker(2002)], pp. 19–26.
- [Blockeel and Denecker(2002)] Blockeel, H. and Denecker, M., (eds.) (2002) *Fourteenth Belgium-Netherlands Conference on Artificial Intelligence*. K.U.Leuven.
- [Bohte *et al.*(2002)Bohte, Gerding and Poutré] Bohte, S., Gerding, E. and Poutré, H.L. (2002) ‘Competitive market-based allocation of consumer attention space’. In [Blockeel and Denecker(2002)], pp. 403–404.
- [van den Bosch and Buchholz(2002)] van den Bosch, A. and Buchholz, S. (2002) ‘Shallow parsing on the basis of words only: A case study’. In [Blockeel and Denecker(2002)], pp. 405–406.
- [Bosman and Thierens(2002)] Bosman, P. and Thierens, D. (2002) ‘Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms’. In [Blockeel and Denecker(2002)], pp. 407–408.
- [Brazier *et al.*(2002a)Brazier, Mobach, Overeinder, Posthumus, van Splunter, van Steen and Wijngaards] Brazier, F., Mobach, D., Overeinder, B., Posthumus, E., van Splunter, S., van Steen, M. and Wijngaards, N. (2002a) ‘Agentscape demonstration’. In [Blockeel and Denecker(2002)], pp. 513–514.
- [Brazier *et al.*(2002b)Brazier, Overeinder, van Steen and Wijngaards] Brazier, F., Overeinder, B., van Steen, M. and Wijngaards, N. (2002b) ‘Generative migration of agents’. In [Blockeel and Denecker(2002)], pp. 409–410.
- [Broersen *et al.*(2002)Broersen, Dastani and van der Torre] Broersen, J., Dastani, M. and van der Torre, L. (2002) ‘Relating functionality descriptions to proof rules of input/output logic’. In [Blockeel and Denecker(2002)], pp. 27–34.
- [ter Brugge *et al.*(2002)ter Brugge, Nijhuis and Spaanenburg] ter Brugge, M., Nijhuis, J. and Spaanenburg, L. (2002) ‘Morphological template decomposition for DT-cnn’. In [Blockeel and Denecker(2002)], pp. 35–42.

- [Caminada(2002)] Caminada, M. (2002) ‘Agent dialogues using hang yourself arguments’. In [Blockeel and Denecker(2002)], pp. 43–50.
- [Cheung *et al.*(2002)] Cheung, Y.F., Klakow, D., Bauer, G. and Rothkrantz, L. (2002) ‘Broadcast information topic segmentation - BITS -’. In [Blockeel and Denecker(2002)], pp. 51–58.
- [van Dartel *et al.*(2002)] van Dartel, Postma and van den Herik] van Dartel, M., Postma, E. and van den Herik, J. (2002) ‘Universal properties of adaptive behaviour’. In [Blockeel and Denecker(2002)], pp. 59–66.
- [Dastani *et al.*(2002a)] Dastani, de Boer, Dignum, van der Hoek, Kroese and Meyer] Dastani, M., de Boer, F., Dignum, F., van der Hoek, W., Kroese, M. and Meyer, J.J. (2002a) ‘Implementing cognitive agents in 3APL’. In [Blockeel and Denecker(2002)], pp. 515–516.
- [Dastani *et al.*(2002b)] Dastani, Dignum and Dignum] Dastani, M., Dignum, V. and Dignum, F. (2002b) ‘Organizations and normative agents’. In [Blockeel and Denecker(2002)], pp. 411–412.
- [Dastani and van der Torre(2002a)] Dastani, M. and van der Torre, L. (2002a) ‘An extension of BDI_{ctl} with functional dependencies and components’. In [Blockeel and Denecker(2002)], pp. 67–74.
- [Dastani and van der Torre(2002b)] Dastani, M. and van der Torre, L. (2002b) ‘What is a normative goal?’ In [Blockeel and Denecker(2002)], pp. 75–82.
- [Denecker *et al.*(2002)] Denecker, Pelov and Bruynooghe] Denecker, M., Pelov, N. and Bruynooghe, M. (2002) ‘Ultimate well-founded and stable semantics for logic programs with aggregates’. In [Blockeel and Denecker(2002)], pp. 413–414.
- [Donkers *et al.*(2002)] Donkers, Uiterwijk and van den Herik] Donkers, J., Uiterwijk, J. and van den Herik, J. (2002) ‘Learning opponent-type probabilities for prOM search’. In [Blockeel and Denecker(2002)], pp. 91–98.
- [Driessens and Džeroski(2002)] Driessens, K. and Džeroski, S. (2002) ‘Integrating experimentation and guidance in relational reinforcement learning’. In [Blockeel and Denecker(2002)], pp. 415–416.
- [Drugan *et al.*(2002)] Drugan, Thierens and van der Gaag] Drugan, M., Thierens, D. and van der Gaag, L. (2002) ‘MDL-based feature selection for bayesian network classifiers’. In [Blockeel and Denecker(2002)], pp. 99–106.
- [Eggermont(2002)] Eggermont, J. (2002) ‘Evolving fuzzy decision trees for data classification’. In [Blockeel and Denecker(2002)], pp. 417–418.
- [Eggermont and Lenaerts(2002)] Eggermont, J. and Lenaerts, T. (2002) ‘Dynamic optimization using evolutionary algorithms with a case-based memory’. In [Blockeel and Denecker(2002)], pp. 107–114.
- [Fluit *et al.*(2002)] Fluit, Sabou and van Harmelen] Fluit, C., Sabou, M. and van Harmelen, F. (2002) ‘Ontology-based information visualisation’. In [Blockeel and Denecker(2002)], pp. 419–420.
- [Gilis and Denecker(2002)] Gilis, D. and Denecker, M. (2002) ‘Compositionality results for stratified nonmonotone operators’. In [Blockeel and Denecker(2002)], pp. 421–422.
- [de Graaf *et al.*(2002)] de Graaf, Kusters, Pijls and Popova] de Graaf, J., Kusters, W., Pijls, W. and Popova, V. (2002) ‘A theoretical and practical comparison of depth first and FP-growth implementations of apriori’. In [Blockeel and Denecker(2002)], pp. 115–122.
- [Hay *et al.*(2002)] Hay, Wets and Vanhoof] Hay, B., Wets, G. and Vanhoof, K. (2002) ‘Web usage mining by means of multidimensional sequence alignment methods’. In [Blockeel and Denecker(2002)], pp. 123–130.
- [Helsper and van der Gaag(2002)] Helsper, E. and van der Gaag, L. (2002) ‘Building bayesian networks through ontologies’. In [Blockeel and Denecker(2002)], pp. 423–424.

- [Heskes and Zoeter(2002)] Heskes, T. and Zoeter, O. (2002) ‘Expectation propagation for approximate inference in dynamic bayesian networks’. In [Blockeel and Denecker(2002)], pp. 425–426.
- [Horrocks *et al.*(2002)Horrocks, Patel-Schneider and van Harmelen] Horrocks, I., Patel-Schneider, P. and van Harmelen, F. (2002) ‘Reviewing the design of DAML+oil: an ontology language for the semantic web’. In [Blockeel and Denecker(2002)], pp. 427–428.
- [ter Horst *et al.*(2002)ter Horst, van Doorn, Kravtsova, ten Kate and Siahaan] ter Horst, H., van Doorn, M., Kravtsova, N., ten Kate, W. and Siahaan, D. (2002) ‘Context-aware music selection using knowledge on the semantic web’. In [Blockeel and Denecker(2002)], pp. 131–138.
- [Huygen(2002)] Huygen, P. (2002) ‘Use of bayesian belief networks in legal reasoning’. In [Blockeel and Denecker(2002)], pp. 429–430.
- [Infante-Lopez *et al.*(2002)Infante-Lopez, de Rijke and Sima’an] Infante-Lopez, G., de Rijke, M. and Sima’an, K. (2002) ‘A general probabilistic model for dependency parsing’. In [Blockeel and Denecker(2002)], pp. 139–146.
- [Jacobs and Blockeel(2002)] Jacobs, N. and Blockeel, H. (2002) ‘Sequence prediction with mixed order markov chains’. In [Blockeel and Denecker(2002)], pp. 147–154.
- [Jamroga(2002)] Jamroga, W. (2002) ‘Multiple models of reality and how to use them’. In [Blockeel and Denecker(2002)], pp. 155–162.
- [Janssens *et al.*(2002)Janssens, Brijs, Vanhoof and Wets] Janssens, D., Brijs, T., Vanhoof, K. and Wets, G. (2002) ‘Evaluating the performance of cost-based discretization versus entropy- and error-based discretization’. In [Blockeel and Denecker(2002)], pp. 163–170.
- [de Jong and Oates(2002)] de Jong, E. and Oates, T. (2002) ‘A coevolutionary approach to representation development’. In [Blockeel and Denecker(2002)], pp. 431–432.
- [Jonker *et al.*(2002a)Jonker, de Kock, Meijer and Vermeulen] Jonker, C., de Kock, A., Meijer, J. and Vermeulen, B. (2002a) ‘Deliberate evolution agents: Comparing reproduction strategies’. In [Blockeel and Denecker(2002)], pp. 433–434.
- [Jonker *et al.*(2002b)Jonker, Snoep, Treur, Westerhoff and Wijngaards] Jonker, C., Snoep, J., Treur, J., Westerhoff, H. and Wijngaards, W. (2002b) ‘BDI-modelling of intracellular dynamics’. In [Blockeel and Denecker(2002)], pp. 435–436.
- [Jonker *et al.*(2002c)Jonker, Snoep, Treur, Westerhoff and Wijngaards] Jonker, C., Snoep, J., Treur, J., Westerhoff, H. and Wijngaards, W. (2002c) ‘Putting intentions into cell biochemistry: An artificial intelligence perspective’. In [Blockeel and Denecker(2002)], pp. 437–438.
- [Jonker and Treur(2002a)] Jonker, C. and Treur, J. (2002a) ‘Analysis of the dynamics of reasoning using multiple representations’. In [Blockeel and Denecker(2002)], pp. 441–442.
- [Jonker and Treur(2002b)] Jonker, C. and Treur, J. (2002b) ‘A dynamic perspective on an agent’s mental states and interaction with its environment’. In [Blockeel and Denecker(2002)], pp. 439–440.
- [Jonker *et al.*(2002d)Jonker, Treur and de Vries] Jonker, C., Treur, J. and de Vries, W. (2002d) ‘Temporal analysis of the dynamics of beliefs, desires, and intentions’. In [Blockeel and Denecker(2002)], pp. 443–444.
- [Jonker *et al.*(2002e)Jonker, Treur and Wijngaards] Jonker, C., Treur, J. and Wijngaards, W. (2002e) ‘Requirements specification and automated evaluation of dynamic properties of a component-based design’. In [Blockeel and Denecker(2002)], pp. 445–446.
- [Jonker *et al.*(2002f)Jonker, Treur and Wijngaards] Jonker, C., Treur, J. and Wijngaards, W. (2002f) ‘Temporal languages for simulation and analysis of the dynamics within an organisation’. In [Blockeel and Denecker(2002)], pp. 447–448.

- [Kamps and Marx(2002)] Kamps, J. and Marx, M. (2002) ‘Words with attitude’. In [Blockeel and Denecker(2002)], pp. 449–450.
- [Kappen and Wiegerinck(2002)] Kappen, H. and Wiegerinck, W. (2002) ‘Novel iteration schemes for the cluster variation method’. In [Blockeel and Denecker(2002)], pp. 451–452.
- [Keller *et al.*(2002)] Keller, R., Kusters, W., van der Vaart, M. and Witsenburg, M. (2002) ‘Genetic programming produces strategies for agents in a dynamic environment’. In [Blockeel and Denecker(2002)], pp. 171–178.
- [Kleijkers *et al.*(2002)] Kleijkers, S., Wiesman, F. and Roos, N. (2002) ‘A mobile multi-agent system for distributed computing’. In [Blockeel and Denecker(2002)], pp. 453–454.
- [Knězu and Rothkrantz(2002)] Knězu, V. and Rothkrantz, L. (2002) ‘A system for automated bookmark management’. In [Blockeel and Denecker(2002)], pp. 179–186.
- [Kosala *et al.*(2002)] Kosala, R., den Bussche, J.V., Bruynooghe, M. and Blockeel, H. (2002) ‘Information extraction in structured documents using tree automata induction’. In [Blockeel and Denecker(2002)], pp. 455–456.
- [Kremer and Raskin(2002)] Kremer, S. and Raskin, J.F. (2002) ‘Game analysis of abuse-free contract signing’. In [Blockeel and Denecker(2002)], pp. 457–458.
- [van der Krogt *et al.*(2002)] van der Krogt, R., Aronson, L., Roos, N., Witteveen, C. and Zutt, J. (2002) ‘Tactical planning using heuristics’. In [Blockeel and Denecker(2002)], pp. 187–194.
- [Langdon(2002)] Langdon, W. (2002) ‘Size of random programs to ensure uniformity’. In [Blockeel and Denecker(2002)], pp. 459–460.
- [Lebbink *et al.*(2002)] Lebbink, H.J., Wittman, C. and Meyer, J.J. (2002) ‘Ontology-based knowledge acquisition for knowledge systems’. In [Blockeel and Denecker(2002)], pp. 195–202.
- [van Leeuwen *et al.*(2002)] van Leeuwen, P., Hesselink, H. and Rohling, J. (2002) ‘Scheduling aircraft using constraint satisfaction’. In [Blockeel and Denecker(2002)], pp. 461–462.
- [Lenaerts *et al.*(2002)] Lenaerts, T., Defaweux, A., van Remortel, P. and Manderick, B. (2002) ‘Multi-level selection in a simple evolutionary model’. In [Blockeel and Denecker(2002)], pp. 203–210.
- [Lucas(2002)] Lucas, P. (2002) ‘Restricted bayesian network structure learning’. In [Blockeel and Denecker(2002)], pp. 211–218.
- [Marcos *et al.*(2002)] Marcos, M., Roomans, H., ten Teije, A. and van Harmelen, F. (2002) ‘Improving medical protocols through formalisation: a case study’. In [Blockeel and Denecker(2002)], pp. 463–464.
- [Maruster *et al.*(2002)] Maruster, L., Weijters, T., de Vries, G., van den Bosch, A. and Daelemans, W. (2002) ‘Logistic-based patient grouping for multi-disciplinary treatment’. In [Blockeel and Denecker(2002)], pp. 465–466.
- [Mastop *et al.*(2002)] Mastop, M., Lampe, M. and de Groote, O. (2002) ‘Knowledge framework’. In [Blockeel and Denecker(2002)], pp. 517–518.
- [Monz and de Rijke(2002)] Monz, C. and de Rijke, M. (2002) ‘Knowledge-intensive question answering’. In [Blockeel and Denecker(2002)], pp. 467–468.
- [Nijssen and Bäck(2002)] Nijssen, S. and Bäck, T. (2002) ‘An analysis of the behaviour of simplified evolutionary algorithms on trap functions’. In [Blockeel and Denecker(2002)], pp. 469–470.

- [Nijssen and Kok(2002)] Nijssen, S. and Kok, J. (2002) ‘Tree sets: Towards a set-oriented view on multi-relational data mining’. In [Blockeel and Denecker(2002)], pp. 219–226.
- [Noncheva and Marques(2002)] Noncheva, V. and Marques, N.C. (2002) ‘Agent’s belief: A stochastic approach’. In [Blockeel and Denecker(2002)], pp. 227–234.
- [Nuffelen(2002)] Nuffelen, B.V. (2002) ‘Reasoning with preferences in ID-logic’. In [Blockeel and Denecker(2002)], pp. 323–330.
- [Oost *et al.*(2002)] Oost, E., ten Hagen, S. and Schulze, F. (2002) ‘Extracting multivariate power functions from complex data sets’. In [Blockeel and Denecker(2002)], pp. 235–242.
- [Peek(2002)] Peek, N. (2002) ‘Representation of decision-theoretic plans as sets of symbolic decision rules’. In [Blockeel and Denecker(2002)], pp. 471–472.
- [Prakken(2002)] Prakken, H. (2002) ‘An exercise in formalising teleological case-based reasoning’. In [Blockeel and Denecker(2002)], pp. 473–474.
- [Provijn(2002)] Provijn, D. (2002) ‘How to obtain elegant fitch-style proofs from goal directed ones’. In [Blockeel and Denecker(2002)], pp. 243–250.
- [van der Putten *et al.*(2002)] van der Putten, P., Ramaekers, M., den Uyl, M. and Kok, J. (2002) ‘A process model for a data fusion factory’. In [Blockeel and Denecker(2002)], pp. 251–258.
- [van Remortel *et al.*(2002)] van Remortel, P., Lenaerts, T. and Manderick, B. (2002) ‘Testing the overall functional robustness of 2D ca phenotypes for development’. In [Blockeel and Denecker(2002)], pp. 259–266.
- [Renooij *et al.*(2002)] Renooij, S., Parsons, S. and Pardieck, P. (2002) ‘Using kappas as indicators of strength in QPNs’. In [Blockeel and Denecker(2002)], pp. 267–274.
- [Roos *et al.*(2002)] Roos, N., ten Teije, A., Bos, A. and Witteveen, C. (2002) ‘Multi-agent diagnosis with spatially distributed knowledge’. In [Blockeel and Denecker(2002)], pp. 275–282.
- [Salles *et al.*(2002)] Salles, P., Bredeweg, B., Araujo, S. and Neto, W. (2002) ‘Qualitative models of interactions between two populations’. In [Blockeel and Denecker(2002)], pp. 475–476.
- [Schaar *et al.*(2002)] Schaar, R., Rothkrantz, L., Lassche, M. and Jonkers, M. (2002) ‘Agent-based intelligent personal unified messaging’. In [Blockeel and Denecker(2002)], pp. 283–290.
- [Schelfhout and Holvoet(2002)] Schelfhout, K. and Holvoet, T. (2002) “‘to do or not to do’ : The individual’s model for emergent task allocation’. In [Blockeel and Denecker(2002)], pp. 477–478.
- [Schoot and Jansweijer(2002)] Schoot, N. and Jansweijer, W. (2002) ‘Improving the quality of information in document based communications using a reusable multi-agent system’. In [Blockeel and Denecker(2002)], pp. 519–520.
- [Sent and van der Gaag(2002)] Sent, D. and van der Gaag, L. (2002) ‘Test selection: the gini index and the shannon entropy behave differently’. In [Blockeel and Denecker(2002)], pp. 291–298.
- [Serebrenik and Schreye(2002a)] Serebrenik, A. and Schreye, D.D. (2002a) ‘Inference of termination conditions for numerical loops’. In [Blockeel and Denecker(2002)], pp. 479–480.
- [Serebrenik and Schreye(2002b)] Serebrenik, A. and Schreye, D.D. (2002b) ‘On termination of meta-programs’. In [Blockeel and Denecker(2002)], pp. 481–482.
- [Spreeuwenberg and Gerrits(2002)] Spreeuwenberg, S. and Gerrits, R. (2002) ‘VALENS verification component’. In [Blockeel and Denecker(2002)], pp. 521–522.

- [Spronck *et al.*(2002)Spronck, Sprinkhuizen-Kuyper and Postma] Spronck, P., Sprinkhuizen-Kuyper, I. and Postma, E. (2002) ‘Improving opponent intelligence through machine learning’. In [Blockeel and Denecker(2002)], pp. 299–306.
- [van Stokkum(2002)] van Stokkum, W. (2002) ‘Knowledge intensive content model management within integrated back offices’. In [Blockeel and Denecker(2002)], pp. 523–524.
- [Storms *et al.*(2002)Storms, Herweijer and van Aart] Storms, P., Herweijer, E. and van Aart, C. (2002) ‘Practical design guidelines for embodied conversational agents’. In [Blockeel and Denecker(2002)], pp. 307–314.
- [Struyf *et al.*(2002)Struyf, Ramon and Blockeel] Struyf, J., Ramon, J. and Blockeel, H. (2002) ‘Compact representation of knowledge bases in ILP’. In [Blockeel and Denecker(2002)], pp. 483–484.
- [Stuckenschmidt(2002)] Stuckenschmidt, H. (2002) ‘Approximate information filtering with multiple classification hierarchies’. In [Blockeel and Denecker(2002)], pp. 485–486.
- [Tonino *et al.*(2002)Tonino, Bos, de Weerd and Witteveen] Tonino, H., Bos, A., de Weerd, M. and Witteveen, C. (2002) ‘Plan coordination by revision in collective agent based systems’. In [Blockeel and Denecker(2002)], pp. 487–488.
- [Tuyls *et al.*(2002)Tuyls, Lenaerts, Verbeeck, Maes and Manderick] Tuyls, K., Lenaerts, T., Verbeeck, K., Maes, S. and Manderick, B. (2002) ‘Towards a relation between learning agents and evolutionary dynamics’. In [Blockeel and Denecker(2002)], pp. 315–322.
- [Valk and Witteveen(2002)] Valk, J. and Witteveen, C. (2002) ‘Multi-agent coordination in planning’. In [Blockeel and Denecker(2002)], pp. 489–490.
- [Verbeeck *et al.*(2002)Verbeeck, Nowé and Parent] Verbeeck, K., Nowé, A. and Parent, J. (2002) ‘Social agents playing a periodical policy’. In [Blockeel and Denecker(2002)], pp. 491–492.
- [Verbeeck *et al.*(2002)Verbeeck, Vlassis and Kröse] Verbeeck, J., Vlassis, N. and Kröse, B. (2002) ‘Coordinating principal component analyzers’. In [Blockeel and Denecker(2002)], pp. 493–494.
- [Vogt(2002)] Vogt, P. (2002) ‘Anchoring symbols to sensorimotor control’. In [Blockeel and Denecker(2002)], pp. 331–338.
- [Vollebregt *et al.*(2002)Vollebregt, Hannessen, Hesselink and Beetstra] Vollebregt, A., Hannessen, D., Hesselink, H. and Beetstra, J. (2002) ‘Modelling crew assistants with multi-agent systems in aircraft’. In [Blockeel and Denecker(2002)], pp. 495–496.
- [Voorbraak(2002)] Voorbraak, F. (2002) ‘Uncertainty in AI and bioinformatics’. In [Blockeel and Denecker(2002)], pp. 497–498.
- [de Vos *et al.*(2002)de Vos, Witteman and Beun] de Vos, E., Witteman, C. and Beun, R.J. (2002) ‘Embodied conversational agents in human-computer interaction’. In [Blockeel and Denecker(2002)], pp. 339–346.
- [van de Vrie(2002)] van de Vrie, E. (2002) ‘LOK: Implementation of a platform for distributed development and use of educational tasks’. In [Blockeel and Denecker(2002)], pp. 525–526.
- [van der Werf *et al.*(2002)van der Werf, Uiterwijk and van den Herik] van der Werf, E., Uiterwijk, J. and van den Herik, J. (2002) ‘Solving ponnuki-go on small boards’. In [Blockeel and Denecker(2002)], pp. 347–354.
- [van Wezel and Kusters(2002)] van Wezel, M. and Kusters, W. (2002) ‘Numerical integration by cubature formulae in bayesian neural networks’. In [Blockeel and Denecker(2002)], pp. 355–362.
- [Wiegerinck and Heskes(2002)] Wiegerinck, W. and Heskes, T. (2002) ‘IPF for discrete chain factor graphs’. In [Blockeel and Denecker(2002)], pp. 499–500.

- [Wiering(2002)] Wiering, M. (2002) ‘Hierarchical mixtures of naive bayesian classifiers’. In [Blockeel and Denecker(2002)], pp. 363–370.
- [Wijngaards *et al.*(2002)Wijngaards, Overeinder, van Steen and Brazier] Wijngaards, N., Overeinder, B., van Steen, M. and Brazier, F. (2002) ‘Supporting internet-scale multi-agent systems’. In [Blockeel and Denecker(2002)], pp. 501–502.
- [Winands *et al.*(2002)Winands, Kocsis, Uiterwijk and van den Herik] Winands, M., Kocsis, L., Uiterwijk, J. and van den Herik, J. (2002) ‘Learning in lines of action’. In [Blockeel and Denecker(2002)], pp. 371–378.
- [Winkels *et al.*(2002)Winkels, Boer and Hoekstra] Winkels, R., Boer, A. and Hoekstra, R. (2002) ‘Lessons learned in legal information serving’. In [Blockeel and Denecker(2002)], pp. 503–504.
- [Ypma and Heskes(2002)] Ypma, A. and Heskes, T. (2002) ‘Clustering web surfers with mixtures of hidden markov models’. In [Blockeel and Denecker(2002)], pp. 505–506.
- [Zajdel and Kröse(2002)] Zajdel, W. and Kröse, B. (2002) ‘Bayesian network for multiple hypothesis tracking’. In [Blockeel and Denecker(2002)], pp. 379–386.
- [Zutt *et al.*(2002)Zutt, Aronson, van der Krogt, Roos and Witteveen] Zutt, J., Aronson, L., van der Krogt, R., Roos, N. and Witteveen, C. (2002) ‘Multi-agent transport planning’. In [Blockeel and Denecker(2002)], pp. 387–394.
- [van der Zwaag *et al.*(2002)van der Zwaag, Slump and Spaanenburg] van der Zwaag, B.J., Slump, K. and Spaanenburg, L. (2002) ‘Process identification through modular neural networks and rule extraction’. In [Blockeel and Denecker(2002)], pp. 507–508.