

Список литературы

- [1] COELLO, C. et al., Comparing different serial and parallel heuristics to design combinatorial logic circuits, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 3–12, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [2] AGUIRRE, A. et al., Fitness landscape and evolutionary boolean synthesis using information theory concepts, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 13–20, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [3] LOUIS, S. J., Learning for evolutionary design, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 17–21, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [4] A.STOICA et al., Silicon validation of evolution-designed circuits, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 21–25, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [5] VINGER, K. et al., Implementing evolution of fir-filters efficiently in an fpga, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 26–29, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [6] KOZA, J. et al., the importance of reuse and development in evolvable hardware, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 33–42, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [7] GALLAGHER, J., The once and future analog alternative: Evolvable hardware and analog computation, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 43–49, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [8] BOTELHO, J. et al., An experiment on nonlinear synthesis using evolutionary techniques based only on cmos transistors, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 50–58, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [9] GREENWOOD, G. et al., An empirical comparison of evolutionary algorithms for evolvable hardware with minimum time-to-reconfigure requirements, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 59–66, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [10] AGGARWAL, V., Evolving sinusoidal oscillators using genetic algorithms, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 67–76, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [11] PLANTE, J. et al., Overview of field programmable analog arrays as enabling technology for evolvable hardware for high reliability systems, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 77–78, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [12] GWALTNEY, D. et al., Intrinsic hardware evolution for the design and reconfiguration of analog speed controllers for a dc motor, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 81–90, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [13] JACKSON, A. H. et al., Robot fault-tolerance using an embryonic array, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 91–100, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [14] AMARAL, J. F. et al., Evolvable building blocks for analog fuzzy logic controllers, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 101–110, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

- [15] TAKAHASHI, E. et al., Power dissipation reductions with genetic algorithms, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 111–116, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [16] TIAN, L. et al., An evolutionary power management algorithm for soc based ehw ststems, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 117–124, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [17] THOMSON, R. et al., The evolutionary design and synthesis of non-linear digital vlsi systems, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 125–134, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [18] SEKANINA, L. et al., Easily testable image operators: The class of circuits where evolution beats engineers, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 135–144, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [19] ZINCHENKO, L. et al., Fitness estimations for evolutionary antenna design, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 155–166, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [20] GARVIE, M. et al., Evolution of combinational and sequential on-line self-diagnosing hardware, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 167–173, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [21] SHANTHI, A. P. et al., Exploring fpga structures for evolving fault tolerant hardware, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 174–181, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [22] R.ZEBULUM et al., Experimental results in evolutionary fault-recovery for field programmable, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 182–188, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [23] ROGGEN, D. et al., Hardware spiking neural network with run-time reconfigurable connectivity in and autonomous robot, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 189–198, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [24] R. CANHAM, A. H. J. et al., Robot error detection using an artificial immune system, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 199–207, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [25] KAMIO, S. et al., Researches on ingeniously behaving agents, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 208–220, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [26] HARDING, S. et al., A scalable platform for intrinsic hardware and in materio evolution, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 221–224, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [27] KRAMER, G. R. et al., Improvements to the *cga enabling online intrinsic evolution in compact eh devices, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 225–234, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [28] STAUFFER, A. et al., Data and signals: A new kind of cellular automation for growing systems, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 235–241, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [29] SAYAMA, H., Self-protection maintains diversity of artificial self-replicators evolving in cellular automata, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 242–254, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

- [30] TEMPESTI, G. et al., Developmental processes in silicon: An engineering perspective, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 255–264, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.
- [31] DINERSTEIN, J. et al., Automatic multi-module neural network evolution in an artificial brain, in *2003 NASA/DoD Conference on Evolvable Hardware*, edited by LOHN, J. et al., pages 273–276, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.