

Список литературы

- [1] Aggarwal, V. 2003. p. 67–76. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [2] Aguirre, A., and C. Coello. 2003. p. 13–20. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [3] Amaral, J. F., C. Santini, R. Tanscheit, M. Vellasco, M. Pacheco, and A. Mesquita. 2003. p. 101–110. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [4] A.Stoica, R.Zebulum, X.Guo, D.Keymeulen, V. Duong, and M.I.Ferguson. 2003. p. 21–25. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [5] Botelho, J., B. Leonardo, P. Vieira, and A. Mesquita. 2003. p. 50–58. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [6] Coello, C., E. Alba, G. Luque, and A. Aguirre. 2003. p. 3–12. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [7] Dinerstein, J., N. Dinerstein, and H. de Garis. 2003. p. 273–276. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [8] Gallagher, J. 2003. p. 43–49. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [9] Garvie, M., and A. Thompson. 2003. p. 167–173. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [10] Greenwood, G., E. Ramsden, and Saima Ahmed. 2003. p. 59–66. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [11] Gwaltney, D., and M. I. Ferguson. 2003. p. 81–90. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [12] Harding, S., and J. F. Miller. 2003. p. 221–224. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.

- [13] **Jackson, A. H., R. Canham, and A. M. Tyrrell.** 2003. p. 91–100. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [14] **Kamio, S., Hongwei Liu, Hideyuki Mitsuhashi, and Hitoshi Iba.** 2003. p. 208–220. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [15] **Koza, J., M. Keane, and M. Streeter.** 2003. p. 33–42. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [16] **Kramer, G. R., and J.C. Gallagher.** 2003. p. 225–234. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [17] **Louis, S. J.** 2003. p. 17–21. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [18] **Plante, J., H. Shaw, L. Mickens, and C. Johnson-Be.** 2003. p. 77–78. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [19] **R. Canham, A. H. J., and A. Tyrrell.** 2003. p. 199–207. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [20] **Roggen, D., S. Hofmann, Y. Thoma, and D. Floreano.** 2003. p. 189–198. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [21] **R.Zebulum, A.Stoica, X.Guo, D.Keymeulen, V. Duong, and M.I.Ferguson.** 2003. p. 182–188. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [22] **Sayama, H.** 2003. p. 242–254. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [23] **Sekanina, L., and R. Ruzicka.** 2003. p. 135–144. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [24] **Shanthi, A. P., and R.Parthasarathi.** 2003. p. 174–181. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [25] **Stauffer, A., and M. Sipper.** 2003. p. 235–241. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.

- [26] **Takahashi, E., M. Murakawa, Y. Kasai, and T. Higuchi.** 2003. p. 111–116. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [27] **Tempesti, G., D. Mange, E. Petraglio, A. Stauffer, and Yann Thoma.** 2003. p. 255–264. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [28] **Thomson, R., and T. Arslan.** 2003. p. 125–134. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [29] **Tian, L., and T. Arslan.** 2003. p. 117–124. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [30] **Vinger, K., and J. Torresen.** 2003. p. 26–29. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.
- [31] **Zinchenko, L., and S. Sorokin.** 2003. p. 155–166. *In: Lohn, J., Ricardo Zebulum, James Steincamp, Didier Keymeulen, Adrian Stoica, and Michael I. Ferguson.* , (ed.), 2003 NASA/DoD Conference on Evolvable Hardware, . NASA Ames Research Center IEEE Computer Society, Chicago, Illinois.