

Список литературы

- [Arenas-Díaz et al., 2008] Arenas-Díaz, E. D., Ochoterena-Booth, H., & Rodríguez-Vázquez, K. (2008). Multiple sequence alignment using a glocsa guided genetic algorithm. *GECCO-2008 Graduate Student Workshops*, 1795–1798. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388973>
- [Auger & Hansen, 2008] Auger, A. & Hansen, N. (2008). Evolution strategies and related estimation of distribution algorithms. *GECCO-2008 tutorials*, 2727–2740. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389076>
- [Awais et al., 2008] Awais, A., Farooq, M., & Javed, M. Y. (2008). Attack analysis & bio-inspired security framework for ipmultimedia subsystem. *GECCO-2008 Late-Breaking Papers*, 2093–2098. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389029>
- [Azad & Ryan, 2008] Azad, R. M. A. & Ryan, C. (2008). Gecco 2008 grammatical evolution tutorial. *GECCO-2008 tutorials*, 2339–2366. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389058>
- [Babb et al., 2008] Babb, B., Moore, F., Peterson, M., & Lamont, G. (2008). Evolving better satellite image compression and reconstruction transforms. *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, 1901–1906. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388997>
- [Bäck, 2008] Bäck, T. (2008). Evolution strategies: basic introduction. *GECCO-2008 tutorials*, 2259–2276. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389055>
- [Bartz-Beielstein & Preuss, 2008] Bartz-Beielstein, T. & Preuss, M. (2008). Experimental research in evolutionary computation. *GECCO-2008 tutorials*, 2517–2534. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389066>
- [Baughman, 2008] Baughman, A. K. (2008). Evolutionary facial feature selection. *GECCO-2008 Late-Breaking Papers*, 2099–2104. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389030>
- [Bhattacharya, 2008a] Bhattacharya, M. (2008a). Handling uncertainty with a real-coded ea. *GECCO-2008 Late-Breaking Papers*, 2111–2116. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389032>
- [Bhattacharya, 2008b] Bhattacharya, M. (2008b). Reduced computation for evolutionary optimization in noisy environment. *GECCO-2008 Late-Breaking Papers*, 2117–2122. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389033>
- [Bhattacharya, 2008c] Bhattacharya, M. (2008c). A synergistic approach for evolutionary optimization. *GECCO-2008 Late-Breaking Papers*, 2105–2110. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389031>
- [Blouza et al., 2008] Blouza, A., Dumas, L., & M'Baye, I. (2008). Multiobjective optimization of a stent in a fluid-structure context. *GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation*, 2055–2060. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389021>
- [Borenstein, 2008] Borenstein, Y. (2008). An information perspective on evolutionary computation. *GECCO-2008 tutorials*, 2689–2700. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389074>
- [Briza & Naval, Jr., 2008] Briza, A. C. & Naval, Jr., P. C. (2008). Design of stock trading system for historical market data using multiobjective particle swarm optimization of technical indicators. *GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC)*, 1871–1878. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388992>
- [Butz, 2008] Butz, M. V. (2008). Learning classifier systems. *GECCO-2008 tutorials*, 2367–2388. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389059>

- [Chen & Chen, 2008] Chen, J.-H. & Chen, J.-H. (2008). Multi-objective memetic approach for flexible process sequencing problems. *GECCO-2008 Late-Breaking Papers*, 2123–2128. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389034>
- [Chira et al., 2008] Chira, C., Gog, A., & Dumitrescu, D. (2008). Exploring population geometry and multi-agent systems: a new approach to developing evolutionary techniques. *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, 1953–1960. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389006>
- [Coello Coello, 2008] Coello Coello, C. A. (2008). Constraint-handling techniques used with evolutionary algorithms. *GECCO-2008 tutorials*, 2445–2466. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389063>
- [Dasgupta et al., 2008] Dasgupta, D., Hernandez, G., Garrett, D., Vejandla, P. K., Kaushal, A., Yerneni, R., & Simien, J. (2008). A comparison of multiobjective evolutionary algorithms with informed initialization and kuhn-munkres algorithm for the sailor assignment problem. *GECCO-2008 Late-Breaking Papers*, 2129–2134. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389035>
- [De Jong, 2008] De Jong, K. (2008). Evolutionary computation: a unified approach. *GECCO-2008 tutorials*, 2245–2258. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389054>
- [De Pauw & De Baets, 2008] De Pauw, D. J. W. & De Baets, B. (2008). Incorporating model identifiability into equation discovery of ode systems. *GECCO-2008 Late-Breaking Papers*, 2135–2140. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389036>
- [Deb, 2008] Deb, K. (2008). Evolutionary practical optimization. *GECCO-2008 tutorials*, 2487–2516. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389065>
- [Enée & Peroumalnaïk, 2008] Enée, G. & Peroumalnaïk, M. (2008). Adapted pittsburgh classifier system: building accurate strategies in non markovian environments. *GECCO-2008 Workshop: Learning Classifier Systems*, 2001–2008. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389013>
- [Fernández-Blanco et al., 2008] Fernández-Blanco, P., Bodas-Sagi, D. J., Soltero, F. J., & Hidalgo, J. I. (2008). Technical market indicators optimization using evolutionary algorithms. *GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC)*, 1851–1858. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388989>
- [Francisco & dos Reis, 2008a] Francisco, T. & dos Reis, G. M. J. (2008a). Evolving combat algorithms to control space ships in a 2d space simulation game with co-evolution using genetic programming and decision trees. *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, 1887–1892. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388995>
- [Francisco & dos Reis, 2008b] Francisco, T. & dos Reis, G. M. J. (2008b). Evolving predator and prey behaviours with co-evolution using genetic programming and decision trees. *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, 1893–1900. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388996>
- [Franco et al., 2008] Franco, M. A., Martinez, I. C., & Gorriin, C. (2008). Supply chain management sales using xcsr. *GECCO-2008 Workshop: Learning Classifier Systems*, 1993–2000. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389012>
- [Fries, 2008] Fries, T. P. (2008). A fuzzy-genetic approach to network intrusion detection. *GECCO-2008 Late-Breaking Papers*, 2141–2146. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389037>
- [Goodman, 2008] Goodman, E. D. (2008). Introduction to genetic algorithms. *GECCO-2008 tutorials*, 2277–2298. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389056>

- [Hassan, 2008] Hassan, G. (2008). Non-linear factor model for asset selection using multi objective genetic programming. *GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC)*, 1859–1862. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388990>
- [Hazell & Smith, 2008] Hazell, A. & Smith, S. L. (2008). Towards an objective assessment of alzheimer’s disease: the application of a novel evolutionary algorithm in the analysis of figure copying tasks. *GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation*, 2073–2080. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389024>
- [Howard & Bull, 2008] Howard, G. D. & Bull, L. (2008). On the effects of node duplication and connection-oriented constructivism in neural xcsf. *GECCO-2008 Workshop: Learning Classifier Systems*, 1977–1984. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389010>
- [Iclanzan & Dumitrescu, 2008] Iclanzan, D. & Dumitrescu, D. (2008). Towards memoryless model building. *GECCO-2008 Late-Breaking Papers*, 2147–2152. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389038>
- [Imada & Ross, 2008] Imada, J. H. & Ross, B. J. (2008). Using feature-based fitness evaluation in symbolic regression with added noise. *GECCO-2008 Late-Breaking Papers*, 2153–2158. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389039>
- [Jansen & Neumann, 2008] Jansen, T. & Neumann, F. (2008). Computational complexity and evolutionary computation. *GECCO-2008 tutorials*, 2417–2444. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389062>
- [Jaskowski et al., 2008] Jaskowski, W., Krawiec, K., & Wieloch, B. (2008). Multi-task code reuse in genetic programming. *GECCO-2008 Late-Breaking Papers*, 2159–2164. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389040>
- [Kayani, 2008] Kayani, S. A. (2008). Search for human competitive results in open ended automated synthesis of a primordial mechatronic system. *GECCO-2008 Graduate Student Workshops*, 1827–1830. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388981>
- [Kayani & Malik, 2008] Kayani, S. A. & Malik, M. A. (2008). Bond-graphs + genetic programming: analysis of an automatically synthesized rotary mechanical system. *GECCO-2008 Late-Breaking Papers*, 2165–2168. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389041>
- [Keijzer, 2008] Keijzer, M. (2008). Symbolic regression. *GECCO-2008 tutorials*, 2895–2906. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389083>
- [Khan et al., 2008] Khan, G. M., Miller, J. F., & Halliday, D. M. (2008). Developing neural structure of two agents that play checkers using cartesian genetic programming. *GECCO-2008 Late-Breaking Papers*, 2169–2174. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389042>
- [Kim, 2008] Kim, J.-W. (2008). How social structure and institutional order co-evolve beyond instrumental rationality. *GECCO-2008 Graduate Student Workshops*, 1803–1806. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388975>
- [Korani, 2008] Korani, W. M. (2008). Bacterial foraging oriented by particle swarm optimization strategy for pid tuning. *GECCO-2008 Graduate Student Workshops*, 1823–1826. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388980>
- [Koza, 2008] Koza, J. R. (2008). Introduction to genetic programming: tutorial. *GECCO-2008 tutorials*, 2299–2338. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389057>
- [Krawiec & Polewski, 2008] Krawiec, K. & Polewski, P. (2008). Potential fitness for genetic programming. *GECCO-2008 Late-Breaking Papers*, 2175–2180. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389043>
- [Kumar, 2008] Kumar, R. (2008). Evolutionary multiobjective combinatorial optimization (emco). *GECCO-2008 tutorials*, 2805–2828. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389079>

- [Lässig et al., 2008] Lässig, J., Hoffmann, K. H., & Enachescu, M. (2008). Threshold selecting: best possible probability distribution for crossover selection in genetic algorithms. *GECCO-2008 Late-Breaking Papers*, 2181–2186. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389044>
- [Loiacono & Lanzi, 2008] Loiacono, D. & Lanzi, P. L. (2008). Recursive least squares and quadratic prediction in continuous multistep problems. *GECCO-2008 Workshop: Learning Classifier Systems*, 1985–1992. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389011>
- [Lu et al., 2008] Lu, Z., Rughani, A. I., Tranmer, B. I., & Bongard, J. (2008). Informative sampling for large unbalanced data sets. *GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation*, 2047–2054. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389020>
- [Lung et al., 2008] Lung, R. I., Chira, C., & Dumitrescu, D. (2008). An agent-based collaborative evolutionary model for multimodal optimization. *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, 1969–1976. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389008>
- [Madureira et al., 2008] Madureira, A., Santos, F., & Pereira, I. (2008). Self-managing agents for dynamic scheduling in manufacturing. *GECCO-2008 Late-Breaking Papers*, 2187–2192. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389045>
- [Malagò et al., 2008] Malagò, L., Matteucci, M., & Dal Seno, B. (2008). An information geometry perspective on estimation of distribution algorithms: boundary analysis. *GECCO-2008 Workshop: Optimization by Building and Using Probabilistic Models (OBUPM)*, 2081–2088. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389026>
- [Martínez & Jaffe, 2008] Martínez, I. C. & Jaffe, K. (2008). Comparing different modes of horizontal information transmission in stabilizing cooperation in different complex networks. *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, 1933–1938. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389003>
- [Merkle, 2008a] Merkle, L. D. (2008a). Automated network forensics. *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, 1929–1932. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389001>
- [Merkle, 2008b] Merkle, L. D. (2008b). Metaoptimization of the in-lining priority function for a compiler targeting a polymorphous computing architecture. *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, 1921–1928. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389000>
- [Miikkulainen & Stanley, 2008] Miikkulainen, R. & Stanley, K. O. (2008). Evolving neural networks. *GECCO-2008 tutorials*, 2829–2848. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389080>
- [Miller & Harding, 2008] Miller, J. F. & Harding, S. L. (2008). Cartesian genetic programming. *GECCO-2008 tutorials*, 2701–2726. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389075>
- [Montes de Oca & Stützle, 2008] Montes de Oca, M. A. & Stützle, T. (2008). Towards incremental social learning in optimization and multiagent systems. *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, 1939–1944. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389004>
- [Moore & Babb, 2008] Moore, F. W. & Babb, B. (2008). A differential evolution algorithm for optimizing signal compression and reconstruction transforms. *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, 1907–1912. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388998>

- [Nowak & Lamont, 2008] Nowak, D. J. & Lamont, G. B. (2008). Autonomous agent behavior generation using multiobjective evolutionary optimization. *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, 1961–1968. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389007>
- [Nowak et al., 2008] Nowak, D. J., Lamont, G. B., & Peterson, G. L. (2008). Emergent architecture in self organized swarm systems for military applications. *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, 1913–1920. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388999>
- [Orriols-Puig et al., 2008] Orriols-Puig, A., Casillas, J., & Bernadó-Mansilla, E. (2008). First approach toward on-line evolution of association rules with learning classifier systems. *GECCO-2008 Workshop: Learning Classifier Systems*, 2031–2038. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389017>
- [Padhye, 2008a] Padhye, N. (2008a). Interplanetary trajectory optimization with swing-bys using evolutionary multi-objective optimization. *GECCO-2008 Undergraduate Student Workshops*, 1835–1838. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388984>
- [Padhye, 2008b] Padhye, N. (2008b). Topology optimization of compliant mechanism using multi-objective particle swarm optimization. *GECCO-2008 Undergraduate Student Workshops*, 1831–1834. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388983>
- [Paperin, 2008] Paperin, G. (2008). Using holey fitness landscapes to counteract premature convergence in evolutionary algorithms. *GECCO-2008 Graduate Student Workshops*, 1815–1818. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388978>
- [Parmee, 2008] Parmee, I. C. (2008). Evolutionary design search, exploration and optimisation. *GECCO-2008 tutorials*, 2777–2804. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389078>
- [Patton et al., 2008] Patton, R. M., Beckerman, B., & Potok, T. E. (2008). Analysis of mammography reports using maximum variation sampling. *GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation*, 2061–2064. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389022>
- [Paul et al., 2008] Paul, T. K., Ueno, K., Iwata, K., Hayashi, T., & Honda, N. (2008). Risk prediction and risk factors identification from imbalanced data with rpbmga+. *GECCO-2008 Late-Breaking Papers*, 2193–2198. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389046>
- [Payne & Eppstein, 2008] Payne, J. L. & Eppstein, M. J. (2008). Parameterizing pair approximations for takeover dynamics. *GECCO-2008 Late-Breaking Papers*, 2199–2204. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389047>
- [Pelikan, 2008] Pelikan, M. (2008). Probabilistic model-building genetic algorithms. *GECCO-2008 tutorials*, 2389–2416. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389060>
- [Peralta et al., 2008] Peralta, J., Gutierrez, G., & Sanchis, A. (2008). Adann: automatic design of artificial neural networks. *GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC)*, 1863–1870. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388991>
- [Poli, 2008] Poli, R. (2008). Genetic programming theory. *GECCO-2008 tutorials*, 2559–2588. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389068>
- [Ribeiro, 2008] Ribeiro, J. C. B. (2008). Search-based test case generation for object-oriented java software using strongly-typed genetic programming. *GECCO-2008 Graduate Student Workshops*, 1819–1822. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388979>
- [Rodrigues Lima, Junior, 2008] Rodrigues Lima, Junior, A. (2008). A study for multi-objective fitness function for time series forecasting with intelligent techniques. *GECCO-2008 Undergraduate Student Workshops*, 1843–1846. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388986>

- [Rosenberg et al., 2008] Rosenberg, B., Richards, M., Langton, J. T., Tenenbaum, S., & Stouch, D. W. (2008). Applications of multi-objective evolutionary algorithms to air operations mission planning. *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, 1879–1886. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388994>
- [Rothlauf, 2008] Rothlauf, F. (2008). Representations for evolutionary algorithms. *GECCO-2008 tutorials*, 2613–2638. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389070>
- [Rowe, 2008] Rowe, J. E. (2008). Genetic algorithm theory. *GECCO-2008 tutorials*, 2535–2558. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389067>
- [Salazar et al., 2008] Salazar, N., Rodriguez-Aguilar, J. A., & Arcos, J. L. (2008). Infection-based self-configuration in agent societies. *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, 1945–1952. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389005>
- [Santana-Quintero & Coello Coello, 2008] Santana-Quintero, L. V. & Coello Coello, C. A. (2008). Accelerating convergence using rough sets theory for multi-objective optimization problems. *GECCO-2008 Graduate Student Workshops*, 1799–1802. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388974>
- [Sato et al., 2008] Sato, H., Aguirre, H. E., & Tanaka, K. (2008). Local dominance and controlling dominance area of solutions in multi and many objectives eas. *GECCO-2008 Graduate Student Workshops*, 1811–1814. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388977>
- [Sewell & Yan, 2008] Sewell, M. V. & Yan, W. (2008). Ultra high frequency financial data. *GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC)*, 1847–1850. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388988>
- [Shirakawa & Nagao, 2008] Shirakawa, S. & Nagao, T. (2008). Evolutionary algorithm considering program size: efficient program evolution using grape. *GECCO-2008 Late-Breaking Papers*, 2217–2222. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389048>
- [Sichtig et al., 2008] Sichtig, H., Schaffer, J. D., & Laramee, C. B. (2008). Ssnns -: a suite of tools to explore spiking neural networks. *GECCO-2008 Graduate Student Workshops*, 1787–1790. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388971>
- [Sipper, 2008] Sipper, M. (2008). Evolutionary computation & games. *GECCO-2008 tutorials*, 2741–2776. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389077>
- [Small, 2008] Small, R. K. (2008). Agent smith: a real-time game-playing agent for interactive dynamic games. *GECCO-2008 Undergraduate Student Workshops*, 1839–1842. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388985>
- [Spector, 2008] Spector, L. (2008). Quantum computing. *GECCO-2008 tutorials*, 2865–2894. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389082>
- [Squillero, 2008] Squillero, G. (2008). Ea-based test and verification of microprocessors. *GECCO-2008 tutorials*, 2665–2688. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389073>
- [Squillero & Tonda, 2008] Squillero, G. & Tonda, A. P. (2008). A novel methodology for diversity preservation in evolutionary algorithms. *GECCO-2008 Late-Breaking Papers*, 2223–2226. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389049>
- [Stalph & Butz, 2008] Stalph, P. & Butz, M. V. (2008). Towards increasing learning speed and robustness of xcsf: experimenting with larger offspring set sizes. *GECCO-2008 Workshop: Learning Classifier Systems*, 2023–2030. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389016>
- [Stanley, 2008] Stanley, K. O. (2008). Generative and developmental systems. *GECCO-2008 tutorials*, 2849–2864. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389081>

- [Sullivan et al., 2008] Sullivan, K., Luke, S., Larock, C., Cier, S., & Armentrout, S. (2008). Opportunistic evolution: efficient evolutionary computation on large-scale computational grids. *GECCO-2008 Late-Breaking Papers*, 2227–2232. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389050>
- [Tabacman et al., 2008] Tabacman, M., Krasnogor, N., Bacardit, J., & Loiseau, I. (2008). Learning classifier systems for optimisation problems: a case study on fractal travelling salesman problem. *GECCO-2008 Workshop: Learning Classifier Systems*, 2039–2046. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389018>
- [Talukder, 2008] Talukder, A. K. A. (2008). Towards high speed multiobjective evolutionary optimizers. *GECCO-2008 Graduate Student Workshops*, 1791–1794. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388972>
- [Thierens, 2008] Thierens, D. (2008). A bivariate probabilistic model-building genetic algorithm for graph bipartitioning. *GECCO-2008 Workshop: Optimization by Building and Using Probabilistic Models (OBUPM)*, 2089–2092. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389027>
- [Tran et al., 2008] Tran, T. H., Sanza, C., & Duthen, Y. (2008). Evolving prediction weights using evolution strategy. *GECCO-2008 Workshop: Learning Classifier Systems*, 2009–2016. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389014>
- [Vallim et al., 2008] Vallim, R. M., Goldberg, D. E., Llorà, X., Duque, T. S., & Carvalho, A. C. (2008). A new approach for multi-label classification based on default hierarchies and organizational learning. *GECCO-2008 Workshop: Learning Classifier Systems*, 2017–2022. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389015>
- [van Krevelen, 2008] van Krevelen, D. W. F. (2008). Specialization with neuroevolution in a collective behaviour task. *GECCO-2008 Graduate Student Workshops*, 1807–1810. <https://doi.org/http://dx.doi.org/10.1145/1388969.1388976>
- [Whitley, 2008] Whitley, D. (2008). No free lunch. *GECCO-2008 tutorials*, 2589–2612. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389069>
- [Wilson & Kaur, 2008] Wilson, D. & Kaur, D. (2008). Using quotient graphs to model neutrality in evolutionary search. *GECCO-2008 Late-Breaking Papers*, 2233–2238. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389051>
- [Wineberg & Christensen, 2008] Wineberg, M. & Christensen, S. (2008). An introduction to statistical analysis for evolutionary computation. *GECCO-2008 tutorials*, 2639–2664. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389071>
- [Witt, 2008] Witt, C. (2008). Theory of randomised search heuristics in combinatorial optimisation: an algorithmic point of view. *GECCO-2008 tutorials*, 2907–2946. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389084>
- [Yu et al., 2008] Yu, L., Zhou, J., Ye, F., Mabu, S., Shimada, K., Hirasawa, K., & Markon, S. (2008). Double-deck elevator system using genetic network programming with genetic operators based on pheromone information. *GECCO-2008 Late-Breaking Papers*, 2239–2244. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389052>
- [Zaharie et al., 2008] Zaharie, D., Lungeanu, D., & Zamfirache, F. (2008). Interactive search of rules in medical data using multiobjective evolutionary algorithms. *GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation*, 2065–2072. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389023>
- [Zitzler & Deb, 2008] Zitzler, E. & Deb, K. (2008). Evolutionary multiobjective optimization. *GECCO-2008 tutorials*, 2467–2486. <https://doi.org/http://dx.doi.org/10.1145/1388969.1389064>