Список литературы

[Aggarwal(2003)] Aggarwal, V. (2003) Evolving sinusoidal oscillators using genetic algorithms. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 67–76, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Aguirre & Coello(2003)] Aguirre, A. & Coello, C. (2003) Fitness landscape and evolutionary boolean synthesis using information theory concepts. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 13–20, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Amaral *et al.*(2003)Amaral, Santini, Tanscheit, Vellasco, Pacheco & Mesquita] Amaral, J.F., Santini, C., Tanscheit, R., Vellasco, M., Pacheco, M. & Mesquita, A. (2003) Evolvable building blocks for analog fuzzy logic controllers. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 101–110, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[A.Stoica *et al.*(2003)A.Stoica, R.Zebulum, X.Guo, D.Keymeulen, Duong & M.I.Ferguson] A.Stoica, R.Zebulum, X.Guo, D.Keymeulen, Duong, V. & M.I.Ferguson (2003) Silicon validation of evolution-designed circuits. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 21–25, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Botelho *et al.*(2003)Botelho, Leonardo, Vieira & Mesquita] Botelho, J., Leonardo, B., Vieira, P. & Mesquita, A. (2003) An experiment on nonlinear synthesis using evolutionary techniques based only on cmos transistors. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 50–58, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Coello *et al.*(2003)Coello, Alba, Luque & Aguirre] Coello, C., Alba, E., Luque, G. & Aguirre, A. (2003) Comparing different serial and parallel heuristics to design combinatorial logic circuits. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 3–12, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Dinerstein *et al.*(2003)Dinerstein, Dinerstein & de Garis] Dinerstein, J., Dinerstein, N. & de Garis, H. (2003) Automatic multi-module neural network evolution in an artificial brain. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 273–276, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Gallagher(2003)] Gallagher, J. (2003) The once and future anaolg alternative: Evolvable hardware and analog computation. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 43–49, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Garvie & Thompson(2003)] Garvie, M. & Thompson, A. (2003) Evolution of combinationial and sequential on-line self-diagnosing hardware. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 167–173, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Greenwood *et al.*(2003)Greenwood, Ramsden & Ahmed] Greenwood, G., Ramsden, E. & Ahmed, S. (2003) An empirical comparison of evolutionary algorithms for evolvable hardware with minimum time-to-reconfigure requirements. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 59–66, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Gwaltney & Ferguson(2003)] Gwaltney, D. & Ferguson, M.I. (2003) Intrinsic hardware evolution for the design and reconfiguration of analog speed controllers for a dc motor. *2003 NASA/DoD*

Conference on Evolvable Hardware (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 81–90, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Harding & Miller(2003)] Harding, S. & Miller, J.F. (2003) A scalable platform for intrinsic hardware and in materio evolution. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 221–224, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Jackson *et al.*(2003)Jackson, Canham & Tyrrell] Jackson, A.H., Canham, R. & Tyrrell, A.M. (2003) Robot fault-tolerance using and embryonic array. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 91–100, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Kamio *et al.*(2003)Kamio, Liu, Mitsuhasi & Iba] Kamio, S., Liu, H., Mitsuhasi, H. & Iba, H. (2003) Researches on ingeniously behaving agents. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 208–220, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Koza *et al.*(2003)Koza, Keane & Streeter] Koza, J., Keane, M. & Streeter, M. (2003) the importance of reuse and development in evolvable hardware. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 33–42, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Kramer & Gallagher(2003)] Kramer, G.R. & Gallagher, J. (2003) Improvements to the *cga enabling online intrinsic evolution in compact eh devices. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 225–234, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Louis(2003)] Louis, S.J. (2003) Learning for evolutionary design. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 17–21, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Plante *et al.*(2003)Plante, Shaw, Mickens & Johnson-Be] Plante, J., Shaw, H., Mickens, L. & Johnson-Be, C. (2003) Overview of field programmable analog arrays as enabling technology for evolvable hardware for high reliability systems. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 77–78, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[R. Canham & Tyrrell(2003)] R. Canham, A.H.J. & Tyrrell, A. (2003) Robot error detection using an artificial immune system. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 199–207, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Roggen *et al.*(2003)Roggen, Hofmann, Thoma & Floreano] Roggen, D., Hofmann, S., Thoma, Y. & Floreano, D. (2003) Hardware spiking neural network with run-time reconfigurable connectivity in and autonomous robot. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 189–198, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[R.Zebulum *et al.*(2003)R.Zebulum, A.Stoica, X.Guo, D.Keymeulen, Duong & M.I.Ferguson] R.Zebulum, A.Stoica, X.Guo, D.Keymeulen, Duong, V. & M.I.Ferguson (2003) Experimental results in evolutionary fault-recovery for field programmble. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 182–188, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Sayama(2003)] Sayama, H. (2003) Self-protection maintains diversity of artificial self-replicators evolving in cellular automata. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 242–254, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Sekanina & Ruzicka(2003)] Sekanina, L. & Ruzicka, R. (2003) Easily testable image operators: The class of circuits where evolution beats engineers. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 135–144, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Shanthi & R.Parthasarathi(2003)] Shanthi, A.P. & R.Parthasarathi (2003) Exploring fpga structures for evolving fault tolerant hardware. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 174–181, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Stauffer & Sipper(2003)] Stauffer, A. & Sipper, M. (2003) Data and signals: A new kind of cellular automation for growing systems. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 235–241, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Takahashi *et al.*(2003)Takahashi, Murakawa, Kasai & Higuchi] Takahashi, E., Murakawa, M., Kasai, Y. & Higuchi, T. (2003) Power dissipation reductions with genetic algorithms. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 111–116, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Tempesti *et al.*(2003)Tempesti, Mange, Petraglio, Stauffer & Thoma] Tempesti, G., Mange, D., Petraglio, E., Stauffer, A. & Thoma, Y. (2003) Developmental processes in silicon: An engineering perspective. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 255–264, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Thomson & Arslan(2003)] Thomson, R. & Arslan, T. (2003) The evolutionary design and synthesis of non-linear digital vlsi systems. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 125–134, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Tian & Arslan(2003)] Tian, L. & Arslan, T. (2003) An evolutionary power management algorithm for soc based ehw ststems. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 117–124, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Vinger & Torresen(2003)] Vinger, K. & Torresen, J. (2003) Implementing evolution of fir-filters efficiently in an fpga. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 26–29, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.

[Zinchenko & Sorokin(2003)] Zinchenko, L. & Sorokin, S. (2003) Fitness estimations for evolutionary antenna design. *2003 NASA/DoD Conference on Evolvable Hardware* (eds. J. Lohn, R. Zebulum, J. Steincamp, D. Keymeulen, A. Stoica & M.I. Ferguson), pp. 155–166, NASA Ames Research Center, IEEE Computer Society, Chicago, Illinois.