

Список литературы

- [1] Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.) (2000) *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Morgan Kaufmann.
- [2] Wineberg, M. and Oppacher, F. (2000) Enhancing the ga's ability to cope with dynamic environments. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 3–10, Morgan Kaufmann.
- [3] Chiu, P., Girgensohn, A., Polak, W., Rieffel, E., Wilcox, L., and Bennett III, F. H. (2000) A genetic segmentation algorithm for image data streams and video. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 666–673, Morgan Kaufmann.
- [4] Kirley, M. and Green, D. G. (2000) An empirical investigation of optimisation in dynamic environments using the cellular genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 11–18, Morgan Kaufmann.
- [5] Ursem, R. K. (2000) Multinational gas: Multimodal optimization techniques in dynamic environments. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 19–26, Morgan Kaufmann.
- [6] Goh, G. K.-M. and Foster, J. A. (2000) Evolving molecules for drug design using genetic algorithms via molecular trees. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 27–33, Morgan Kaufmann.
- [7] Ray, T., Kang, T., and Chye, S. K. (2000) An evolutionary algorithm for constrained optimization. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 771–777, Morgan Kaufmann.
- [8] Soule, T. (2000) Heterogeneity and specialization in evolving teams. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 778–785, Morgan Kaufmann.
- [9] Jin, Y., Olhofer, M., and Sendhoff, B. (2000) On evolutionary optimization with approximate fitness functions. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 786–793, Morgan Kaufmann.
- [10] Chaudhri, O. A., Daida, J. M., Khoo, J. C., Richardson, W. S., Harrison, R. B., and Sloat, W. J. (2000) Characterizing a tunably difficult problem in genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 395–402, Morgan Kaufmann.
- [11] Bot, M. C. (2000) Improving induction of linear classification trees with genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 403–410, Morgan Kaufmann.

- [12] Keijzer, M. and Babovic, V. (2000) Genetic programming within a framework of computer-aided discovery of scientific knowledge. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 543–550, Morgan Kaufmann.
- [13] Gilbert, R. J., Rowland, J. J., and Kell, D. B. (2000) Genomic computing: explanatory modelling for functional genomics. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 551–557, Morgan Kaufmann.
- [14] Wang, F.-S. (2000) Hybrid differential evolution for dynamic optimization of a fedbatch bioreactor process. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 558–565, Morgan Kaufmann.
- [15] Mundhe, M. and Sen, S. (2000) Evolving agent societies that avoid social dilemmas. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 809–816, Morgan Kaufmann.
- [16] Ishibuchi, H., Nakari, T., and Nakashima, T. (2000) Evolution of strategies in spatial ipd games with structure demes. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 817–824, Morgan Kaufmann.
- [17] Barone, L. and While, L. (2000) Adaptive learning for poker. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 566–573, Morgan Kaufmann.
- [18] Punch, W. F. and Rand, W. M. (2000) Gp+echo+subsumption = improved problem solving. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 411–418, Morgan Kaufmann.
- [19] Iba, H. and Terao, M. (2000) Controlling effective introns for multi-agent learning by genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 419–426, Morgan Kaufmann.
- [20] De Falco, I., Iazzetta, A., Tarantino, E., Cioppa, A. D., and Trautteur, G. (2000) A kolmogorov complexity-based genetic programming tool for string compression. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 427–434, Morgan Kaufmann.
- [21] Butz, M. V., Goldberg, D. E., and Stolzmann, W. (2000) Introducing a genetic generalization pressure to the anticipatory classifier system - part 1: Theoretical approach. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 34–41, Morgan Kaufmann.
- [22] Butz, M. V., Goldberg, D. E., and Stolzmann, W. (2000) Introducing a genetic generalization pressure to the anticipatory classifier system - part 2: Performance analysis. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 42–49, Morgan Kaufmann.
- [23] Barry, A. (2000) Specifying action persistence within xcs. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 50–57, Morgan Kaufmann.

- [24] Knowles, J. and Corne, D. (2000) Heuristics for evolutionary off-line routing in telecommunications networks. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 574–581, Morgan Kaufmann.
- [25] Kwong, S. and Chan, S. S. (2000) A fault-tolerant multicast routing algorithm in atm networks. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 582–589, Morgan Kaufmann.
- [26] Dozier, G. (2000) Distributed steady-state neuro-evolutionary path planning in non-stationary environments. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 58–65, Morgan Kaufmann.
- [27] Carse, B. and Orelan, J. (2000) A note on learning and evolution in neural networks. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 66–73, Morgan Kaufmann.
- [28] Yang, J.-M. and Kao, C.-Y. (2000) An evolutionary algorithm to training neural networks for a two-spiral problem. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 1025–1032, Morgan Kaufmann.
- [29] Pozzi, S. and Segovia, J. (2000) Evaluations of genetic programming and neural networks techniques for nuclear material identification. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 590–596, Morgan Kaufmann.
- [30] Vazquez, M. and Whitley, L. D. (2000) A comparison of genetic algorithms for the dynamic job shop scheduling problem. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 1011–1018, Morgan Kaufmann.
- [31] Ochoa, G., Harey, I., and Buxton, H. (2000) Optimal mutation rates and selection pressure in genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 315–322, Morgan Kaufmann.
- [32] Hart, E. and Ross, P. (2000) Enhancing the performance of a ga through visualisation. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 347–354, Morgan Kaufmann.
- [33] McKay, R. I. B. (2000) Fitness sharing in genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 435–442, Morgan Kaufmann.
- [34] Gan, J. and Warwick, K. (2000) A variable radius niching technique for speciation in genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 96–103, Morgan Kaufmann.
- [35] Riopka, T. P. and Bock, P. (2000) Intelligent recombination using individual learning in a collective learning genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 104–111, Morgan Kaufmann.

- [36] Sawai, H. and Adachi, S. (2000) A comparative study of gene-duplicated gas based on pfga and ssga. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 74–81, Morgan Kaufmann.
- [37] Margetts, S. and Jones, A. J. (2000) Phlegmatic mappings for function optimisation with genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 82–89, Morgan Kaufmann.
- [38] Seront, G. and Bersini, H. (2000) A new ga-local search hybrid for optimization based on multi level single linkage clustering. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 90–95, Morgan Kaufmann.
- [39] Baglioni, S., Sorbello, D., da Costa Pereira, C., and Tettamanzi, A. G. B. (2000) Evolutionary multiperiod asset allocation. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 597–604, Morgan Kaufmann.
- [40] Bagnall, A. J. (2000) A multi-adaptive agent model of generator bidding in the uk market in electricity. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 605–612, Morgan Kaufmann.
- [41] Matthews, K. B., Craw, S., Elder, S., Sibbald, A. R., and MacKenzie, I. (2000) Applying genetic algorithms to multi-objective land use planning. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 613–620, Morgan Kaufmann.
- [42] Sakuma, J. and Kobayashi, S. (2000) Extrapolation-directed crossover for job-shop scheduling problems: Complementary combination with jox. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 973–980, Morgan Kaufmann.
- [43] Van Bael, P., Devogelaere, D., and Rijckaert, M. (2000) A steady-state evolutionary algorithm for the job shop problem. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 981–986, Morgan Kaufmann.
- [44] Krasnogor, N. and Smith, J. (2000) A memetic algorithm with self-adaptive local search: Tsp as a case study. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 987–994, Morgan Kaufmann.
- [45] Rudolph, G. (2000) Takeover times and probabilities of non-generational selection rules. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 903–910, Morgan Kaufmann.
- [46] Wakunda, J. and Zell, A. (2000) A new selection scheme for steady-state evolution strategies. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 794–801, Morgan Kaufmann.
- [47] Cantu-Paz, E. (2000) Selection intensity in genetic algorithms with generation gaps. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 911–918, Morgan Kaufmann.

- [48] Costa, L. A., Oliveira, P., Figueiredo, I. N., Roseiro, L. F., and Leal, R. P. (2000) Structural optimization of laminated plates with genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 621–627, Morgan Kaufmann.
- [49] Rasheed, K. and Hirsh, H. (2000) Informed operators: Speeding up genetic-algorithm-based design optimization using reduced models. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 628–635, Morgan Kaufmann.
- [50] Murakawa, M., Itatani, T., Kasai, Y., Kikkawa, H., and Higuchi, T. (2000) An evolvable laser system for femtosecond pulse generation. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 636–642, Morgan Kaufmann.
- [51] Ross, B. J. (2000) The effects of randomly sampled training data on program evolution. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 443–450, Morgan Kaufmann.
- [52] Langdon, W. B. (2000) Quadratic bloat in genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 451–458, Morgan Kaufmann.
- [53] Kirshenbaum, E. (2000) Genetic programming with statically scoped local variables. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 459–468, Morgan Kaufmann.
- [54] Testa, L. J., Esterline, A. C., Dozier, G. V., and Homaifar, A. (2000) A comparison of operators for solving time dependent traveling salesman problems using gas. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 995–1002, Morgan Kaufmann.
- [55] Jung, S. and Moon, B.-R. (2000) The natural crossover for the 2d euclidean tsp. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 1003–1010, Morgan Kaufmann.
- [56] Bonachea, D., Ingerman, E., Levy, J., and McPeak, S. (2000) An improved adaptive multi-start approach to finding near-optimal solutions to the euclidean tsp. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 143–150, Morgan Kaufmann.
- [57] Watson, R. A. and Pollack, J. B. (2000) Recombination without respect: Schema combination and disruption in genetic algorithm crossover. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 112–119, Morgan Kaufmann.
- [58] Bhattacharyya, S. and Troutt, M. D. (2000) Crossover in probability spaces. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 120–127, Morgan Kaufmann.

- [59] Bersini, H. (2000) Chemical crossover. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 825–832, Morgan Kaufmann.
- [60] Eiben, A. E., Jansen, B., Michalewicz, Z., and Paechter, B. (2000) Solving csps with using self-adaptive constraint weights: how to prevent eas from cheating. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 128–134, Morgan Kaufmann.
- [61] Katayama, K., Tani, M., and Narihisa, H. (2000) Solving large binary quadratic programming problems by effective genetic local search algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 643–650, Morgan Kaufmann.
- [62] Liese, A., Polani, D., and Uthmann, T. (2000) On the development of spectral properties of visual agent receptors through evolution. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 857–864, Morgan Kaufmann.
- [63] Heckendorn, R. B. (2000) Polynomial time summary statistics for two general classes of functions. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 919–926, Morgan Kaufmann.
- [64] Ficici, S. G. and Pollack, J. B. (2000) Effects of finite populations on evolutionary stable strategies. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 927–934, Morgan Kaufmann.
- [65] Lobo, F. G., Goldberg, D. E., and Pelikan, M. (2000) Time complexity of genetic algorithms on exponentially scaled problems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 151–158, Morgan Kaufmann.
- [66] Roberts, S. C. and Howard, D. (2000) Genetic programming for image analysis: Orientation detection. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 651–657, Morgan Kaufmann.
- [67] Ross, B. J., Fueten, F., and Yashkir, D. Y. (2000) Edge detection of petrographic images using genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 658–665, Morgan Kaufmann.
- [68] Kang, S.-J. and Moon, B.-R. (2000) A hybrid genetic algorithm for multiway graph partitioning. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 159–166, Morgan Kaufmann.
- [69] Kim, Y.-H. and Moon, B.-R. (2000) A hybrid genetic search for graph partitioning based on lock gain. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 167–174, Morgan Kaufmann.
- [70] Soper, A. J., Walshaw, C., and Cross, M. (2000) A combined evolutionary search and multilevel approach to graph partitioning. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 674–681, Morgan Kaufmann.

- [71] Arita, M., and Masami Hagiya, A. N., Komiya, K., Gouzu, H., and Sakamoto, K. (2000) Improving sequence design for dna computing. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 875–882, Morgan Kaufmann.
- [72] Horng, J.-T., Lin, C.-M., Liu, B.-J., and Kao, C.-Y. (2000) Using genetic algorithms to solve multiple sequence alignments. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 883–890, Morgan Kaufmann.
- [73] Suzuki, Y. and Tanaka, H. (2000) A new molecular computing model, artificial cell systems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 833–840, Morgan Kaufmann.
- [74] Gunther, W. and Drechsler, R. (2000) Improving eas for sequencing problems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 175–180, Morgan Kaufmann.
- [75] Knjazew, D. and Golberg, D. E. (2000) Omega - ordering messy ga: Solving permutation problems with the fast messy genetic algorithm and random keys. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 181–188, Morgan Kaufmann.
- [76] Matsui, S. and ichi Tokoro, K. (2000) A new genetic algorithm for minimum span frequency assignment using permutation and clique. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 682–689, Morgan Kaufmann.
- [77] Poli, R. (2000) Exact schema theorem and effective fitness for gp with one-point crossover. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 469–476, Morgan Kaufmann.
- [78] Koza, J. R., Keane, M. A., Yu, J., and Mydlowec, W. (2000) Automatic synthesis of electrical circuits containing a free variable using genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 477–484, Morgan Kaufmann.
- [79] Greene, W. A. (2000) A non-linear schema theorem for genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 189–194, Morgan Kaufmann.
- [80] Christou, I. T. and Zakarian, A. (2000) Domain knowledge and representation in genetic algorithms for real world scheduling problems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 690–696, Morgan Kaufmann.
- [81] Kaeschel, J., Meier, B., Fischer, M., and Teich, T. (2000) Evolutionary real-world shop floor scheduling using parallelization and parameter coevolution. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 697–701, Morgan Kaufmann.

- [82] Szmit, R. and Barak, A. (2000) Evolution strategies for a parallel multi-objective genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 227–234, Morgan Kaufmann.
- [83] Boden, M., Jacobsson, H., and Ziemke, T. (2000) Evolving context-free language predictors. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 1033–1040, Morgan Kaufmann.
- [84] Ishibuchi, H. and Nakashima, T. (2000) Linguistic rule extraction by genetics-based machine learning. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 195–202, Morgan Kaufmann.
- [85] O'Neill, M. and Ryan, C. (2000) Grammar based function definition in grammatical evolution. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 485–490, Morgan Kaufmann.
- [86] Polani, D. and Miikkulainen, R. (2000) Eugenic neuro-evolution for reinforcement learning. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 1041–1046, Morgan Kaufmann.
- [87] Ono, I., Nijo, T., and Ono, N. (2000) A genetic algorithm for automatically designing modular reinforcement learning agents. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 203–210, Morgan Kaufmann.
- [88] Bentley, P. J. (2000) "evolutionary, my dear watson"investigating committee-based evolution of fuzzy rules for the detection of suspicious insurance claims. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 702–709, Morgan Kaufmann.
- [89] Tsutsui, S. (2000) Sampling bias and search space boundary extension in real coded genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 211–218, Morgan Kaufmann.
- [90] Takahashi, O., Kita, H., and Kobayashi, S. (2000) A real-coded genetic algorithm using distance dependent alternation model for complex function optimization. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 219–226, Morgan Kaufmann.
- [91] Oates, M. J., Corne, D., and Loader, R. (2000) A tri-phase multimodal evolutionary search performance profile on the 'hierarchical if and only if' problem. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 339–346, Morgan Kaufmann.
- [92] Shimooka, H. and Fujimoto, Y. (2000) Generating robust control equations with genetic programming for control of a rolling inverted pendulum. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 491–495, Morgan Kaufmann.

- [93] Keane, M. A., Yu, J., and Koza, J. R. (2000) Automatic synthesis of both topology and tuning of a common parameterized controller for two families of plants using genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 496–504, Morgan Kaufmann.
- [94] Cicirello, V. A. and Smith, S. F. (2000) Modeling ga performance for control parameter optimization. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 235–242, Morgan Kaufmann.
- [95] Mathias, K. E., Eshelman, L. J., Schaffer, J. D., Augusteijn, L., Hoogendijk, P., and van de Wiel, R. (2000) Code compaction using genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 710–717, Morgan Kaufmann.
- [96] da Silva, A. R. F. (2000) Genetic algorithms for component analysis. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 243–250, Morgan Kaufmann.
- [97] Tominaga, D., Koga, N., and Okamoto, M. (2000) Efficient numerical optimization algorithm based on genetic algorithm for inverse problem. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 251–258, Morgan Kaufmann.
- [98] Ho, S.-Y. and Lee, K.-Z. (2000) A simple and fast ga-sa hybrid image segmentation algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 718–725, Morgan Kaufmann.
- [99] Rauss, P. J., Daida, J. M., and Chaudhary, S. (2000) Classification of spectral imagery using genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 726–733, Morgan Kaufmann.
- [100] Takehisa, Y., Sakanashi, H., and Higuchi, T. (2000) Adaptive wavelet transform for lossless image compression using genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 259–266, Morgan Kaufmann.
- [101] Pelikan, M. and Goldberg, D. E. (2000) Hierarchical problem solving by the bayesian optimization algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 267–274, Morgan Kaufmann.
- [102] Pelikan, M., Goldberg, D. E., and Cantu-Paz, E. (2000) Bayesian optimization algorithm, population sizing, and time to convergence. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 275–282, Morgan Kaufmann.
- [103] Gottlieb, J. and Raidl, G. R. (2000) The effects of locality on the dynamics of decoder-based evolutionary search. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 283–290, Morgan Kaufmann.

- [104] Kurahashi, S. and Terano, T. (2000) A genetic algorithm with tabu search for multimodal and multiobjective function optimization. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 291–298, Morgan Kaufmann.
- [105] Cheng, R., Gen, M., and Oren, S. S. (2000) An adaptive hyperplane approach for multiple objective optimization problems with complex constraints. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 299–306, Morgan Kaufmann.
- [106] Murata, T., Ishibuchi, H., and Gen, M. (2000) Cellular genetic local search for multi-objective optimization. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 307–314, Morgan Kaufmann.
- [107] Drechsler, R. and Gunther, W. (2000) Evolutionary synthesis of multiplexor circuits under hardware constraints. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 513–518, Morgan Kaufmann.
- [108] Nicholson, A. (2000) Evolution and learning for digital circuit design. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 519–524, Morgan Kaufmann.
- [109] Hounsell, B. and Arslan, T. (2000) A novel evolvable hardware framework for the evolution of high performance digital circuits. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 525–532, Morgan Kaufmann.
- [110] Tanigawa, T. and Zhao, Q. (2000) A study on efficient generation of decision trees using genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 1047–1052, Morgan Kaufmann.
- [111] Cantu-Paz, E. and Kamath, C. (2000) Using evolutionary algorithms to induce oblique decision trees. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 1053–1060, Morgan Kaufmann.
- [112] Carvalho, D. R. and Freitas, A. A. (2000) A hybrid decision tree/genetic algorithm for coping with the problem of small disjuncts in data mining. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 1061–1068, Morgan Kaufmann.
- [113] Collins, D. J., Agah, A., Wu, A. S., and Schultz, A. C. (2000) The effects of team size on the evolution of distributed micro air vehicles. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 949–956, Morgan Kaufmann.
- [114] Urzelai, J. and Floreano, D. (2000) Evolutionary robotics: Coping with environmental change. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 941–948, Morgan Kaufmann.

- [115] Yamada, S. (2000) Evolutionary design of behaviors for action-based environment modeling by a mobile robot. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 957–964, Morgan Kaufmann.
- [116] Vazquez, M. and Whitley, D. (2000) A hybrid genetic algorithm for the quadratic assignment problem. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 135–142, Morgan Kaufmann.
- [117] Kazadi, S., Lee, D., Modi, R., Sy, J., and Lue, W. (2000) Levels of compartmentalization in artificial evolution. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 841–848, Morgan Kaufmann.
- [118] Simoes, A. and Costa, E. (2000) Using genetic algorithms with asexual transposition. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 323–330, Morgan Kaufmann.
- [119] Merkle, D., Middendorf, M., and Schmeck, H. (2000) Ant colony optimization for resource-constrained project scheduling. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 893–900, Morgan Kaufmann.
- [120] Miyashita, K. (2000) Job-shop scheduling with genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 505–512, Morgan Kaufmann.
- [121] Pipe, A. G. and Carse, B. (2000) Autonomous acquisition of fuzzy rules for mobile robot control: First results from two evolutionary computation approaches. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 849–856, Morgan Kaufmann.
- [122] Sato, Y. (2000) Interactive evolution of adaptive parameter for speaker verification systems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 742–749, Morgan Kaufmann.
- [123] House, J. L., Kain, A., and Hines, J. (2000) Esp - metaphor for learning: an evolutionary algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 734–741, Morgan Kaufmann.
- [124] Portmann, M.-C. and Vignier, A. (2000) Performances’ study on crossover operators keeping good schemata for scheduling problems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 331–338, Morgan Kaufmann.
- [125] Rothlauf, F., Goldberg, D., and Heinzl, A. (2000) Bad codings and the utility of well-designed genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 355–362, Morgan Kaufmann.
- [126] Ishibuchi, H. and Nakashima, T. (2000) Multi-objective pattern and feature selection by genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, pp. 1069–1076, Morgan Kaufmann.

- [127] Benson, K., Booth, D., Cubillo, J., and Reeves, C. (2000) Automatic detection of ships in spaceborne sar imagery. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 767, Morgan Kaufmann.
- [128] Berlanga, A., Isasi, P., Sanchis, A., and Molina, J. M. (2000) Uniform coevolution for solving the density classification problem in cellular automata. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 383, Morgan Kaufmann.
- [129] Baghadadchi, J. (2000) A classifier based learning model for intelligent agents. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 870, Morgan Kaufmann.
- [130] Mansilla, E. B. i. and Guiu, J. M. G. i. (2000) MolecS: A multiobjective learning classifier system. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 390, Morgan Kaufmann.
- [131] Brizuela, C. A. and Sannomiya, N. (2000) A selection scheme in genetic algorithms for a complex scheduling problem. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 1021, Morgan Kaufmann.
- [132] Craenen, B. G. W., Eiben, A. E., Marchiori, E., and Steenbeek, A. G. (2000) Combining local search and fitness function adaptation in a ga for solving binary constraint satisfaction problems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 381, Morgan Kaufmann.
- [133] Cuesta, P. D., Abderraman, J. C., Jimenez, J. A., and Winter, G. (2000) Practical modeling of simple genetic algorithm via deterministic paths by absorbing markov chains. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 371, Morgan Kaufmann.
- [134] Devogelaere, D., Van Bael, P., and Rijckaert, M. (2000) Genetic algorithm driven clustering for toxicity prediction. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 759, Morgan Kaufmann.
- [135] Edelson, W. and Gargano, M. L. (2000) Feasible encodings for ga solutions of constrained minimal spanning tree problems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 754, Morgan Kaufmann.
- [136] Fernandez, F., Tomassini, M., Punch, W., and Sanchez, J. M. (2000) Experimental study of isolated multipopulation genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 536, Morgan Kaufmann.
- [137] Noda, E., Freitas, A. A., and Lopes, H. S. (2000) Comparing a genetic algorithm with a rule induction algorithm in the data mining task of dependence modeling. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 1080, Morgan Kaufmann.

- [138] Furutani, H. (2000) Study of evolution in genetic algorithms by eigen's theory including crossover operator. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 389, Morgan Kaufmann.
- [139] Grundler, D. and Rolich, T. (2000) Qualitative visual presentation of evolution algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 805, Morgan Kaufmann.
- [140] Gen, M. and Zhou, G. (2000) A genetic algorithm for the mini-max spanning forest problem. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 387, Morgan Kaufmann.
- [141] Hasse, M. and Pozo, A. R. (2000) Using phenotypic sharing in a classifier tool. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 392, Morgan Kaufmann.
- [142] Ho, S.-Y. and Huang, M.-H. (2000) An efficient quadratic curve approximation using an intelligent genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 766, Morgan Kaufmann.
- [143] Horng, J.-T., Chang, Y.-J., Liu, B.-J., and Kao, C.-Y. (2000) Materialized view selection in a data warehouse using evolutionary algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 385, Morgan Kaufmann.
- [144] Hsu, W. H., Welge, M., Redman, T., and Clutter, D. (2000) Genetic wrappers for constructive induction in high-performance data mining. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 765, Morgan Kaufmann.
- [145] Hsu, W. H., Cheng, Y., Guo, H., and Gustafson, S. M. (2000) Genetic algorithms for reformulation of large-scaled kdd problems with many irrelevant attributes. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 1081, Morgan Kaufmann.
- [146] Hu, Y.-J. (2000) Global gene expression analysis with genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 753, Morgan Kaufmann.
- [147] Huang, C.-F. (2000) Independent sampling genetic algorithms and the applications. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 372, Morgan Kaufmann.
- [148] Jin, H.-D., Leung, K.-S., and Wong, M.-L. (2000) Designing an expanded som for the traveling salesman problem by genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 1079, Morgan Kaufmann.
- [149] Kargupta, H. (2000) Computation in genetic code-like transformations. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 937, Morgan Kaufmann.

- [150] Keymeulen, D., Klimeck, G., Zebulum, R., Stoica, A., and Salazar-Lazaro, C. (2000) Ehwpack: a parallel software/hardware environment for evolvable hardware. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 538, Morgan Kaufmann.
- [151] Kim, H.-S. and Cho, S.-B. (2000) Knowledge-based encoding in interactive genetic algorithm for a fashion design aid system. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 757, Morgan Kaufmann.
- [152] Kim, J.-H. and Moon, B.-R. (2000) Genetic elevator group control. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 762, Morgan Kaufmann.
- [153] Kivijarvi, J., Franti, P., and Nevalainen, O. (2000) Efficient clustering with a self-adaptive genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 377, Morgan Kaufmann.
- [154] Lee, C.-Y. and Antonsson, E. K. (2000) Variable length genomes for evolutionary algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 806, Morgan Kaufmann.
- [155] Fabrega, X. L. i. and Guiu, J. M. G. i. (2000) Evolving agent aggregates using cellular genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 868, Morgan Kaufmann.
- [156] Maeda, Y. and Kawaguchi, S. (2000) Redundant node pruning and adaptive search method for genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 535, Morgan Kaufmann.
- [157] Hussain, D. and Malliaris, S. (2000) Evolutionary techniques applied to hashing: An efficient data retrieval method. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 760, Morgan Kaufmann.
- [158] Mehrotra, R., Karr, C. L., and Bowersox, R. (2000) Airfoil optimization using genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 764, Morgan Kaufmann.
- [159] Miki, M., Hiroyasu, T., and Kaneko, M. (2000) A parallel genetic algorithm with distributed environment scheme. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 376, Morgan Kaufmann.
- [160] Al-Kazemi, B. and Mohan, C. K. (2000) Solving problems with overlapping building blocks. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 384, Morgan Kaufmann.
- [161] Moustafa, R. E., De Jong, K. A., and Wegman, E. J. (2000) A ga-based method for function approximation using adaptive interpolation. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 378, Morgan Kaufmann.

- [162] Munteanu, C. and Rosa, A. (2000) Symmetrical building blocks and the simple inversion operator. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 365, Morgan Kaufmann.
- [163] Neri, F. (2000) Modeling tcp/ip network traffic for intrusion detection by genetic evolution. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 755, Morgan Kaufmann.
- [164] Ottner, S. C. (2000) Optimising television commercial air-time by means of a genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 761, Morgan Kaufmann.
- [165] Pelikan, M. and Lobo, F. G. (2000) Parameter-less genetic algorithm: A worst-case time and space complexity analysis. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 370, Morgan Kaufmann.
- [166] Peysakhov, M., Galinskaya, V., and Regli, W. C. (2000) Genetic algorithms for optimization of lego assemblies. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 968, Morgan Kaufmann.
- [167] Poon, J. (2000) Initial results with coevolving dominance mapping. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 368, Morgan Kaufmann.
- [168] Rylander, B. and Foster, J. (2000) Ga-hard problems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 367, Morgan Kaufmann.
- [169] Rylander, B., Soule, T., Foster, J., and Alves-Foss, J. (2000) Quantum genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 373, Morgan Kaufmann.
- [170] Baydar, C. M. and Saitou, K. (2000) A genetic programming framework for error recovery in robotic assembly systems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 756, Morgan Kaufmann.
- [171] Sakamoto, Y. and Kobayashi, M. (2000) Evaluation of the effects of noises by experiments using a mobile robot. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 386, Morgan Kaufmann.
- [172] Sammartino, L., Simonov, M., Soroldoni, M., and Tettamanzi, A. G. B. (2000) Gamut: A system for customer modeling based on evolutionary algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 758, Morgan Kaufmann.
- [173] Santana, R., Ochoa-Rodriguez, A., Soto, M., Pereira, F. B., Machado, P., Costa, E., and Cardoso, A. (2000) Probabilistic evolution and the busy beaver problem. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 380, Morgan Kaufmann.

- [174] Satoh, H., Uno, K., Kubo, M., and Namatame, A. (2000) The role of mimicry in social evolution. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 871, Morgan Kaufmann.
- [175] Schubert, T., Mackensen, E., Drechsler, N., Drechsler, R., and Becker, B. (2000) Specialized hardware for implementation of evolutionary algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 369, Morgan Kaufmann.
- [176] Seffens, W. and Digby, D. (2000) Fitness function analysis of biological genetic codes using an evolutionary algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 867, Morgan Kaufmann.
- [177] Shimodaira, H. (2000) A diversity control oriented genetic algorithm (dcga): Performance in function optimization. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 366, Morgan Kaufmann.
- [178] Pires, E. J. S. and Machado, J. A. T. (2000) Trajectory optimization for redundant robots using genetic algorithms. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 967, Morgan Kaufmann.
- [179] Someya, H. and Yamamura, M. (2000) Where should children be generated by crossover operator on function optimization? Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 382, Morgan Kaufmann.
- [180] Torres-Jimenez, J., Rodriguez-Tello, E., and Ruiz-Suarez, J. C. (2000) A genetic algorithm for matrix bandwidth reduction. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 388, Morgan Kaufmann.
- [181] Trenaman, A. (2000) Choosing the right number of trials for a minimal simulation. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 969, Morgan Kaufmann.
- [182] Tsai, H.-K., Kao, C.-Y., and Yang, J.-M. (2000) A genetic algorithm for physical mapping problems. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 375, Morgan Kaufmann.
- [183] Vallejo, E. E. and Ramos, F. (2000) Evolving insect locomotion using non-uniform cellular automata. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 869, Morgan Kaufmann.
- [184] Vassilev, V. K. and Miller, J. F. (2000) Embedding landscape neutrality to build a bridge from the conventional to a more efficient three-bit multiplier circuit. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 539, Morgan Kaufmann.
- [185] Wilson, E., Karr, C., and Messimer, S. (2000) Genetic algorithm optimization of a filament winding process modeled in witness. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 763, Morgan Kaufmann.

- [186] Yang, L. and Yen, J. (2000) An adaptive simplex genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 379, Morgan Kaufmann.
- [187] Yasunaga, M., Nakamura, T., Yoshihara, I., and Kim, J. H. (2000) Kernel optimization in pattern recognition using a genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 391, Morgan Kaufmann.
- [188] Yoon, H.-S. and Moon, B.-R. (2000) Synergy of multiple crossover operators in a genetic algorithm. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 374, Morgan Kaufmann.
- [189] Yoshihara, I., Aoyama, T., and Yasunaga, M. (2000) A fast model-building method for time series using genetic programming. Whitley, D., Goldberg, D., Cantu-Paz, E., Spector, L., Parmee, I., and Beyer, H.-G. (eds.), *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, Las Vegas, Nevada, USA, 10-12 July, p. 537, Morgan Kaufmann.