Список литературы

[Aalto & Lampinen, 2014] Aalto, J. & Lampinen, J. (2014). A mutation and crossover adaptation mechanism for differential evolution algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 451–458.

[Abdul et al., 2014] Abdul, W., Xiaoying, G., & Peter, A. (2014). Multi-view clustering of web documents using multi-objective genetic algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2625–2632.

[Acampora et al., 2014] Acampora, G., Ishibuchi, H., & Vitiello, A. (2014). A comparison of multi-objective evolutionary algorithms for the ontology meta-matching problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 413–420.

[Adriaensen et al., 2014] Adriaensen, S., Brys, T., & Nowe, A. (2014). Designing reusable metaheuristic methods: A semi-automated approach. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2969–2976.

[Agapitos et al., 2014] Agapitos, A., O'Neill, M., & Brabazon, A. (2014). Ensemble Bayesian model averaging in genetic programming. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2451–2458.

[Ahmed et al., 2014] Ahmed, S., Zhang, M., & Peng, L. (2014). A new GP-based wrapper feature construction approach to classification and biomarker identification. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2756–2763.

[Akhmedova & Semenkin, 2014] Akhmedova, S. & Semenkin, E. (2014). Co-operation of biology related algorithms meta-heuristic in ANN-based classifiers design. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 867–872.

[Alam et al., 2014a] Alam, K., Ray, T., & Anavatti, S. G. (2014a). Practical application of an evolutionary algorithm for the design and construction of a six-inch submarine. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2825–2832.

[Alam et al., 2014b] Alam, S., Dobbie, G., Koh, Y. S., & Riddle, P. (2014b). Web bots detection using particle swarm optimization based clustering. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2955–2962.

[Alanazi & Lehre, 2014] Alanazi, F. & Lehre, P. K. (2014). Runtime analysis of selection hyper-heuristics with classical learning mechanisms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2515–2523.

[Albukhanajer et al., 2014] Albukhanajer, W. A., Jin, Y., & Briffa, J. A. (2014). Neural network ensembles for image identification using Pareto-optimal features. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 89–96.

[Alhindi & Zhang, 2014] Alhindi, A. & Zhang, Q. (2014). MOEA/D with tabu search for multiobjective permutation flow shop scheduling problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1155–1164.

[Ali et al., 2014] Ali, M., Morghem, A., AlBadarneh, J., Al-Gharaibeh, R., Suganthan, P., & Reynolds, R. (2014). Cultural algorithms applied to the evolution of robotic soccer team tactics: A novel perspective. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2180–2187.

[Alicino & Vasile, 2014] Alicino, S. & Vasile, M. (2014). An evolutionary approach to the solution of multi-objective min-max problems in evidence-based robust optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1179–1186.

[Alvares et al., 2014] Alvares, M., Buarque, F., & Marwala, T. (2014). Application of computational intelligence for source code classification. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 895–902.

[Ameca-Alducin et al., 2014] Ameca-Alducin, M.-Y., Mezura-Montes, E., & Cruz-Ramirez, N. (2014). Differential evolution with combined variants for dynamic constrained optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 975–982.

[Ameerudden & Rughooputh, 2014] Ameerudden, M. R. & Rughooputh, H. (2014). Smart hybrid genetic algorithms in the bandwidth optimization of a PIFA antenna. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1390–1396.

[Amin et al., 2014] Amin, R., Tang, J., Ellejmi, M., Kirby, S., & Abbass, H. A. (2014). Trading-off simulation fidelity and optimization accuracy in air-traffic experiments using differential evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 475–482.

[Angelo et al., 2014] Angelo, J., Krempser, E., & Barbosa, H. (2014). Differential evolution assisted by a surrogate model for bilevel programming problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1784–1791.

[Arana-Daniel et al., 2014] Arana-Daniel, N., Gallegos, A. A., Lopez-Franco, C., & Alanis, A. Y. (2014). Smooth global and local path planning for mobile robot using particle swarm optimization, radial basis functions, splines and Bezier curves. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 175–182.

[Ashlock & Hingston, 2014] Ashlock, D. & Hingston, P. (2014). *Tego - a framework for adversarial planning. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 13–20.

[Azzouz et al., 2014] Azzouz, R., Bechikh, S., & Said, L. B. (2014). A multiple reference point-based evolutionary algorithm for dynamic multi-objective optimization with undetectable changes. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3168–3175.

[Bandaru et al., 2014] Bandaru, S., Ng, A., & Deb, K. (2014). On the performance of classification algorithms for learning Pareto-dominance relations. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1139–1146.

[Bello-Orgaz & Camacho, 2014] Bello-Orgaz, G. & Camacho, D. (2014). Evolutionary clustering algorithm for community detection using graph-based information. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 930–937.

[Bennett et al., 2014] Bennett, S., Nguyen, S., & Zhang, M. (2014). A hybrid discrete particle swarm optimisation method for grid computation scheduling. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 483–490.

[Bidlo, 2014] Bidlo, M. (2014). Evolving multiplication as emergent behavior in cellular automata using conditionally matching rules. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2732–2739.

[Biswas et al., 2014a] Biswas, S., Das, S., Suganthan, P. N., & Coello, C. A. C. (2014a). Evolutionary multiobjective optimization in dynamic environments: A set of novel benchmark functions. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3192–3199.

[Biswas et al., 2014b] Biswas, S., Eita, M. A., Das, S., & Vasilakos, A. V. (2014b). Evaluating the performance of group counseling optimizer on CEC 2014 problems for computational expensive optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1076–1083.

[Bolufe-Rohler & Chen, 2014] Bolufe-Rohler, A. & Chen, S. (2014). Extending minimum population search towards large scale global optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 845–852.

[Bouaziz et al., 2014] Bouaziz, S., Alimi, A. M., & Abraham, A. (2014). PSO-based update memory for improved harmony search algorithm to the evolution of FBBFNT' parameters. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1951–1958.

[Bourennani et al., 2014] Bourennani, F., Rahnamayan, S., & Naterer, G. F. (2014). Multi-objective differential evolution with leadership enhancement (MODEL). *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1131–1138.

[Brands et al., 2014] Brands, T., Wismans, L., & van Berkum, E. (2014). Multi-objective transportation network design: Accelerating search by applying e-NSGAII. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 405–412.

[Brent et al., 2014] Brent, O., Thiruvady, D., Gomez-Iglesias, A., & Garcia-Flores, R. (2014). A parallel Lagrangian-ACO heuristic for project scheduling. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2985–2991.

[Bu et al., 2014] Bu, C., Luo, W., & Zhu, T. (2014). Differential evolution with a species-based repair strategy for constrained optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 967–974.

[Buck et al., 2014] Buck, A., Banerjee, T., & Keller, J. (2014). Evolving a fuzzy goal-driven strategy for the game of Geister. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 28–35.

[Bujok et al., 2014] Bujok, P., Tvrdik, J., & Polakova, R. (2014). Differential evolution with rotation-invariant mutation and competing-strategies adaptation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2253–2258.

[Bulut & Tasgetiren, 2014] Bulut, O. & Tasgetiren, M. F. (2014). A discrete artificial bee colony algorithm for the economic lot scheduling problem with returns. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 551–557.

[Burattin et al., 2014] Burattin, A., Sperduti, A., & van der Aalst, W. M. P. (2014). Control-flow discovery from event streams. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2420–2427.

[Burman et al., 2014] Burman, R., Das, S., Haque, Z., Vasilakos, A. V., & Chakraborti, S. (2014). The monarchy driven optimization algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3008–3015.

[Byrne et al., 2014] Byrne, J., Nicolau, M., Brabazon, A., & O'Neill, M. (2014). An examination of synchronisation in artificial gene regulatory networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2764–2769.

[Cai & Du, 2014] Cai, Y. & Du, J. (2014). Enhanced differential evolution with adaptive direction information. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 305–312.

[Cai et al., 2014] Cai, Z., Wen, S., & Liu, L. (2014). Distributed wireless sensor scheduling for multi-target tracking based on matrix-coded parallel genetic algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2013–2018.

[Campbell et al., 2014] Campbell, A., Ciesielski, V., & Trist, K. (2014). A self organising map based method for understanding features associated with high aesthetic value evolved abstract images. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2274–2281.

[Campos & Krohling, 2014] Campos, M. & Krohling, R. (2014). Bare bones particle swarm with scale mixtures of Gaussians for dynamic constrained optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 202–209.

[Carvalho & Fernandes, 2014] Carvalho, L. & Fernandes, M. (2014). Multi-objective flexible job-shop scheduling problem with DIPSO: More diversity, greater efficiency. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 282–289.

[Ceberio et al., 2014] Ceberio, J., Irurozki, E., Mendiburu, A., & Lozano, J. A. (2014). Extending distance-based ranking models in estimation of distribution algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2459–2466.

[Chaman-Garcia et al., 2014] Chaman-Garcia, I., Coello, C. C., & Arias-Montano, A. (2014). MOPSOhv: A new hypervolume-based multi-objective particle swarm optimizer. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 266–273.

[Chan et al., 2014] Chan, K. Y., Rajakaruna, N., Rathnayake, C., & Murray, I. (2014). Image deblurring using a hybrid optimization algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1243–1249.

[Chang & He, 2014] Chang, P.-C. & He, X. (2014). Macroscopic indeterminacy swarm optimization (MISO) algorithm for real-parameter search. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1571–1578.

[Chatbri et al., 2014] Chatbri, H., Kwan, P., & Kameyama, K. (2014). A modular approach for query spotting in document images and its optimization using genetic algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2085–2092.

[Che & Reynolds, 2014] Che, X. & Reynolds, R. (2014). A social metrics based process model on complex social system. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2214–2221.

[Chen et al., 2014a] Chen, G., Luo, W., & Zhu, T. (2014a). Evolutionary clustering with differential evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1382–1389.

[Chen et al., 2014b] Chen, L., Liu, H.-L., Zheng, Z., & Xie, S. (2014b). A evolutionary algorithm based on covariance matrix leaning and searching preference for solving CEC 2014 benchmark problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2672–2677.

[Chen et al., 2014c] Chen, M.-R., Zeng, W., Zeng, G.-Q., Li, X., & Luo, J.-P. (2014c). A novel artificial bee colony algorithm with integration of extremal optimization for numerical optimization problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 242–249.

[Chen & Chiang, 2014] Chen, S.-W. & Chiang, T.-C. (2014). Evolutionary many-objective optimization by MO-NSGA-II with enhanced mating selection. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1397–1404.

[Chen et al., 2014d] Chen, Y., Shang, Y., & Xu, D. (2014d). Multi-dimensional scaling and MODELLER-based evolutionary algorithms for protein model refinement. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1038–1045.

[Cheng et al., 2014a] Cheng, P., Pan, J.-S., & Lin, C.-W. (2014a). Use EMO to protect sensitive knowledge in association rule mining by removing items. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1108–1115.

[Cheng & Jin, 2014] Cheng, R. & Jin, Y. (2014). Demonstrator selection in a social learning particle swarm optimizer. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3103–3110.

[Cheng et al., 2014b] Cheng, S., Shi, Y., Qin, Q., Ting, T. O., & Bai, R. (2014b). Maintaining population diversity in brain storm optimization algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3230–3237.

[Chotard et al., 2014] Chotard, A., Auger, A., & Hansen, N. (2014). Markov chain analysis of evolution strategies on a linear constraint optimization problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 159–166.

[Chou et al., 2014] Chou, C.-H., Chia-Ling, H., & Chang, P.-C. (2014). A RFID network design methodology for decision problem in health care. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1586–1592.

[Chow & Yuen, 2014] Chow, C. K. & Yuen, S. Y. (2014). A dynamic history-driven evolutionary algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1558–1564.

[Chowdhury et al., 2014] Chowdhury, A., Rakshit, P., Konar, A., & Nagar, A. (2014). A modified bat algorithm to predict protein-protein interaction network. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1046–1053.

[Cleghorn & Engelbrecht, 2014] Cleghorn, C. & Engelbrecht, A. (2014). Particle swarm convergence: An empirical investigation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2524–2530.

[Cooper et al., 2014] Cooper, I., John, M., Lewis, R., Olden, A., & Mumford, C. (2014). Optimising large scale public transport network design problems using mixed-mode parallel multi-objective evolutionary algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2841–2848.

[Cota et al., 2014] Cota, L. P., Haddad, M. N., Souza, M. J. F., & Coelho, V. N. (2014). AIRP: A heuristic algorithm for solving the unrelated parallel machine scheduling problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1855–1862.

[Cui et al., 2014] Cui, T., Cheng, S., & Bai, R. (2014). A combinatorial algorithm for the cardinality constrained portfolio optimization problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 491–498.

[da Silva et al., 2014] da Silva, A. S., Ma, H., & Zhang, M. (2014). A graph-based particle swarm optimisation approach to QoS-aware web service composition and selection. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3127–3134.

[Datta et al., 2014] Datta, S., Rakshit, P., Konar, A., & Nagar, A. K. (2014). Selecting the optimal EEG electrode positions for a cognitive task using an artificial bee colony with adaptive scale factor optimization algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2748–2755.

[Davendra et al., 2014] Davendra, D., Senkerik, R., Zelinka, I., & Pluhacek, M. (2014). Scatter search algorithm with chaos based stochasticity. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 860–866.

[Davila, 2014] Davila, J. (2014). Genotype coding, diversity, and dynamic environments: A study on an evolutionary neural network multi-agent system. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2306–2313.

[Dawson & Stewart, 2014] Dawson, L. & Stewart, I. (2014). Accelerating ant colony optimization-based edge detection on the GPU using CUDA. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1736–1743.

[de Vega et al., 2014] de Vega, F. F., Garcia-Valdez, M., Navarro, L., Cruz, C., Hernandez, P., Gallego, T., & Albarran, J. V. (2014). When artists met Evospace-i. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2282–2289.

[Debie et al., 2014] Debie, E., Shafi, K., Merrick, K., & Lokan, C. (2014). An online evolutionary rule learning algorithm with incremental attribute discretization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1116–1123.

[Dhebar et al., 2014] Dhebar, Y., Deb, K., & Bandaru, S. (2014). Non-uniform mapping in real-coded genetic algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2237–2244.

[Dick & Yao, 2014] Dick, G. & Yao, X. (2014). Model representation and cooperative coevolution for finite-state machine evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2700–2707.

[Ding et al., 2014a] Ding, J., Chen, L., Xie, Q., Chai, T., & Zheng, X. (2014a). Effect of pseudo gradient on differential evolutionary for global numerical optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2019–2026.

[Ding et al., 2014b] Ding, J., Song, S., Zhang, R., & Wu, C. (2014b). Minimizing makespan for a no-wait flowshop using tabu mechanism improved iterated greedy algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1906–1911.

[Ding & Tan, 2014] Ding, K. & Tan, Y. (2014). Comparison of random number generators in particle swarm opimization algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2664–2671.

[Dong et al., 2014] Dong, W., Tian, J., Tang, X., Sheng, K., & Liu, J. (2014). Autonomous learning adaptation for particle swarm optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 223–228.

[Dong & Zeng, 2014] Dong, W. & Zeng, S. (2014). Linear sparse arrays designed by dynamic constrained multi-objective evolutionary algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3067–3072.

[Donne et al., 2014] Donne, S., Nicolau, M., Bean, C., & O'Neill, M. (2014). Wave height quantification using land based seismic data with grammatical evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2909–2916.

[Dornberger et al., 2014] Dornberger, R., Hanne, T., Ryter, R., & Michael, S. (2014). Optimization of the picking sequence of an automated storage and retrieval system (AS/RS). *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2817–2824.

[Du & Chang, 2014] Du, X. & Chang, X. (2014). Performance of AI algorithms for mining meaningful roles. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2070–2076.

[Duan et al., 2014] Duan, P., Xiong, S., Hu, Z., Chen, Q., & Zhong, X. (2014). Multi-objective optimization model based on steady degree for teaching building evacuation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 924–929.

[Elsayed et al., 2014a] Elsayed, S., Ray, T., & Sarker, R. (2014a). A surrogate-assisted differential evolution algorithm with dynamic parameters selection for solving expensive optimization problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1062–1068.

[Elsayed et al., 2014b] Elsayed, S., Sarker, R., & Essam, D. (2014b). United multi-operator evolutionary algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1006–1013.

[Elsayed et al., 2014c] Elsayed, S., Sarker, R., Essam, D., & Hamza, N. (2014c). Testing united multi-operator evolutionary algorithms on the CEC2014 real-parameter numerical optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1650–1657.

[Enaya & Deb, 2014] Enaya, Y. & Deb, K. (2014). Network path optimization under dynamic conditions. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2977–2984.

[Erlich et al., 2014a] Erlich, I., Rueda, J. L., & Wildenhues, S. (2014a). Evaluating the mean-variance mapping optimization on the IEEE-CEC 2014 test suite. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1625–1632.

[Erlich et al., 2014b] Erlich, I., Rueda, J. L., & Wildenhues, S. (2014b). Solving the IEEE-CEC 2014 expensive optimization test problems by using single-particle MVMO. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1084–1091.

[Everitt et al., 2014] Everitt, T., Lattimore, T., & Hutter, M. (2014). Free lunch for optimisation under the universal distribution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 167–174.

[Farzan & DeSouza, 2014] Farzan, S. & DeSouza, G. (2014). A parallel evolutionary solution for the inverse kinematics of generic robotic manipulators. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 358–365.

[Fatnassi et al., 2014] Fatnassi, E., Chebbi, O., & Chaouachi, J. (2014). A bee colony algorithm for routing guided automated battery-operated electric vehicles in personal rapid transit systems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 536–543.

[Felipe et al., 2014] Felipe, D., Goldbarg, E. F. G., & Goldbarg, M. C. (2014). Scientific algorithms for the car renter salesman problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 873–879.

[Feng et al., 2014] Feng, S., Tan, S., & Lu, J. (2014). Characterizing the impact of selection on the evolution of cooperation in complex networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 813–818.

[Fieldsend, 2014] Fieldsend, J. (2014). Running up those hills: Multi-modal search with the niching migratory multi-swarm optimiser. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2593–2600.

[Fogel et al., 2014] Fogel, G., Liu, E., Salemi, M., Lamers, S., & McGrath, M. (2014). Evolved neural networks for HIV-1 co-receptor identification. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2778–2784.

[Fong et al., 2014] Fong, C. W., Asmuni, H., Lam, W. S., McCollum, B., & McMullan, P. (2014). A novel hybrid approach for curriculum based course timetabling problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 544–550.

[Friedrich & Menzel, 2014] Friedrich, T. & Menzel, S. (2014). A cascaded evolutionary multi-objective optimization for solving the unbiased universal electric motor family problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3184–3191.

[Fu et al., 2014a] Fu, H., Lewis, P., Sendhoff, B., Tang, K., & Yao, X. (2014a). What are dynamic optimization problems? *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1550–1557.

[Fu et al., 2014b] Fu, W., Johnston, M., & Zhang, M. (2014b). Unsupervised learning for edge detection using genetic programming. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 117–124.

[Gao et al., 2014a] Gao, C., Weise, T., & Li, J. (2014a). A weighting-based local search heuristic algorithm for the set covering problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 826–831.

[Gao et al., 2014b] Gao, S., Liu, Z., Dai, C., & Geng, X. (2014b). Application of BPSO with GA in model-based fault diagnosis of traction substation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2063–2069.

[Garden & Engelbrecht, 2014] Garden, R. & Engelbrecht, A. (2014). Analysis and classification of optimisation benchmark functions and benchmark suites. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1641–1649.

[Gaudesi et al., 2014] Gaudesi, M., Piccolo, E., Squillero, G., & Tonda, A. (2014). TURAN: Evolving non-deterministic players for the iterated prisoner's dilemma. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 21–27.

[Gee & Tan, 2014] Gee, S. B. & Tan, K. C. (2014). Diversity preservation with hybrid recombination for evolutionary multiobjective optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1172–1178.

[Georgieva & Engelbrecht, 2014] Georgieva, K. S. & Engelbrecht, A. P. (2014). Cooperative DynDE for temporal data clustering. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 437–444.

[Glette & Kaufmann, 2014] Glette, K. & Kaufmann, P. (2014). Lookup table partial reconfiguration for an evolvable hardware classifier system. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1706–1713.

[Gonzalez-Pardo & Camacho, 2014] Gonzalez-Pardo, A. & Camacho, D. (2014). A new CSP graph-based representation to resource-constrained project scheduling problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 344–351.

[Greenwood et al., 2014] Greenwood, G., Elsayed, S., Sarker, R., & Abbass, H. (2014). Online generation of trajectories for autonomous vehicles using a multi-agent system. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1218–1224.

[Grobler et al., 2014] Grobler, J., Engelbrecht, A. P., Kendall, G., & Yadavalli, V. (2014). Heuristic space diversity management in a meta-hyper-heuristic framework. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1863–1869.

[Gu & Shi, 2014] Gu, J. & Shi, X. (2014). An adaptive PSO based on motivation mechanism and acceleration restraint operator. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1328–1336.

[Gu et al., 2014] Gu, L., Yang, P., & Dong, Y. (2014). A dynamic-weighted collaborative filtering approach to address sparsity and adaptivity issues. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3044–3050.

[Guo et al., 2014] Guo, Y., Chen, M., Fu, H., & Liu, Y. (2014). Find robust solutions over time by two-layer multi-objective optimization method. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1528–1535.

[Hamza et al., 2014] Hamza, N., Sarker, R., & Essam, D. (2014). Differential evolution with a constraint consensus mutation for solving optimization problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 991–997.

[Handa, 2014] Handa, H. (2014). Deep boltzmann machine for evolutionary agents of Mario AI. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 36–41.

[Hardhienata et al., 2014] Hardhienata, M., Ugrinovskii, V., & Merrick, K. (2014). Task allocation under communication constraints using motivated particle swarm optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3135–3142.

[Harrison et al., 2014] Harrison, K., Ombuki-Berman, B., & Engelbrecht, A. (2014). Dynamic multi-objective optimization using charged vector evaluated particle swarm optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1929–1936.

[He et al., 2014a] He, J., Boris, M., & Zhou, Y. (2014a). A theoretical assessment of solution quality in evolutionary algorithms for the knapsack problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 141–148.

[He et al., 2014b] He, P., Lu, L., Xu, X., Li, K., Qian, H., & Zhang, W. (2014b). Confidence-based ant random walks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1721–1728.

[He & Chan, 2014] He, T. & Chan, K. C. (2014). Evolutionary community detection in social networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1496–1503.

[Helbig & Engelbrecht, 2014] Helbig, M. & Engelbrecht, A. (2014). Heterogeneous dynamic vector evaluated particle swarm optimisation for dynamic multi-objective optimisation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3151–3159.

[Htiouech & Bouamama, 2014] Htiouech, S. & Bouamama, S. (2014). A Lagrangian and surrogate information enhanced tabu search for the MMKP. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1461–1468.

[Hu et al., 2014a] Hu, W., Yen, G., & Zhang, X. (2014a). Sensitivity analysis of parallel cell coordinate system in many-objective particle swarm optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2641–2648.

[Hu & Leeson, 2014] Hu, X.-B. & Leeson, M. S. (2014). Genetic algorithm with spatial receding horizon control for the optimization of facility locations. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 903–909.

[Hu et al., 2014b] Hu, X.-B., Wang, M., & Leeson, M. S. (2014b). Calculating the complete Pareto front for a special class of continuous multi-objective optimization problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 290–297.

[Hu et al., 2014c] Hu, Z., Bao, Y., & Xiong, T. (2014c). Partial opposition-based adaptive differential evolution algorithms: Evaluation on the CEC 2014 benchmark set for real-parameter optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2259–2265.

[Hui & Ponnuthurai, 2014] Hui, S. & Ponnuthurai, N. S. (2014). Niching-based self-adaptive ensemble DE with MMTS for solving dynamic optimization problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1536–1541.

[Hunt et al., 2014] Hunt, R., Johnston, M., & Zhang, M. (2014). Evolving machine-specific dispatching rules for a two-machine job shop using genetic programming. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 618–625.

[Huo et al., 2014] Huo, Y., Cai, Z., Gong, W., & Liu, Q. (2014). A new adaptive kalman filter by combining evolutionary algorithm and fuzzy inference system. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2893–2900.

[Ivan et al., 2014] Ivan, Z., Jouni, L., Roman, S., Michal, P., & Donald, D. (2014). Evolutionary algorithms dynamics and its hidden complex network structures. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3246–3251.

[Jana et al., 2014] Jana, N. D., Das, S., & Sil, J. (2014). Particle swarm optimization with population adaptation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 573–578.

[Janecek et al., 2014] Janecek, A., Jordan, T., & de Lima-Neto, F. B. (2014). Swarm/evolutionary intelligence for agent-based social simulation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2925–2932.

[Jariyatantiwait & Yen, 2014] Jariyatantiwait, C. & Yen, G. (2014). Fuzzy multiobjective differential evolution using performance metrics feedback. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1959–1966.

[Jiang et al., 2014a] Jiang, Q., Wang, L., Hei, X., Fei, R., Yang, D., Zou, F., Li, H., & Cao, Z. (2014a). Optimal approximation of stable linear systems with a novel and efficient optimization algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 840–844.

[Jiang & Yang, 2014] Jiang, S. & Yang, S. (2014). An improved quantum-behaved particle swarm optimization based on linear interpolation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 769–775.

[Jiang et al., 2014b] Jiang, Y., Yang, Z., Hao, Z., Wang, Y., & He, H. (2014b). A cooperative honey bee mating algorithm and its application in multi-threshold image segmentation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1579–1585.

[Jin & Yao, 2014] Jin, N. & Yao, X. (2014). Heuristic optimization for software project management with impacts of team efficiency. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3016–3023.

[Juan et al., 2014] Juan, T., Jose, A., & Mariela, C. (2014). Cultural learning for multi-agent system and its application to fault management. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2188–2195.

[Judeh et al., 2014] Judeh, T., Jayyousi, T., Acharya, L., Reynolds, R., & Zhu, D. (2014). GSCA: Reconstructing biological pathway topologies using a cultural algorithms approach. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2206–2213.

[Karim & Mouhoub, 2014] Karim, M. R. & Mouhoub, M. (2014). Coevolutionary genetic algorithm for variable ordering in CSPs. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2716–2723.

[Kaszkurewicz et al., 2014] Kaszkurewicz, E., Bhaya, A., Jayadeva, J., & da Silva, J. M. M. (2014). The coupled EigenAnt algorithm for shortest path problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1729–1735.

[Kattan et al., 2014] Kattan, A., Kampouridis, M., Ong, Y.-S., & Mehamdi, K. (2014). Transformation of input space using statistical moments: EA-based approach. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2499–2506.

[Kazimipour et al., 2014a] Kazimipour, B., Li, X., & Qin, A. (2014a). Effects of population initialization on differential evolution for large scale optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2404–2411.

[Kazimipour et al., 2014b] Kazimipour, B., Li, X., & Qin, A. (2014b). A review of population initialization techniques for evolutionary algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2585–2592.

[Kazimipour et al., 2014c] Kazimipour, B., Omidvar, M. N., Li, X., & Qin, A. (2014c). A novel hybridization of opposition-based learning and cooperative co-evolutionary for large-scale optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2833–2840.

[Ke, 2014] Ke, L. (2014). A cooperative approach between metaheuristic and branch-and-price for the team orienteering problem with time windows. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1878–1882.

[Ki-Baek & Jong-Hwan, 2014] Ki-Baek, L. & Jong-Hwan, K. (2014). DMOPSO: Dual multi-objective particle swarm optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3096–3102.

[Kizilay et al., 2014] Kizilay, D., Tasgetiren, M. F., Bulut, O., & Bostan, B. (2014). A discrete artificial bee colony algorithm for the parallel machine scheduling problem in DYO painting company. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 653–660.

[Klazar & Engelbrecht, 2014] Klazar, R. & Engelbrecht, A. (2014). Parameter optimization by means of statistical quality guides in F-Race. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2547–2552.

[Krawczyk et al., 2014] Krawczyk, B., Triguero, I., Garcia, S., Wozniak, M., & Herrera, F. (2014). A first attempt on evolutionary prototype reduction for nearest neighbor one-class classification. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 747–753.

[Kren & Neruda, 2014] Kren, T. & Neruda, R. (2014). Generating lambda term individuals in typed genetic programming using forgetful A*. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1847–1854.

[Krityakierne et al., 2014] Krityakierne, T., Mueller, J., & Shoemaker, C. (2014). SO-MODS: Optimization for high dimensional computationally expensive multi-modal functions with surrogate search. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1092–1099.

[Kromer et al., 2014] Kromer, P., Zelinka, I., & Snasel, V. (2014). Can deterministic chaos improve differential evolution for the linear ordering problem? *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1443–1448.

[Ksibi et al., 2014] Ksibi, A., Ammar, A. B., & Amar, C. B. (2014). Enhancing relevance re-ranking using nature-inspired meta-heuristic optimization algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1435–1442.

[Kuang et al., 2014a] Kuang, F., Jin, Z., Xu, W., & Zhang, S. (2014a). A novel chaotic artificial bee colony algorithm based on tent map. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 235–241.

[Kuang et al., 2014b] Kuang, L., Zhao, Z., Wang, F., Li, Y., Yu, F., & Li, Z. (2014b). A differential evolution box-covering algorithm for fractal dimension on complex networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 693–699.

[Lara-Cabrera et al., 2014] Lara-Cabrera, R., Cotta, C., & Fernandez-Leiva, A. J. (2014). A self-adaptive evolutionary approach to the evolution of aesthetic maps for a RTS game. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 298–304.

[Lattarulo et al., 2014] Lattarulo, V., Lindley, B. A., & Parks, G. T. (2014). Application of the MOAA for the optimization of CORAIL assemblies for nuclear reactors. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1413–1420.

[Lauri & Koukam, 2014] Lauri, F. & Koukam, A. (2014). Hybrid ACO/EA algorithms applied to the multi-agent patrolling problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 250–257.

[Lee et al., 2014] Lee, G., Luo, M., Zambetta, F., & Li, X. (2014). Learning a Super Mario controller from examples of human play. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1–8.

[Lee & Hsiao, 2014] Lee, P.-M. & Hsiao, T.-C. (2014). Applying LCS to affective images classification in spatial-frequency domain. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1690–1697.

[Lee & Myung, 2014] Lee, S.-M. & Myung, H. (2014). A cooperative coevolutionary approach to multi-robot formation control. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1225–1231.

[Leite et al., 2014] Leite, V., Silva, C., Claro, J., & Sousa, J. M. C. (2014). Optimization of power flow with energy storage using genetic algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2678–2684.

[Leung et al., 2014] Leung, M. F., Ng, S. C., Cheung, C. C., & Lui, A. K. (2014). A new strategy for finding good local guides in MOPSO. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1990–1997.

[Li et al., 2014a] Li, B., Chiong, R., & Gong, L. (2014a). Search-evasion path planning for submarines using the artificial bee colony algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 528–535.

[Li et al., 2014b] Li, B., Li, J., Tang, K., & Yao, X. (2014b). An improved two archive algorithm for many-objective optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2869–2876.

[Li et al., 2014c] Li, F., Zhang, Y., & Li, H. (2014c). Quantum bacterial foraging optimization algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1265–1272.

[Li et al., 2014d] Li, H., Zhang, Q., & Deng, J. (2014d). Multiobjective test problems with complicated Pareto fronts: Difficulties in degeneracy. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2156–2163.

[Li & Zhang, 2014] Li, J. & Zhang, J. (2014). Using estimation of distribution algorithm to coordinate decentralized learning automata for meta-task scheduling. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2077–2084.

[Li et al., 2014e] Li, J., Zheng, S., & Tan, Y. (2014e). Adaptive fireworks algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3214–3221.

[Li et al., 2014f] Li, M., Ji, T., Wu, P., He, S., & Wu, Q. (2014f). Protein folding estimation using paired-bacteria optimizer. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2027–2032.

[Li & O'Riordan, 2014] Li, M. & O'Riordan, C. (2014). Graph centrality measures and the robustness of cooperation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1232–1237.

[Li et al., 2014g] Li, M., Yang, S., & Liu, X. (2014g). A test problem for visual investigation of high-dimensional multi-objective search. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2140–2147.

[Li et al., 2014h] Li, X., He, W., & Hirasawa, K. (2014h). Adaptive genetic network programming. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1808–1815.

[Li et al., 2014i] Li, X., He, W., & Hirasawa, K. (2014i). Creating stock trading rules using graph-based estimation of distribution algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 731–738.

[Li et al., 2014j] Li, X., He, W., & Hirasawa, K. (2014j). Generalized classifier system: Evolving classifiers with cyclic conditions. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1682–1689.

[Li et al., 2014k] Li, X., He, W., & Hirasawa, K. (2014k). Learning and evolution of genetic network programming with knowledge transfer. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 798–805.

[Li et al., 2014l] Li, Y., Tian, X., Jiao, L., & Zhang, X. (2014l). Biclustering of gene expression data using particle swarm optimization integrated with pattern-driven local search. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1367–1373.

[Li et al., 2014m] Li, Y., Zhou, A., & Zhang, G. (2014m). An MOEA/D with multiple differential evolution mutation operators. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 397–404.

[Li et al., 2014n] Li, Z., Shang, Z., Liang, J. J., & Qu, B. Y. (2014n). Differential evolution strategy based on the constraint of fitness values classification. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1454–1460.

[Li et al., 2014o] Li, Z., Shang, Z., Liang, J. J., & Qu, B. Y. (2014o). Feature selection based on manifold-learning with dynamic constraint-handling differential evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 332–337.

[Li et al., 2014p] Li, Z., Zhang, J., Wang, W., & Yao, J. (2014p). Dimensions cooperate by Euclidean metric in particle swarm optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1359–1366.

[Liang et al., 2014a] Liang, J. J., Qu, B. Y., Song, H., & Shang, Z. G. (2014a). Memetic differential evolution based on fitness Euclidean-distance ratio. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2266–2273.

[Liang et al., 2014b] Liang, J. J., Zheng, B., Qu, B. Y., & Song, H. (2014b). Multi-objective differential evolution algorithm based on fast sorting and a novel constraints handling technique. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 445–450.

[Liang et al., 2014c] Liang, Y.-C., Chen, H.-L., & Nien, Y.-H. (2014c). Artificial bee colony for workflow scheduling. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 558–564.

[Liao et al., 2014a] Liao, Q., Zhou, A., & Zhang, G. (2014a). A locally weighted metamodel for pre-selection in evolutionary optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2483–2490.

[Liao et al., 2014b] Liao, X.-L., Chien, C.-H., & Ting, C.-K. (2014b). A genetic algorithm for the minimum latency pickup and delivery problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3272–3279.

[Lin et al., 2014a] Lin, K., Wang, X., Li, X., & Tan, Y. (2014a). Self-adaptive morphable model based multi-view non-cooperative 3D face reconstruction. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 320–325.

[Lin et al., 2014b] Lin, L., Mitsuo, G., & Yan, L. (2014b). A hybrid EA for high-dimensional subspace clustering problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2855–2860.

[Ling et al., 2014] Ling, S. H., San, P. P., Lam, H. K., & Nguyen, H. (2014). Non-invasive detection of hypoglycemic episodes in type1 diabetes using intelligent hybrid rough neural system. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1238–1242.

[Liu et al., 2014a] Liu, B., Chen, Q., Zhang, Q., Gielen, G., & Grout, V. (2014a). Behavioral study of the surrogate model-aware evolutionary search framework. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 715–722.

[Liu & Li, 2014] Liu, C. & Li, B. (2014). Memetic algorithm with adaptive local search depth for large scale global optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 82–88.

[Liu et al., 2014b] Liu, H., Wu, Z., Wang, H., Rahnamayan, S., & Deng, C. (2014b). Improved differential evolution with adaptive opposition strategy. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1776–1783.

[Liu et al., 2014c] Liu, H., Zhou, J., Wu, X., & Yuan, P. (2014c). Optimization algorithm for rectangle packing problem based on varied-factor genetic algorithm and lowest front-line strategy. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 352–357.

[Liu et al., 2014d] Liu, J., gen Cai, B., & Wang, J. (2014d). Particle swarm optimization for integrity monitoring in BDS/DR based railway train positioning. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 792–797.

[Liu et al., 2014e] Liu, J., He, Y., & Hu, Y. (2014e). Regression ensemble with PSO algorithms based fuzzy integral. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 762–768.

[Liu et al., 2014f] Liu, J., Zheng, S., & Tan, Y. (2014f). Analysis on global convergence and time complexity of fireworks algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3207–3213.

[Liu et al., 2014g] Liu, M., Singh, H., & Ray, T. (2014g). A benchmark generator for dynamic capacitated arc routing problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 579–586.

[Liu et al., 2014h] Liu, M., Singh, H., & Ray, T. (2014h). A memetic algorithm with a new split scheme for solving dynamic capacitated arc routing problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 595–602.

[Liu et al., 2014i] Liu, M., Zheng, J., Wang, J., Liu, Y., & Jiang, L. (2014i). An adaptive diversity introduction method for dynamic evolutionary multiobjective optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3160–3167.

[Liu et al., 2014j] Liu, R., Niu, X., & Jiao, L. (2014j). A multi-swarm particle swarm optimization with orthogonal learning for locating and tracking multiple optima in dynamic environments. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 754–761.

[Liu et al., 2014k] Liu, T., Sun, C., Zeng, J., & Jin, Y. (2014k). Similarity- and reliability-assisted fitness estimation for particle swarm optimization of expensive problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 640–646.

[Liu & Lin, 2014] Liu, W.-Y. & Lin, C.-C. (2014). A cultural algorithm for spatial forest harvest scheduling. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1273–1276.

[Lopez-Herrejon et al., 2014] Lopez-Herrejon, R. E., Ferrer, J., Chicano, F., Egyed, A., & Alba, E. (2014). Comparative analysis of classical multi-objective evolutionary algorithms and seeding strategies for pairwise testing of software product lines. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 387–396.

[Lotif, 2014] Lotif, M. (2014). Visualizing the population of meta-heuristics during the optimization process using self-organizing maps. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 313–319.

[Low et al., 2014] Low, W., Weerdt, J. D., Wynn, M., ter Hofstede, A., van der Aalst, W., & vanden Broucke, S. (2014). Perturbing event logs to identify cost reduction opportunities: A genetic algorithm-based approach. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2428–2435.

[Luo et al., 2014a] Luo, C., Shimoyama, K., & Obayashi, S. (2014a). Kriging model based many-objective optimization with efficient calculation of expected hypervolume improvement. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1187–1194.

[Luo et al., 2014b] Luo, Y., Huang, S., & Hu, J. (2014b). A niching two-layered differential evolution with self-adaptive control parameters. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1405–1412.

[Ma et al., 2014a] Ma, A., Zhong, Y., & Zhang, L. (2014a). Remote sensing imagery clustering using an adaptive bi-objective memetic method. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 50–57.

[Ma et al., 2014b] Ma, J., Lei, Y., Wang, Z., & Jiao, L. (2014b). A memetic algorithm based on immune multi-objective optimization for flexible job-shop scheduling problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 58–65.

[Ma et al., 2014c] Ma, J., Zhang, J., Wang, W., & Yao, J. (2014c). Phase transition particle swarm optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2531–2538.

[Ma et al., 2014d] Ma, W., Zuo, Y., Zeng, J., Liang, S., & Jiao, L. (2014d). A memetic algorithm for solving flexible job-shop scheduling problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 66–73.

[Madureira et al., 2014] Madureira, A., Cunha, B., & Pereira, I. (2014). Cooperation mechanism for distributed resource scheduling through artificial bee colony based self-organized scheduling system. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 565–572.

[Mahdavi et al., 2014] Mahdavi, S., Shiri, M. E., & Rahnamayan, S. (2014). Cooperative co-evolution with a new decomposition method for large-scale optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1285–1292.

[Maia et al., 2014] Maia, R., de Castro, L., & Caminhas, W. (2014). Real-parameter optimization with OptBees. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2649–2655.

[Malan & Engelbrecht, 2014] Malan, K. & Engelbrecht, A. (2014). A progressive random walk algorithm for sampling continuous fitness landscapes. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2507–2514.

[Mallipeddi et al., 2014] Mallipeddi, R., Wu, G., Lee, M., & Nagaratnam, S. P. (2014). Gaussian adaptation based parameter adaptation for differential evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1760–1767.

[Manfrini et al., 2014] Manfrini, F., Barbosa, H., & Bernadino, H. (2014). Optimization of combinational logic circuits through decomposition of truth table and evolution of sub-circuits. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 945–950.

[Marchetti et al., 2014] Marchetti, L., Manca, V., & Zelinka, I. (2014). On the inference of deterministic chaos: Evolutionary algorithm and metabolic P system approaches. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1483–1489.

[Mario et al., 2014] Mario, E. D., Navarro, I., & Martinoli, A. (2014). Analysis of fitness noise in particle swarm optimization: From robotic learning to benchmark functions. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2785–2792.

[Martinez & Coello, 2014] Martinez, S. Z. & Coello, C. A. C. (2014). A multi-objective evolutionary algorithm based on decomposition for constrained multi-objective optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 429–436.

[Martins et al., 2014] Martins, L., Nobre, R., Delbem, A., Marques, E., & Cardoso, J. (2014). A clustering-based approach for exploring sequences of compiler optimizations. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2436–2443.

[Masi & Vasile, 2014] Masi, L. & Vasile, M. (2014). A multidirectional Physarum solver for the automated design of space trajectories. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2992–2999.

[Masuda et al., 2014] Masuda, H., Nojima, Y., & Ishibuchi, H. (2014). Visual examination of the behavior of EMO algorithms for many-objective optimization with many decision variables. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2633–2640.

[Matei et al., 2014] Matei, O., Contras, D., & Pop, P. (2014). Applying evolutionary computation for evolving ontologies. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1520–1527.

[Mauser et al., 2014] Mauser, I., Dorscheid, M., Allerding, F., & Schmeck, H. (2014). Encodings for evolutionary algorithms in smart buildings with energy management systems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2361–2366.

[Mavrovouniotis & Yang, 2014a] Mavrovouniotis, M. & Yang, S. (2014a). Elitism-based immigrants for ant colony optimization in dynamic environments: Adapting the replacement rate. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1752–1759.

[Mavrovouniotis & Yang, 2014b] Mavrovouniotis, M. & Yang, S. (2014b). Interactive and non-interactive hybrid immigrants schemes for ant algorithms in dynamic environments. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1542–1549.

[Mayo & Sun, 2014] Mayo, M. & Sun, Q. (2014). Evolving artificial datasets to improve interpretable classifiers. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2367–2374.

[McNabb & Seppi, 2014] McNabb, A. & Seppi, K. (2014). Serial PSO results are irrelevant in a multi-core parallel world. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3143–3150.

[Mei et al., 2014] Mei, Y., Li, X., & Yao, X. (2014). Variable neighborhood decomposition for large scale capacitated arc routing problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1313–1320.

[Menchaca-Mendez & Coello, 2014] Menchaca-Mendez, A. & Coello, C. A. C. (2014). MD-MOEA : A new MOEA based on the maximin fitness function and Euclidean distances between solutions. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2148–2155.

[Menendez et al., 2014a] Menendez, H. D., Barrero, D. F., & Camacho, D. (2014a). A co-evolutionary multi-objective approach for a k-adaptive graph-based clustering algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2724–2731.

[Menendez et al., 2014b] Menendez, H. D., Plaza, L., & Camacho, D. (2014b). Combining graph connectivity and genetic clustering to improve biomedical summarization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2740–2747.

[Menezes et al., 2014] Menezes, M., Goldbarg, M., & Goldbarg, E. (2014). A memetic algorithm for the prize collecting traveling car renter problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3258–3265.

[Mesa et al., 2014] Mesa, E., Velasquez, J. D., & Jaramillo, P. (2014). A new self-adaptive PSO based on the identification of planar regions. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1937–1943.

[Metlicka & Davendra, 2014] Metlicka, M. & Davendra, D. (2014). Chaos-driven discrete artificial bee colony. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2947–2954.

[ming Cheung & Gu, 2014] ming Cheung, Y. & Gu, F. (2014). Online objective reduction for many-objective optimization problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1165–1171.

[Minisci & Vasile, 2014] Minisci, E. & Vasile, M. (2014). Adaptive inflationary differential evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1792–1799.

[Mohammadi et al., 2014] Mohammadi, A., Omidvar, M. N., Li, X., & Deb, K. (2014). Integrating user preferences and decomposition methods for many-objective optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 421–428.

[Molina et al., 2014] Molina, D., Lacroix, B., & Herrera, F. (2014). Influence of regions on the memetic algorithm for the special session on real-parameter single objetive optimisation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1633–1640.

[Montgomery et al., 2014] Montgomery, J., Chen, S., & Gonzalez-Fernandez, Y. (2014). Identifying and exploiting the scale of a search space in differential evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1427–1434.

[Moshaiov & Abramovich, 2014] Moshaiov, A. & Abramovich, O. (2014). Is MO-CMA-ES superior to NSGA-II for the evolution of multi-objective neuro-controllers? *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2809–2816.

[Moshaiov & Tal, 2014] Moshaiov, A. & Tal, A. (2014). Family bootstrapping: A genetic transfer learning approach for onsetting the evolution for a set of related robotic tasks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2801–2808.

[Mu et al., 2014a] Mu, C., Xie, J., Liu, R., & Jiao, L. (2014a). A memetic algorithm using local structural information for detecting community structure in complex networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 680–686.

[Mu et al., 2014b] Mu, C., Zhang, J., & Jiao, L. (2014b). An intelligent ant colony optimization for community detection in complex networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 700–706.

[Naqvi et al., 2014] Naqvi, S. S., Browne, W. N., & Hollitt, C. (2014). Genetic algorithms based feature combination for salient object detection, for autonomously identified image domain types. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 109–116.

[Nguyen et al., 2014a] Nguyen, B. H., Xue, B., Liu, I., & Zhang, M. (2014a). Filter based backward elimination in wrapper based PSO for feature selection in classification. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3111–3118.

[Nguyen et al., 2014b] Nguyen, S., Zhang, M., & Johnston, M. (2014b). A sequential genetic programming method to learn forward construction heuristics for order acceptance and scheduling. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1824–1831.

[Nguyen et al., 2014c] Nguyen, T., Nguyen, K., & Thawonmas, R. (2014c). Integrating fuzzy integral and heuristic search for unit micromanagement in RTS games. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 9–12.

[Nguyen et al., 2014d] Nguyen, T. T., Liew, A. W.-C., Tran, M. T., Pham, X. C., & Nguyen, M. P. (2014d). A novel genetic algorithm approach for simultaneous feature and classifier selection in multi classifier system. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1698–1705.

[Ni et al., 2014] Ni, Q., Cao, C., & Yin, X. (2014). A new dynamic probabilistic particle swarm optimization with dynamic random population topology. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1321–1327.

[Nishiyama & Iba, 2014] Nishiyama, M. & Iba, H. (2014). Applying conversion matrix to robots for imitating motion using genetic algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 938–944.

[Niu & Bi, 2014] Niu, B. & Bi, Y. (2014). Binary bacterial foraging optimization for solving 0/1 knapsack problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 647–652.

[Niu et al., 2014] Niu, B., Xie, T., Duan, Q., & Tan, L. (2014). Particle swarm optimization for integrated yard truck scheduling and storage allocation problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 634–639.

[Nobile et al., 2014] Nobile, M. S., Citrolo, A. G., Cazzaniga, P., Besozzi, D., & Mauri, G. (2014). A memetic hybrid method for the molecular distance geometry problem with incomplete information. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1014–1021.

[Oh & Jin, 2014] Oh, H. & Jin, Y. (2014). Evolving hierarchical gene regulatory networks for morphogenetic pattern formation of swarm robotics. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 776–783.

[Omidvar et al., 2014] Omidvar, M. N., Mei, Y., & Li, X. (2014). Effective decomposition of large-scale separable continuous functions for cooperative co-evolutionary algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1305–1312.

[O'Neill et al., 2014] O'Neill, M., Nicolau, M., & Agapitos, A. (2014). Experiments in program synthesis with grammatical evolution: A focus on integer sorting. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1504–1511.

[Pandiyan, 2014] Pandiyan, M. (2014). Soft computing techniques based optimal tuning of virtual feedback PID controller for chemical tank reactor. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1922–1928.

[Pang & Coghill, 2014] Pang, W. & Coghill, G. (2014). An immune network approach to learning qualitative models of biological pathways. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1030–1037.

[Pascoal et al., 2014] Pascoal, L. M. L., Camilo-Junior, C. G., Silva, E. Q., & Rosa, T. C. (2014). A social-evolutionary approach to compose a similarity function used on event recommendation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1512–1519.

[Pat, 2014] Pat, A. (2014). Ant colony optimization and hypergraph covering problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1714–1720.

[Peng et al., 2014a] Peng, X., Lei, X., & Liu, K. (2014a). Compensate information from multimodal dynamic landscapes: An anti-pathology cooperative coevolutionary algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2578–2584.

[Peng et al., 2014b] Peng, Z., Zheng, J., & Zou, J. (2014b). A population diversity maintaining strategy based on dynamic environment evolutionary model for dynamic multiobjective optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 274–281.

[Pereira et al., 2014] Pereira, M., Roisenberg, M., & Neto, G. (2014). A topological niching covariance matrix adaptation for multimodal optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2562–2569.

[Perez et al., 2014] Perez, D., Powley, E., Whitehouse, D., Samothrakis, S., Lucas, S., & Cowling, P. (2014). The 2013 multi-objective physical travelling salesman problem competition. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2314–2321.

[Peterson, 2014] Peterson, L. (2014). Evolutionary algorithms applied to likelihood function maximization during Poisson, logistic, and Cox proportional hazards regression analysis. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1054–1061.

[Philippe et al., 2014] Philippe, P., Remi, M., & Michal, V. (2014). Bandits attack function optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2245–2252.

[Pilat & Neruda, 2014] Pilat, M. & Neruda, R. (2014). The effect of different local search algorithms on the performance of multi-objective optimizers. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2172–2179.

[Plagianakos, 2014] Plagianakos, V. (2014). Unsupervised clustering and multi-optima evolutionary search. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2383–2390.

[Polakova et al., 2014] Polakova, R., Tvrdik, J., & Bujok, P. (2014). Controlled restart in differential evolution applied to CEC2014 benchmark functions. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2230–2236.

[Poole et al., 2014a] Poole, D., Allen, C., & Rendall, T. (2014a). Analysis of constraint handling methods for the gravitational search algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2005–2012.

[Poole et al., 2014b] Poole, D., Allen, C., & Rendall, T. (2014b). Constraint handling in agent-based optimization by independent sub-swarms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 998–1005.

[Pop & Chira, 2014] Pop, P. & Chira, C. (2014). A hybrid approach based on genetic algorithms for solving the clustered vehicle routing problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1421–1426.

[Poursoltan & Neumann, 2014] Poursoltan, S. & Neumann, F. (2014). A feature-based analysis on the impact of linear constraints for e-constrained differential evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3088–3095.

[Pretorius et al., 2014] Pretorius, C., du Plessis, M., & Gonsalves, J. (2014). A comparison of neural networks and physics models as motion simulators for simple robotic evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2793–2800.

[Purshouse et al., 2014] Purshouse, R. C., Deb, K., Mansor, M. M., Mostaghim, S., & Wang, R. (2014). A review of hybrid evolutionary multiple criteria decision making methods. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1147–1154.

[Qian et al., 2014] Qian, X., Huang, M., Gao, T., & Wang, X. (2014). An improved ant colony algorithm for winner determination in multi-attribute combinatorial reverse auction. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1917–1921.

[Qin et al., 2014] Qin, A. K., Tang, K., Pan, H., & Xia, S. (2014). Self-adaptive differential evolution with local search chains for real-parameter single-objective optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 467–474.

[Qiu et al., 2014] Qiu, X., Xu, J., & Tan, K. C. (2014). A novel differential evolution (DE) algorithm for multi-objective optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2391–2396.

[R., 2014] R., R. B. (2014). Lion algorithm for standard and large scale bilinear system identification: A global optimization based on lion's social behavior. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2116–2123.

[Rahman et al., 2014] Rahman, H. F., Sarker, R., Essam, D., & Chang, G. (2014). A memetic algorithm for solving permutation flow shop problems with known and unknown machine breakdowns. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 42–49.

[Rahnamayan et al., 2014] Rahnamayan, S., Jesuthasan, J., Bourennani, F., Salehinejad, H., & Naterer, G. F. (2014). Computing opposition by involving entire population. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1800–1807.

[Rakshit et al., 2014] Rakshit, P., Konar, A., & Nagar, A. (2014). Artificial bee colony induced multi-objective optimization in presence of noise. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3176–3183.

[Reid et al., 2014] Reid, S., Malan, K., & Engelbrecht, A. (2014). Carry trade portfolio optimization using particle swarm optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3051–3058.

[Reps et al., 2014] Reps, J., Aickelin, U., & Garibaldi, J. (2014). Tuning a multiple classifier system for side effect discovery using genetic algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 910–917.

[reza Bonyadi & Michalewicz, 2014] reza Bonyadi, M. & Michalewicz, Z. (2014). On the edge of feasibility: A case study of the particle swarm optimizer. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3059–3066.

[Richter, 2014] Richter, H. (2014). Codynamic fitness landscapes of coevolutionary minimal substrates. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2692–2699.

[Rosales-Perez et al., 2014] Rosales-Perez, A., Escalante, H. J., Coello, C. A. C., Gonzalez, J. A., & Reyes-Garcia, C. A. (2014). An evolutionary multi-objective approach for prototype generation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1100–1107.

[Ruello et al., 2014] Ruello, M., Grimaccia, F., Mussetta, M., & Zich, R. E. (2014). Black-hole PSO and SNO for electromagnetic optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1912–1916.

[Runkler & Bezdek, 2014] Runkler, T. & Bezdek, J. (2014). Multidimensional scaling with multiswarming. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2940–2946.

[Sabar & Kendall, 2014a] Sabar, N. R. & Kendall, G. (2014a). Aircraft landing problem using hybrid differential evolution and simple descent algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 520–527.

[Sabar & Kendall, 2014b] Sabar, N. R. & Kendall, G. (2014b). Using harmony search with multiple pitch adjustment operators for the portfolio selection problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 499–503.

[Salehinejad et al., 2014a] Salehinejad, H., Rahnamayan, S., & Tizhoosh, H. R. (2014a). Micro-differential evolution with vectorized random mutation factor. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2055–2062.

[Salehinejad et al., 2014b] Salehinejad, H., Rahnamayan, S., & Tizhoosh, H. R. (2014b). Toward using type-II opposition in optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1768–1775.

[Santu et al., 2014] Santu, S. K. K., Rahman, M. M., Islam, M. M., & Murase, K. (2014). Towards better generalization in Pittsburgh learning classifier systems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1666–1673.

[Sayed et al., 2014] Sayed, E., Essam, D., Sarker, R., & Elsayed, S. (2014). A decomposition-based algorithm for dynamic economic dispatch problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1898–1905.

[Scardapane et al., 2014] Scardapane, S., Comminiello, D., Scarpiniti, M., & Uncini, A. (2014). GP-based kernel evolution for L2-regularization networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1674–1681.

[Schaefer et al., 2014] Schaefer, G., Krawczyk, B., Doshi, N., & Nakashima, T. (2014). Cost-sensitive texture classification. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 105–108.

[Scheepers & Engelbrecht, 2014] Scheepers, C. & Engelbrecht, A. (2014). Competitive coevolutionary training of simple soccer agents from zero knowledge. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1210–1217.

[Schlueter & Munetomo, 2014] Schlueter, M. & Munetomo, M. (2014). Parallelization for space trajectory optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 832–839.

[Segredo et al., 2014] Segredo, E., Segura, C., & Leon, C. (2014). Control of numeric and symbolic parameters with a hybrid scheme based on fuzzy logic and hyper-heuristics. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1890–1897.

[Segura et al., 2014] Segura, C., Coello, C. A. C., Segredo, E., & Leon, C. (2014). An analysis of the automatic adaptation of the crossover rate in differential evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 459–466.

[Sekanina et al., 2014] Sekanina, L., Ptak, O., & Vasicek, Z. (2014). Cartesian genetic programming as local optimizer of logic networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2901–2908.

[Sephton et al., 2014] Sephton, N., Cowling, P., Powley, E., Whitehouse, D., & Slaven, N. (2014). Parallelization of information set Monte Carlo tree search. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2290–2297.

[Shan et al., 2014] Shan, H., Yasuda, T., & Ohkura, K. (2014). A Levy flight-based hybrid artificial bee colony algorithm for solving numerical optimization problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2656–2663.

[Shang et al., 2014] Shang, R., Zhang, K., & Jiao, L. (2014). A novel algorithm for many-objective dimension reductions: Pareto-PCA-NSGA-II. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1974–1981.

[Shang-Chia et al., 2014] Shang-Chia, W., Wei-Chang, Y., & Tso-Jung, Y. (2014). Pareto simplified swarm optimization for grid-computing reliability and service makspan in grid-RMS. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1593–1600.

[Shao et al., 2014] Shao, H., Abielmona, R., Falcon, R., & Japkowicz, N. (2014). Vessel track correlation and association using fuzzy logic and echo state networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2322–2329.

[Shi et al., 2014] Shi, Z., Peng, Y., & Wei, W. (2014). Optimal sizing of DGs and storage for microgrid with interruptible load using improved NSGA-II. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2108–2115.

[Shuai et al., 2014] Shuai, L., Wang, Z., & Gong, T. (2014). Simulating the coevolution of language and long-term memory. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1374–1381.

[Si et al., 2014] Si, C., Shen, J., Zou, X., Wang, L., & Wu, Q. (2014). Mapping constrained optimization problems to penalty parameters: An empirical study. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3073–3079.

[Silva et al., 2014] Silva, E. Q., Camilo-Junior, C. G., Pascoal, L. M. L., & Rosa, T. C. (2014). An evolutionary approach for combining results of recommender systems techniques based on collaborative filtering. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 959–966.

[Singh et al., 2014a] Singh, H., Asafuddoula, M., & Ray, T. (2014a). Solving problems with a mix of hard and soft constraints using modified infeasibility driven evolutionary algorithm (IDEA-M). *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 983–990.

[Singh et al., 2014b] Singh, H., Isaacs, A., & Ray, T. (2014b). A hybrid surrogate based algorithm (HSBA) to solve computationally expensive optimization problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1069–1075.

[Singh et al., 2014c] Singh, P., Couckuyt, I., Ferranti, F., & Dhaene, T. (2014c). A constrained multi-objective surrogate-based optimization algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3080–3087.

[Sinha et al., 2014] Sinha, A., Malo, P., & Deb, K. (2014). An improved bilevel evolutionary algorithm based on quadratic approximations. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1870–1877.

[Smith et al., 2014] Smith, C., Doherty, J., & Jin, Y. (2014). Multi-objective evolutionary recurrent neural network ensemble for prediction of computational fluid dynamic simulations. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2609–2616.

[Smullen et al., 2014] Smullen, D., Gillett, J., Heron, J., & Rahnamayan, S. (2014). Genetic algorithm with self-adaptive mutation controlled by chromosome similarity. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 504–511.

[Soncco-Alvarez & Ayala-Rincon, 2014] Soncco-Alvarez, J. L. & Ayala-Rincon, M. (2014). Memetic algorithm for sorting unsigned permutations by reversals. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2770–2777.

[Song et al., 2014] Song, X., Ji, J., Yang, C., & Zhang, X. (2014). Ant colony clustering based on sampling for community detection. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 687–692.

[Souza et al., 2014a] Souza, L., Prudencio, R., & Barros, F. (2014a). A comparison study of binary multi-objective particle swarm optimization approaches for test case selection. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2164–2171.

[Souza et al., 2014b] Souza, T., Goldbarg, E., & Goldbarg, M. (2014b). An experimental analysis of evolutionary algorithms for the three-objective oil derivatives distribution problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1982–1989.

[St-Pierre & Liu, 2014] St-Pierre, D. L. & Liu, J. (2014). Differential evolution algorithm applied to non-stationary bandit problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2397–2403.

[Stanley et al., 2014] Stanley, S., Palazzolo, T., & Warnke, D. (2014). Analyzing prehistoric hunter behavior with cultural algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2196–2205.

[Su & Yu, 2014] Su, Y.-E. & Yu, T.-L. (2014). Use model building on discretization algorithms for discrete EDAs to work on real-valued problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2491–2498.

[Sudo et al., 2014] Sudo, T., Nojima, Y., & Ishibuchi, H. (2014). Effects of ensemble action selection on the evolution of iterated prisoner's dilemma game strategies. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1195–1201.

[Suzuki et al., 2014] Suzuki, M., Tsuruta, S., Knauf, R., & Sakurai, Y. (2014). Knowledge acquisition issues for intelligent route optimization by evolutionary computation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3252–3257.

[Tamura & Yasuda, 2014] Tamura, K. & Yasuda, K. (2014). Primary study on feedback controlled differential evolution. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 371–378.

[Tanabe & Fukunaga, 2014] Tanabe, R. & Fukunaga, A. (2014). Improving the search performance of SHADE using linear population size reduction. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1658–1665.

[Tang & Abbass, 2014] Tang, J. & Abbass, H. A. (2014). Behavioral learning of aircraft landing sequencing using a society of probabilistic finite state machines. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 610–617.

[Thanh et al., 2014] Thanh, B. H. T., Van, L. T., Xuan, H. N., Duc, A. N., & Manh, T. P. (2014). Reordering dimensions for radial visualization of multidimensional data - a genetic algorithms approach. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 951–958.

[Thompson & Congdon, 2014] Thompson, J. A. & Congdon, C. B. (2014). GAMI-CRM: Using de novo motif inference to detect cis-regulatory modules. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1022–1029.

[Triguero et al., 2014] Triguero, I., Peralta, D., Bacardit, J., Garcia, S., & Herrera, F. (2014). A combined MapReduce-windowing two-level parallel scheme for evolutionary prototype generation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3036–3043.

[Tsai et al., 2014a] Tsai, P.-C., Chen, C.-M., & ping Chen, Y. (2014a). A novel evaluation function for LT codes degree distribution optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3030–3035.

[Tsai et al., 2014b] Tsai, P.-C., Chen, C.-M., & ping Chen, Y. (2014b). PSO-based evacuation simulation framework. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1944–1950.

[Tsang, 2014] Tsang, J. (2014). The structure of a probabilistic 2-state finite transducer representation for prisoner's dilemma. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1202–1209.

[Tung et al., 2014] Tung, H.-Y., Ma, W.-C., & Yu, T.-L. (2014). Novel traffic signal timing adjustment strategy based on genetic algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2353–2360.

[Turky & Abdullah, 2014] Turky, A. & Abdullah, S. (2014). Using electromagnetic algorithm for tuning the structure and parameters of neural networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 326–331.

[Vafaee et al., 2014] Vafaee, F., Turan, G., Nelson, P., & Berger-Wolf, T. (2014). Balancing the exploration and exploitation in an adaptive diversity guided genetic algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2570–2577.

[Valsecchi et al., 2014] Valsecchi, A., Mesejo, P., Marrakchi-Kacem, L., Cagnoni, S., & Damas, S. (2014). Automatic evolutionary medical image segmentation using deformable models. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 97–104.

[vanden Broucke et al., 2014] vanden Broucke, S., Vanthienen, J., & Baesens, B. (2014). Declarative process discovery with evolutionary computing. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2412–2419.

[Varela et al., 2014] Varela, G., Caamano, P., Orjales, F., Deibe, A., Lopez-Pena, F., & Duro, R. (2014). Differential evolution in constrained sampling problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2375–2382.

[Viegas et al., 2014] Viegas, J., Vieira, S., Sousa, J., & Henriques, E. (2014). Metaheuristics for the 3D bin packing problem in the steel industry. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 338–343.

[Wagner, 2014] Wagner, M. (2014). Maximising axiomatization coverage and minimizing regression testing time. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2885–2892.

[Wagner & Neumann, 2014] Wagner, M. & Neumann, F. (2014). Single- and multi-objective genetic programming: New runtime results for SORTING. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 125–132.

[Wang et al., 2014a] Wang, B., Xu, H., & Yuan, Y. (2014a). Quantum-inspired evolutionary algorithm with linkage learning. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2467–2474.

[Wang et al., 2014b] Wang, F., Gao, Y., & Zhu, Z. (2014b). Locality-sensitive hashing based multiobjective memetic algorithm for dynamic pickup and delivery problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 661–666.

[Wang et al., 2014c] Wang, L., Yang, B., Li, Y., & Zhang, N. (2014c). A novel improvement of particle swarm optimization using dual factors strategy. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 183–189.

[Wang et al., 2014d] Wang, Q., Li, H., Gong, M., Su, L., & Jiao, L. (2014d). A multiobjective optimization method based on MOEA/D and fuzzy clustering for change detection in SAR images. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3024–3029.

[Wang et al., 2014e] Wang, S., Gain, J., & Nitschke, G. (2014e). Comparing crossover operators in neuro-evolution with crowd simulations. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2298–2305.

[Wang et al., 2014f] Wang, S., Gong, M., Ma, L., Cai, Q., & Jiao, L. (2014f). Decomposition based multiobjective evolutionary algorithm for collaborative filtering recommender systems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 672–679.

[Wang et al., 2014g] Wang, S., Zuo, X., & Zhao, X. (2014g). Solving dynamic double-row layout problem via an improved simulated annealing algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1299–1304.

[Wang et al., 2014h] Wang, S.-M., Tung, Y.-F., & Yu, T.-L. (2014h). Investigation on efficiency of optimal mixing on various linkage sets. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2475–2482.

[Wang et al., 2014i] Wang, X., Liu, X., Japkowicz, N., & Matwin, S. (2014i). Automatic target recognition using multiple-aspect sonar images. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2330–2337.

[Wang & Yin, 2014] Wang, Y. & Yin, J. (2014). Intelligent search optimized edge potential function (EPF) approach to synthetic aperture radar (SAR) scene matching. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2124–2131.

[Wang et al., 2014j] Wang, Z., Gong, M., Cai, Q., Ma, L., & Jiao, L. (2014j). Deployment optimization of near space airships based on MOEA/D with local search. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2345–2352.

[Wang et al., 2014k] Wang, Z., Zhang, Q., Gong, M., & Zhou, A. (2014k). A replacement strategy for balancing convergence and diversity in MOEA/D. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2132–2139.

[Watanabe et al., 2014a] Watanabe, S., Chiba, Y., & Kanazaki, M. (2014a). A proposal on analysis support system based on association rule analysis for non-dominated solutions. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 880–887.

[Watanabe et al., 2014b] Watanabe, T., Tatsukawa, T., Jaimes, A. L., Aono, H., Nonomura, T., Oyama, A., & Fujii, K. (2014b). Many-objective evolutionary computation for optimization of separated-flow control using a DBD plasma actuator. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2849–2854.

[Wei et al., 2014] Wei, F., Wang, Y., & Zong, T. (2014). Variable grouping based differential evolution using an auxiliary function for large scale global optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1293–1298.

[Wei & Dinneen, 2014a] Wei, K. & Dinneen, M. J. (2014a). Hybridizing the dynamic mutation approach with local searches to overcome local optima. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 74–81.

[Wei & Dinneen, 2014b] Wei, K. & Dinneen, M. J. (2014b). Runtime comparison of two fitness functions on a memetic algorithm for the clique problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 133–140.

[wei Zheng et al., 2014] wei Zheng, X., jie Lu, D., & hua Chen, Z. (2014). A self-adaptive group search optimizer with elitist strategy. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2033–2039.

[Weise et al., 2014] Weise, T., Wan, M., Tang, K., & Yao, X. (2014). Evolving exact integer algorithms with genetic programming. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1816–1823.

[Weiszer et al., 2014] Weiszer, M., Chen, J., Ravizza, S., Atkin, J., & Stewart, P. (2014). A heuristic approach to greener airport ground movement. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3280–3286.

[Wesolkowski et al., 2014] Wesolkowski, S., Francetic, N., & Grant, S. (2014). TraDE: Training device selection via multi-objective optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2617–2624.

[Wong et al., 2014] Wong, P.-K., Lo, L.-Y., Wong, M.-L., & Leung, K.-S. (2014). Grammar based genetic programming with Bayesian network. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 739–746.

[Wu et al., 2014a] Wu, C.-L., Liu, C.-H., & Ting, C.-K. (2014a). A novel genetic algorithm considering measures and phrases for generating melody. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2101–2107.

[Wu et al., 2014b] Wu, C.-W., Chiang, T.-C., & Fu, L.-C. (2014b). An ant colony optimization algorithm for multi-objective clustering in mobile ad hoc networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2963–2968.

[Wu et al., 2014c] Wu, H., Zhang, F., & Wu, L. (2014c). An uncultivated wolf pack algorithm for high-dimensional functions and its application in parameters optimization of PID controller. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1477–1482.

[Wu et al., 2014d] Wu, J., Yuan, L., Gong, Q., Ma, W., Ma, J., & Li, Y. (2014d). A compression optimization algorithm for community detection. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 667–671.

[Wu et al., 2014e] Wu, M., Karkar, A., Liu, B., Yakovlev, A., & Gielen, G. (2014e). Network on chip optimization based on surrogate model assisted evolutionary algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3266–3271.

[Wu et al., 2014f] Wu, N., Zhu, Z., & Ji, Z. (2014f). A growing partitional clustering based on particle swarm optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 229–234.

[Wu & Liu, 2014] Wu, S.-Y. & Liu, J.-S. (2014). Evolutionary path planning of a data mule in wireless sensor network by using shortcuts. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2708–2715.

[Wu & Kolonko, 2014] Wu, Z. & Kolonko, M. (2014). Absorption in model-based search algorithms for combinatorial optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1744–1751.

[Xiang et al., 2014] Xiang, T., Zhang, W., & Chen, F. (2014). A verifiable PSO algorithm in cloud computing. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 190–193.

[Xiao et al., 2014] Xiao, Y., Trefzer, M., Walker, J., Bale, S., & Tyrrell, A. (2014). Two step evolution strategy for device motif BSIM model parameter extraction. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2877–2884.

[Xie & Shang, 2014] Xie, C. & Shang, L. (2014). Anomaly detection in crowded scenes using genetic programming. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1832–1839.

[Xie et al., 2014a] Xie, F., Song, A., & Ciesielski, V. (2014a). Genetic programming based activity recognition on a smartphone sensory data benchmark. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2917–2924.

[Xie et al., 2014b] Xie, J., Mei, Y., Ernst, A., Li, X., & Song, A. (2014b). A genetic programming-based hyper-heuristic approach for storage location assignment problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3000–3007.

[Xu et al., 2014a] Xu, C., Huang, H., & Ye, S. (2014a). A differential evolution with replacement strategy for real-parameter numerical optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1617–1624.

[Xu et al., 2014b] Xu, J., Xi, X., & Wang, S. (2014b). Optimization based on adaptive hinging hyperplanes and genetic algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2040–2046.

[Xu et al., 2014c] Xu, X., Lu, L., He, P., Ding, J., & Ju, Y. (2014c). Evolutionary semi-supervised learning with swarm intelligence. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1343–1350.

[Xu & Tang, 2014] Xu, X. & Tang, M. (2014). A new grouping genetic algorithm for the mapreduce placement problem in cloud computing. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1601–1608.

[Xue et al., 2014] Xue, B., Qin, A. K., & Zhang, M. (2014). An archive based particle swarm optimisation for feature selection in classification. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3119–3126.

[Yan & Jiao, 2014] Yan, P. & Jiao, M. (2014). A chaotic particle swarm optimization algorithm for the jobshop scheduling problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 218–222.

[Yang et al., 2014a] Yang, M., Cai, Z., Li, C., & Guan, J. (2014a). An improved JADE algorithm for global optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 806–812.

[Yang et al., 2014b] Yang, M., Li, R., & Chu, T. (2014b). A new method and application for controlling the steady-state probability distributions of probabilistic Boolean networks. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1490–1495.

[Yang et al., 2014c] Yang, P., Tang, K., & Lozano, J. A. (2014c). Estimation of distribution algorithms based unmanned aerial vehicle path planner using a new coordinate. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1469–1476.

[Yang et al., 2014d] Yang, Z., Li, K., Foley, A., & Zhang, C. (2014d). A new self-learning TLBO algorithm for RBF neural modelling of batteries in electric vehicles. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2685–2691.

[Ye et al., 2014] Ye, S., Dai, G., & Peng, L. (2014). A hybrid adaptive coevolutionary differential evolution algorithm for large-scale optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1277–1284.

[Yexing et al., 2014] Yexing, L., Xinye, C., Zhun, F., & Qingfu, Z. (2014). An external archive guided multiobjective evolutionary approach based on decomposition for continuous optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1124–1130.

[Yoshida & Yoshikawa, 2014] Yoshida, T. & Yoshikawa, T. (2014). A study on non-correspondence in spread between objective space and design variable space for trajectory designing optimization problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2444–2450.

[Yu et al., 2014a] Yu, C., Kelley, L., Zheng, S., & Tan, Y. (2014a). Fireworks algorithm with differential mutation for solving the CEC 2014 competition problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3238–3245.

[Yu & Liang, 2014] Yu, J.-C. & Liang, Z.-F. (2014). Evolutionary regional network modeling for efficient engineering optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1258–1264.

[Yu et al., 2014b] Yu, J. J., Lam, A. Y., & Li, V. O. (2014b). Chemical reaction optimization for the set covering problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 512–519.

[Yu & Li, 2014] Yu, J. J. & Li, V. O. (2014). Base station switching problem for green cellular networks with social spider algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2338–2344.

[Yu et al., 2014c] Yu, J. J., Li, V. O., & Lam, A. Y. (2014c). An inter-molecular adaptive collision scheme for chemical reaction optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1998–2004.

[Yu et al., 2014d] Yu, M., Zuo, X., & Murray, C. C. (2014d). A tabu search heuristic for the single row layout problem with shared clearances. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 819–825.

[Yu & Lu, 2014] Yu, W. & Lu, L. (2014). A route planning strategy for the automatic garment cutter based on genetic algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 379–386.

[Yu et al., 2014e] Yu, Y., Ma, H., & Zhang, M. (2014e). A genetic programming approach to distributed QoS-aware web service composition. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1840–1846.

[Yu & Qian, 2014] Yu, Y. & Qian, H. (2014). The sampling-and-learning framework: A statistical view of evolutionary algorithms. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 149–158.

[yu Du et al., 2014] yu Du, M., juan Lei, X., & qiang Wu, Z. (2014). A simplified glowworm swarm optimization algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2861–2868.

[yu Zheng et al., 2014] yu Zheng, H., Wang, L., & yao Wang, S. (2014). A co-evolutionary teaching-learning-based optimization algorithm for stochastic RCPSP. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 587–594.

[Yuan et al., 2014] Yuan, Z., Chen, Y., & He, R. (2014). Agile earth observing satellites mission planning using genetic algorithm based on high quality initial solutions. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 603–609.

[Yue et al., 2014] Yue, C., Zexuan, Z., & Zhen, J. (2014). Feature extraction based on trimmed complex network representation for metabolomic data classification. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 366–370.

[Yuen & Zhang, 2014] Yuen, S. Y. & Zhang, X. (2014). Multiobjective evolutionary algorithm portfolio: Choosing suitable algorithm for multiobjective optimization problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1967–1973.

[Yusoh & Tang, 2014] Yusoh, Z. M. & Tang, M. (2014). Composite SaaS scaling in cloud computing using a hybrid genetic algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1609–1616.

[Yuwono et al., 2014] Yuwono, M., Su, S. W., Moulton, B. D., Guo, Y., & Nguyen, H. T. (2014). An algorithm for scalable clustering: Ensemble rapid centroid estimation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1250–1257.

[Zan & Jaros, 2014] Zan, D. & Jaros, J. (2014). Solving the multidimensional knapsack problem using a CUDA accelerated PSO. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2933–2939.

[Zeng & Sun, 2014] Zeng, Y. & Sun, Y. (2014). Comparison of multiobjective particle swarm optimization and evolutionary algorithms for optimal reactive power dispatch problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 258–265.

[Zhan & Zhang, 2014] Zhan, Z.-H. & Zhang, J. (2014). Adaptive particle swarm optimization with variable relocation for dynamic optimization problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1565–1570.

[Zhang et al., 2014a] Zhang, B., hua Duan, J., yan Sang, H., qing Li, J., & Yan, H. (2014a). A new penalty function method for constrained optimization using harmony search algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 853–859.

[Zhang et al., 2014b] Zhang, B., Shafi, K., & Abbass, H. (2014b). Online knowledge-based evolutionary multi-objective optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2222–2229.

[Zhang et al., 2014c] Zhang, B., Zhang, M.-X., & Zheng, Y.-J. (2014c). A hybrid biogeography-based optimization and fireworks algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3200–3206.

[Zhang & Li, 2014] Zhang, G. & Li, Y. (2014). Cooperative particle swarm optimizer with elimination mechanism for global optimization of multimodal problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 210–217.

[Zhang et al., 2014d] Zhang, H., Song, S., Zhou, A., & Gao, X.-Z. (2014d). A clustering based multiobjective evolutionary algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 723–730.

[Zhang & Maringer, 2014] Zhang, J. & Maringer, D. (2014). Two parameter update schemes for recurrent reinforcement learning. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1449–1453.

[Zhang et al., 2014e] Zhang, J., Zhang, C., Chu, T., & Cao, M. (2014e). Cooperation with potential leaders in evolutionary game study of networking agents. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 918–923.

[Zhang et al., 2014f] Zhang, J., Zhu, X., Wang, W., & Yao, J. (2014f). A fast restarting particle swarm optimizer. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1351–1358.

[Zhang et al., 2014g] Zhang, K., Weise, T., & Li, J. (2014g). Fitness level based adaptive operator selection for cutting stock problems with contiguity. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2539–2546.

[Zhang & He, 2014] Zhang, L. & He, R. (2014). A globally diversified island model PGA for multimodal optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2553–2561.

[Zhang et al., 2014h] Zhang, W., Gao, Y., & Zhang, C. (2014h). The enhanced vector of convergence for particle swarm optimization based on constrict factor. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1337–1342.

[Zhang et al., 2014i] Zhang, Y., Dai, G., Peng, L., & Wang, M. (2014i). HMOEDA_LLE: A hybrid multi-objective estimation of distribution algorithm combining locally linear embedding. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 707–714.

[Zheng et al., 2014a] Zheng, S., Janecek, A., Li, J., & Tan, Y. (2014a). Dynamic search in fireworks algorithm. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 3222–3229.

[Zheng et al., 2014b] Zheng, X., Wang, L., & Wang, S. (2014b). An enhanced non-dominated sorting based fruit fly optimization algorithm for solving environmental economic dispatch problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 626–633.

[Zheng et al., 2014c] Zheng, Y.-J., Zhang, B., & Cheng, Z. (2014c). Hyper-heuristics with penalty parameter adaptation for constrained optimization. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 1883–1889.

[Zheng et al., 2014d] Zheng, Z., Li, J., Li, J., & Tan, Y. (2014d). Avoiding decoys in multiple targets searching problems using swarm robotics. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 784–791.

[Zhou et al., 2014] Zhou, X., Peng, W., & Yang, B. (2014). GEAS: A GA-ES-mixed algorithm for parameterized optimization problems - using CLS problem as an example. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 888–894.

[Zhu et al., 2014a] Zhu, L., Deb, K., & Kulkarni, S. (2014a). Multi-scenario optimization using multi-criterion methods: A case study on Byzantine agreement problem. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2601–2608.

[Zhu et al., 2014b] Zhu, T., Luo, W., & Yue, L. (2014b). Combining multipopulation evolutionary algorithms with memory for dynamic optimization problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2047–2054.

[Zhu et al., 2014c] Zhu, X., Luo, W., & Zhu, T. (2014c). An improved genetic algorithm for dynamic shortest path problems. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 2093–2100.

[Zong et al., 2014] Zong, X., Xiong, S., Xu, H., & Duan, P. (2014). Space-time simulation model based on particle swarm optimization algorithm for stadium evacuation. *Proceedings of the 2014 IEEE Congress on Evolutionary Computation*, 194–201.