

Список литературы

- [1] Sichtig H, Schaffer JD, Laramée CB. SSNNS -: a suite of tools to explore spiking neural networks. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1787-90. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1787.pdf>.
- [2] Talukder AKMKA. Towards high speed multiobjective evolutionary optimizers. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1791-4. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1791.pdf>.
- [3] Arenas-Díaz ED, Ochoterena-Booth H, Rodríguez-Vázquez K. Multiple sequence alignment using a GLOCSA guided genetic algorithm. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1795-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1795.pdf>.
- [4] Santana-Quintero LV, Coello Coello CA. Accelerating convergence using rough sets theory for multi-objective optimization problems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1799-802. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1799.pdf>.
- [5] Kim JW. How social structure and institutional order co-evolve beyond instrumental rationality. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1803-6. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1803.pdf>.
- [6] van Krevelen DWF. Specialization with NeuroEvolution in a collective behaviour task. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1807-10. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1807.pdf>.
- [7] Sato H, Aguirre HE, Tanaka K. Local dominance and controlling dominance area of solutions in multi and many objectives EAs. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1811-4. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1811.pdf>.
- [8] Paperin G. Using holey fitness landscapes to counteract premature convergence in evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1815-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1815.pdf>.
- [9] Ribeiro JCB. Search-based test case generation for object-oriented java software using strongly-typed genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1819-22. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1819.pdf>.
- [10] Korani WM. Bacterial foraging oriented by particle swarm optimization strategy for PID tuning. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1823-6. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1823.pdf>.
- [11] Kayani SA. Search for human competitive results in open ended automated synthesis of a primordial mechatronic system. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Graduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1827-30. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1827.pdf>.

- [12] Padhye N. Topology optimization of compliant mechanism using multi-objective particle swarm optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Undergraduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1831-4. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1831.pdf>.
- [13] Padhye N. Interplanetary trajectory optimization with swing-bys using evolutionary multi-objective optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Undergraduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1835-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1835.pdf>.
- [14] Small RK. Agent Smith: a real-time game-playing agent for interactive dynamic games. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Undergraduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1839-42. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1839.pdf>.
- [15] Rodrigues Lima, Junior A. A study for multi-objective fitness function for time series forecasting with intelligent techniques. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Undergraduate Student Workshops. Atlanta, GA, USA: ACM; 2008. p. 1843-6. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1843.pdf>.
- [16] Sewell MV, Yan W. Ultra high frequency financial data. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC). Atlanta, GA, USA: ACM; 2008. p. 1847-50. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1847.pdf>.
- [17] Fernández-Blanco P, Bodas-Sagi DJ, Soltero FJ, Hidalgo JI. Technical market indicators optimization using evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC). Atlanta, GA, USA: ACM; 2008. p. 1851-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1851.pdf>.
- [18] Hassan G. Non-linear factor model for asset selection using multi objective genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC). Atlanta, GA, USA: ACM; 2008. p. 1859-62. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1859.pdf>.
- [19] Peralta J, Gutierrez G, Sanchis A. ADANN: automatic design of artificial neural networks. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC). Atlanta, GA, USA: ACM; 2008. p. 1863-70. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1863.pdf>.
- [20] Briza AC, Naval, Jr PC. Design of stock trading system for historical market data using multiobjective particle swarm optimization of technical indicators. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC). Atlanta, GA, USA: ACM; 2008. p. 1871-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1871.pdf>.
- [21] Rosenberg B, Richards M, Langton JT, Tenenbaum S, Stouch DW. Applications of multi-objective evolutionary algorithms to air operations mission planning. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC). Atlanta, GA, USA: ACM; 2008. p. 1879-86. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1879.pdf>.

- [22] Francisco T, dos Reis GMJ. Evolving combat algorithms to control space ships in a 2D space simulation game with co-evolution using genetic programming and decision trees. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC). Atlanta, GA, USA: ACM; 2008. p. 1887-92. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1887.pdf>.
- [23] Francisco T, dos Reis GMJ. Evolving predator and prey behaviours with co-evolution using genetic programming and decision trees. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC). Atlanta, GA, USA: ACM; 2008. p. 1893-900. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1893.pdf>.
- [24] Babb B, Moore F, Peterson M, Lamont G. Evolving better satellite image compression and reconstruction transforms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC). Atlanta, GA, USA: ACM; 2008. p. 1901-6. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1901.pdf>.
- [25] Moore FW, Babb B. A differential evolution algorithm for optimizing signal compression and reconstruction transforms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC). Atlanta, GA, USA: ACM; 2008. p. 1907-12. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1907.pdf>.
- [26] Nowak DJ, Lamont GB, Peterson GL. Emergent architecture in self organized swarm systems for military applications. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC). Atlanta, GA, USA: ACM; 2008. p. 1913-20. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1913.pdf>.
- [27] Merkle LD. Metaoptimization of the in-lining priority function for a compiler targeting a polymorphous computing architecture. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC). Atlanta, GA, USA: ACM; 2008. p. 1921-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1921.pdf>.
- [28] Merkle LD. Automated network forensics. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC). Atlanta, GA, USA: ACM; 2008. p. 1929-32. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1929.pdf>.
- [29] Martínez IC, Jaffe K. Comparing different modes of horizontal information transmission in stabilizing cooperation in different complex networks. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS). Atlanta, GA, USA: ACM; 2008. p. 1933-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1933.pdf>.
- [30] Montes de Oca MA, Stützle T. Towards incremental social learning in optimization and multiagent systems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS). Atlanta, GA, USA: ACM; 2008. p. 1939-44. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1939.pdf>.
- [31] Salazar N, Rodriguez-Aguilar JA, Arcos JL. Infection-based self-configuration in agent societies. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS). Atlanta, GA, USA: ACM; 2008. p. 1945-52. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1945.pdf>.

- [32] Chira C, Gog A, Dumitrescu D. Exploring population geometry and multi-agent systems: a new approach to developing evolutionary techniques. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS). Atlanta, GA, USA: ACM; 2008. p. 1953-60. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1953.pdf>.
- [33] Nowak DJ, Lamont GB. Autonomous agent behavior generation using multiobjective evolutionary optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS). Atlanta, GA, USA: ACM; 2008. p. 1961-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1961.pdf>.
- [34] Lung RI, Chira C, Dumitrescu D. An agent-based collaborative evolutionary model for multimodal optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS). Atlanta, GA, USA: ACM; 2008. p. 1969-76. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1969.pdf>.
- [35] Howard GD, Bull L. On the effects of node duplication and connection-oriented constructivism in neural XCSF. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Learning Classifier Systems. Atlanta, GA, USA: ACM; 2008. p. 1977-84. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1977.pdf>.
- [36] Loiacono D, Lanzi PL. Recursive least squares and quadratic prediction in continuous multistep problems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Learning Classifier Systems. Atlanta, GA, USA: ACM; 2008. p. 1985-92. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1985.pdf>.
- [37] Franco MA, Martinez IC, Gorriñ C. Supply chain management sales using XCSR. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Learning Classifier Systems. Atlanta, GA, USA: ACM; 2008. p. 1993-2000. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p1993.pdf>.
- [38] Enée G, Peroumalnaik M. Adapted Pittsburgh classifier system: building accurate strategies in non markovian environments. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Learning Classifier Systems. Atlanta, GA, USA: ACM; 2008. p. 2001-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2001.pdf>.
- [39] Tran TH, Sanza C, Duthen Y. Evolving prediction weights using evolution strategy. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Learning Classifier Systems. Atlanta, GA, USA: ACM; 2008. p. 2009-16. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2009.pdf>.
- [40] Vallim RMM, Goldberg DE, Llorà X, Duque TSPC, Carvalho ACPLF. A new approach for multi-label classification based on default hierarchies and organizational learning. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Learning Classifier Systems. Atlanta, GA, USA: ACM; 2008. p. 2017-22. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2017.pdf>.
- [41] Stalpl P, Butz MV. Towards increasing learning speed and robustness of XCSF: experimenting with larger offspring set sizes. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Learning Classifier Systems. Atlanta, GA, USA: ACM; 2008. p. 2023-30. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2023.pdf>.

- [42] Orriols-Puig A, Casillas J, Bernadó-Mansilla E. First approach toward on-line evolution of association rules with learning classifier systems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Learning Classifier Systems. Atlanta, GA, USA: ACM; 2008. p. 2031-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2031.pdf>.
- [43] Tabacman M, Krasnogor N, Bacardit J, Loiseau I. Learning classifier systems for optimisation problems: a case study on fractal travelling salesman problem. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Learning Classifier Systems. Atlanta, GA, USA: ACM; 2008. p. 2039-46. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2039.pdf>.
- [44] Lu Z, Rughani AI, Tranmer BI, Bongard J. Informative sampling for large unbalanced data sets. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation. Atlanta, GA, USA: ACM; 2008. p. 2047-54. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2047.pdf>.
- [45] Blouza A, Dumas L, M'Baye I. Multiobjective optimization of a stent in a fluid-structure context. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation. Atlanta, GA, USA: ACM; 2008. p. 2055-60. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2055.pdf>.
- [46] Patton RM, Beckerman B, Potok TE. Analysis of mammography reports using maximum variation sampling. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation. Atlanta, GA, USA: ACM; 2008. p. 2061-4. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2061.pdf>.
- [47] Zaharie D, Lungeanu D, Zamfirache F. Interactive search of rules in medical data using multiobjective evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation. Atlanta, GA, USA: ACM; 2008. p. 2065-72. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2065.pdf>.
- [48] Hazell A, Smith SL. Towards an objective assessment of alzheimer's disease: the application of a novel evolutionary algorithm in the analysis of figure copying tasks. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation. Atlanta, GA, USA: ACM; 2008. p. 2073-80. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2073.pdf>.
- [49] Malagò L, Matteucci M, Dal Seno B. An information geometry perspective on estimation of distribution algorithms: boundary analysis. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Optimization by Building and Using Probabilistic Models (OBUPM). Atlanta, GA, USA: ACM; 2008. p. 2081-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2081.pdf>.
- [50] Thierens D. A bivariate probabilistic model-building genetic algorithm for graph bipartitioning. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Workshop: Optimization by Building and Using Probabilistic Models (OBUPM). Atlanta, GA, USA: ACM; 2008. p. 2089-92. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2089.pdf>.
- [51] Awais A, Farooq M, Javed MY. Attack analysis & bio-inspired security framework for IPMultimedia subsystem. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2093-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2093.pdf>.

- [52] Baughman AK. Evolutionary facial feature selection. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2099-104. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2099.pdf>.
- [53] Bhattacharya M. A synergistic approach for evolutionary optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2105-10. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2105.pdf>.
- [54] Bhattacharya M. Handling uncertainty with a real-coded EA. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2111-6. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2111.pdf>.
- [55] Bhattacharya M. Reduced computation for evolutionary optimization in noisy environment. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2117-22. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2117.pdf>.
- [56] Chen JH, Chen JH. Multi-objective memetic approach for flexible process sequencing problems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2123-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2123.pdf>.
- [57] Dasgupta D, Hernandez G, Garrett D, Vejandla PK, Kaushal A, Yerneni R, et al. A comparison of multiobjective evolutionary algorithms with informed initialization and kuhn-munkres algorithm for the sailor assignment problem. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2129-34. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2129.pdf>.
- [58] De Pauw DJW, De Baets B. Incorporating model identifiability into equation discovery of ODE systems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2135-40. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2135.pdf>.
- [59] Fries TP. A fuzzy-genetic approach to network intrusion detection. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2141-6. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2141.pdf>.
- [60] Iclanzan D, Dumitrescu D. Towards memoryless model building. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2147-52. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2147.pdf>.
- [61] Imada JH, Ross BJ. Using feature-based fitness evaluation in symbolic regression with added noise. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2153-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2153.pdf>.
- [62] Jaskowski W, Krawiec K, Wieloch B. Multi-task code reuse in genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2159-64. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2159.pdf>.
- [63] Kayani SA, Malik MA. Bond-graphs + genetic programming: analysis of an automatically synthesized rotary mechanical system. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2165-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2165.pdf>.

- [64] Khan GM, Miller JF, Halliday DM. Developing neural structure of two agents that play checkers using cartesian genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2169-74. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2169.pdf>.
- [65] Krawiec K, Polewski P. Potential fitness for genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2175-80. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2175.pdf>.
- [66] Lässig J, Hoffmann KH, Enachescu M. Threshold selecting: best possible probability distribution for crossover selection in genetic algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2181-6. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2181.pdf>.
- [67] Madureira A, Santos F, Pereira I. Self-managing agents for dynamic scheduling in manufacturing. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2187-92. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2187.pdf>.
- [68] Paul TK, Ueno K, Iwata K, Hayashi T, Honda N. Risk prediction and risk factors identification from imbalanced data with RPMBGA+. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2193-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2193.pdf>.
- [69] Payne JL, Eppstein MJ. Parameterizing pair approximations for takeover dynamics. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2199-204. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2199.pdf>.
- [70] Shirakawa S, Nagao T. Evolutionary algorithm considering program size: efficient program evolution using grape. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2217-22. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2217.pdf>.
- [71] Squillero G, Tonda AP. A novel methodology for diversity preservation in evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2223-6. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2223.pdf>.
- [72] Sullivan K, Luke S, Larock C, Cier S, Armentrout S. Opportunistic evolution: efficient evolutionary computation on large-scale computational grids. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2227-32. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2227.pdf>.
- [73] Wilson D, Kaur D. Using quotient graphs to model neutrality in evolutionary search. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2233-8. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2233.pdf>.
- [74] Yu L, Zhou J, Ye F, Mabu S, Shimada K, Hirasawa K, et al. Double-deck elevator system using genetic network programming with genetic operators based on pheromone information. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 Late-Breaking Papers. Atlanta, GA, USA: ACM; 2008. p. 2239-44. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2239.pdf>.

- [75] De Jong K. Evolutionary computation: a unified approach. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2245-58. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2245.pdf>.
- [76] Bäck T. Evolution strategies: basic introduction. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2259-76. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2259.pdf>.
- [77] Goodman ED. Introduction to genetic algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2277-98. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2277.pdf>.
- [78] Koza JR. Introduction to genetic programming: tutorial. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2299-338. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2299.pdf>.
- [79] Azad RMA, Ryan C. Gecco 2008 grammatical evolution tutorial. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2339-66. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2339.pdf>.
- [80] Butz MV. Learning classifier systems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2367-88. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2367.pdf>.
- [81] Pelikan M. Probabilistic model-building genetic algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2389-416. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2389.pdf>.
- [82] Jansen T, Neumann F. Computational complexity and evolutionary computation. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2417-44. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2417.pdf>.
- [83] Coello Coello CA. Constraint-handling techniques used with evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2445-66. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2445.pdf>.
- [84] Zitzler E, Deb K. Evolutionary multiobjective optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2467-86. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2467.pdf>.
- [85] Deb K. Evolutionary practical optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2487-516. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2487.pdf>.
- [86] Bartz-Beielstein T, Preuss M. Experimental research in evolutionary computation. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2517-34. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2517.pdf>.

- [87] Rowe JE. Genetic algorithm theory. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2535-58. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2535.pdf>.
- [88] Poli R. Genetic programming theory. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2559-88. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2559.pdf>.
- [89] Whitley D. No free lunch. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2589-612. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2589.pdf>.
- [90] Rothlauf F. Representations for evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2613-38. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2613.pdf>.
- [91] Wineberg M, Christensen S. An introduction to statistical analysis for evolutionary computation. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2639-64. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2639.pdf>.
- [92] Squillero G. Ea-based test and verification of microprocessors. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2665-88. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2665.pdf>.
- [93] Borenstein Y. An information perspective on evolutionary computation. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2689-700. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2689.pdf>.
- [94] Miller JF, Harding SL. Cartesian genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2701-26. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2701.pdf>.
- [95] Auger A, Hansen N. Evolution strategies and related estimation of distribution algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2727-40. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2727.pdf>.
- [96] Sipper M. Evolutionary computation & games. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2741-76. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2741.pdf>.
- [97] Parmee IC. Evolutionary design search, exploration and optimisation. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2777-804. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2777.pdf>.
- [98] Kumar R. Evolutionary multiobjective combinatorial optimization (EMCO). In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2805-28. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2805.pdf>.
- [99] Miiikkulainen R, Stanley KO. Evolving neural networks. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2829-48. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2829.pdf>.

- [100] Stanley KO. Generative and developmental systems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2849-64. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2849.pdf>.
- [101] Spector L. Quantum computing. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2865-94. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2865.pdf>.
- [102] Keijzer M. Symbolic regression. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2895-906. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2895.pdf>.
- [103] Witt C. Theory of randomised search heuristics in combinatorial optimisation: an algorithmic point of view. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, et al., editors. GECCO-2008 tutorials. Atlanta, GA, USA: ACM; 2008. p. 2907-46. Available from: <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2008/docs/p2907.pdf>.