

## Список литературы

- [Abbass, 2001] Abbass, H. A. (2001). A single queen single worker honey-bees approach to 3-sat. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 807–814. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [Abou-Assaleh et al., 2001] Abou-Assaleh, T., Zhang, J., & Cercone, N. (2001). Evolution of recurrent neural networks to control autonomous life agents. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 903. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d08.pdf>
- [Aguilar, 2001] Aguilar, J. (2001). Ant colony optimization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 801. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d06.pdf>
- [Aguilar & Cerrada, 2001] Aguilar, J. & Cerrada, M. (2001). Fuzzy classifier system and genetic programming on system identification problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1245–1251. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Aguilar & Leiss, 2001] Aguilar, J. & Leiss, E. L. (2001). A data dependent loop scheduler based on genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1183. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d20.pdf>
- [Aguirre et al., 2001] Aguirre, H. E., Tanaka, K., & Oshita, S. (2001). Increasing the robustness of distributed genetic algorithms by parallel cooperative-competitive genetic operators. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 195–202. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Albert & Goldberg, 2001] Albert, L. A. & Goldberg, D. E. (2001). Efficient evaluation relaxation under integrated fitness functions. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 751. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Anbarasu et al., 2001] Anbarasu, L. A., Sundararajan, V., & Narayanasamy, P. (2001). Parallel genetic algorithm for performance-driven sequence alignment. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1015. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d12.pdf>
- [Arai & Sycara, 2001] Arai, S. & Sycara, K. (2001). Credit assignment method for learning effective stochastic policies in uncertain domain. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 815–822. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [Balling & Wilson, 2001] Balling, R. & Wilson, S. (2001). The maximin fitness function for multi-objective evolutionary computation: Application to city planning. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1079–1084. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/DE027.pdf>
- [Barbosa & Barreto, 2001] Barbosa, H. J. C. & Barreto, A. M. S. (2001). An interactive genetic algorithm with co-evolution of weights for multiobjective problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 203–210. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Barry, 2001] Barry, A. (2001). A hierarchical xcs for long path environments. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 913–920. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d09.pdf>
- [Bassett et al., 2001] Bassett, J. K., Wiegand, R. P., & De Jong, K. A. (2001). Evolving multi-agent behaviors using a tunable problem landscape. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1133. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d18.pdf>

- [Belaidouni & Hao, 2001] Belaidouni, M. & Hao, J.-K. (2001). Max-csp and fitness landscapes. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 752. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Belding, 2001] Belding, T. C. (2001). Potholes on the royal road. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 211–218. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Berlanga et al., 2001] Berlanga, A., Isasi, P., & Segovia, J. (2001). Interactive evolutionary computation with small population to generate gestures in avatars. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 823–828. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [Bongard & Pfeifer, 2001] Bongard, J. C. & Pfeifer, R. (2001). Repeated structure and dissociation of genotypic and phenotypic complexity in artificial ontogeny. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 829–836. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [Booker, 2001] Booker, L. B. (2001). Classifier systems, endogenous fitness, and delayed rewards: A preliminary investigation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 921–926. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d09.pdf>
- [Bosman & Thierens, 2001] Bosman, P. A. N. & Thierens, D. (2001). Crossing the road to efficient ideas for permutation problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 219–226. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Bot et al., 2001] Bot, M. C. J., Urquhart, N., & Chisholm, K. (2001). Agent motion planning with gas enhanced by memory models. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 227–234. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Bousonville, 2001] Bousonville, T. (2001). Local search and evolutionary computation for arc routing in garbage collection. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1137–1143. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d19.pdf>
- [Branke, 2001] Branke, J. (2001). Reducing the sampling variance when searching for robust solutions. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 235–242. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Branke et al., 2001] Branke, J., Schmidt, C., & Schmeck, H. (2001). Efficient fitness estimation in noisy environments. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 243–250. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Braud & Vrain, 2001] Braud, A. & Vrain, C. (2001). A study of the scalability of a data mining genetic algorithm on a distributed database. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 753. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Bruce & Miikkulainen, 2001] Bruce, J. & Miikkulainen, R. (2001). Evolving populations of expert neural networks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 251–257. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Burke et al., 2001] Burke, E. K., Cowling, P., Silva, J. D. L., & Petrovic, S. (2001). Combining hybrid metaheuristics and populations for the multiobjective optimisation of space allocation problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1252–1259. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Butz et al., 2001] Butz, M. V., Kovacs, T., Lanzi, P. L., & Wilson, S. W. (2001). How xcs evolves accurate classifiers. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 927–934. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d09.pdf>

- [Butz & Pelikan, 2001] Butz, M. V. & Pelikan, M. (2001). Analyzing the evolutionary pressures in xcs. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 935–942. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d09.pdf>
- [Cantu-Paz, 2001] Cantu-Paz, E. (2001). Single vs. multiple runs under constant computation cost. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 754. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/GA210.ps>
- [Carvalho & Freitas, 2001] Carvalho, D. R. & Freitas, A. A. (2001). An immunological algorithm for discovering small-disjunct rules in data mining. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 904. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d08.pdf>
- [Chen & Ho, 2001a] Chen, H.-M. & Ho, S.-Y. (2001a). Designing an optimal evolutionary fuzzy decision tree for data mining. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 943–950. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d09.pdf>
- [Chen & Ho, 2001b] Chen, J.-H. & Ho, S.-Y. (2001b). Multi-objective evolutionary optimization of flexible manufacturing systems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1260–1267. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Choi & Moon, 2001] Choi, S.-S. & Moon, B.-R. (2001). A hybrid genetic search for the sorting network problem with evolving parallel layers. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 258–265. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Christensen & Oppacher, 2001] Christensen, S. & Oppacher, F. (2001). What can we learn from no free lunch? a first attempt to characterize the concept of a searchable function. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1219–1226. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d23.pdf>
- [Coelho et al., 2001] Coelho, A. L. V., Weingaertner, D., & Von Zuben, F. J. (2001). Evolving heterogeneous neural networks for classification problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 266–273. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Coello & Pulido, 2001] Coello, C. A. & Pulido, G. T. (2001). Multiobjective optimization using a micro-genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 274–282. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Congdon, 2001] Congdon, C. B. (2001). An exploration in combatting premature convergence. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 755. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Corne et al., 2001] Corne, D. W., Jerram, N. R., Knowles, J. D., & Oates, M. J. (2001). Pesa-ii: Region-based selection in evolutionary multiobjective optimization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 283–290. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Correa et al., 2001] Correa, E. S., Steiner, M. T. A., Freitas, A. A., & Carnieri, C. (2001). A genetic algorithm for the p-median problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1268–1275. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Craenen & Eiben, 2001] Craenen, B. G. W. & Eiben, A. E. (2001). Stepwise adaption of weights with refinement and decay on constraint satisfaction problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 291–298. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>

- [Dasgupta & Gonzalez, 2001] Dasgupta, D. & Gonzalez, F. A. (2001). Evolving complex fuzzy classifier rules using a linear tree genetic representation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 299–305. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Dastani et al., 2001] Dastani, M., Marchiori, E., & Voorn, R. (2001). Finding perceived pattern structures using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 3–10. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [de Jong et al., 2001] de Jong, E. D., Watson, R. A., & Pollack, J. B. (2001). Reducing bloat and promoting diversity using multi-objective methods. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 11–18. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [de Oliveira & Lorena, 2001] de Oliveira, A. C. M. & Lorena, L. A. N. (2001). A constructive genetic algorithm for the linear gate assignment problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 756. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Deaton, 2001] Deaton, R. (2001). Dna and quantum computers. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 989–996. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d11.pdf>
- [Denzinger & Kordt, 2001] Denzinger, J. & Kordt, M. (2001). On the influence of learning time on evolutionary online learning of cooperative behavior. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 837–844. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [Determan & Foster, 2001] Determan, J. C. & Foster, J. A. (2001). A genetic algorithm for expert system rule generation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 757. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Divina & Marchiori, 2001] Divina, F. & Marchiori, E. (2001). Knowledge based evolutionary programming for inductive learning in first-order logic. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 173. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Doerner et al., 2001] Doerner, K. F., Hartl, R. F., & Reimann, M. (2001). Are competants more competent for problem solving? - the case of a routing and scheduling problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 802. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d06.pdf>
- [Downing, 2001a] Downing, K. L. (2001a). Adaptive genetic programs via reinforcement learning. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 19–26. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Downing, 2001b] Downing, K. L. (2001b). Modular designer chemistries for artificial life. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 845–852. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [Dozier, 2001] Dozier, G. (2001). Evolutionary hill-climbing, virtual constraints, and recurrent dynamic cpsps. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 758. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Duan & Povinelli, 2001] Duan, M. & Povinelli, R. J. (2001). Estimating stock price predictability using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 174. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>

- [Ekman et al., 2001] Ekman, M., Magnusson, A., & Nordin, P. (2001). Two approaches for high-level evolvable hardware using function blocks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1215. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d22.pdf>
- [El-Maleh et al., 2001] El-Maleh, A. H., Sait, S. M., & Shazli, S. Z. (2001). An iterative heuristic for state justification in sequential automatic test pattern generation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1019–1025. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d13.pdf>
- [Elhadeef & Coley, 2001] Elhadeef, M. & Coley, D. A. (2001). Adaptive mutation for semi-separable problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 306–312. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Enochs & Wainwright, 2001] Enochs, B. P. & Wainwright, R. L. (2001). Forging optimal solutions to the edge-coloring problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 313–319. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Eriksson & Lindgren, 2001] Eriksson, A. & Lindgren, K. (2001). Evolution of strategies in repeated stochastic games with full information of the payoff matrix. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 853–859. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [Espinoza et al., 2001] Espinoza, F. P., Minsker, B. S., & Goldberg, D. E. (2001). A self adaptive hybrid genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 759. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Farhang-Mehr & Azarm, 2001] Farhang-Mehr, A. & Azarm, S. (2001). Multi-objective genetic algorithms with concepts from statistical thermodynamics. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1075. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d14.pdf>
- [Fernandez et al., 2001] Fernandez, F., Sanchez, J. M., & Tomassini, M. (2001). A new methodology for the placement and routing problem based on padgp. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 175. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [French & Damber, 2001] French, R. L. B. & Damber, R. I. (2001). Evolving a nervous system of spiking neurons for a behaving robot. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1099–1106.
- [Frey & Leugering, 2001] Frey, C. & Leugering, G. (2001). Evolving strategies for global optimization - a finite state machine approach. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 27–33. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Fu et al., 2001] Fu, C., Wilson, S. W., & Davis, L. (2001). Studies of the xcsi classifier system on a data mining problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 985. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d10.pdf>
- [Fuhner & Jacob, 2001] Fuhner, T. & Jacob, C. (2001). Evolvision - an evolva visualization tool. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 176. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Fujimoto & Shimohara, 2001] Fujimoto, Y. & Shimohara, K. (2001). Proposal of eco-evolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 760. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Furutani, 2001] Furutani, H. (2001). Study of crossover in one max problem by linkage analysis. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 320–327. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/GA148.ps>



- [Gallagher, 2001] Gallagher, J. C. (2001). Evolution of dynamical neural network arrays to correct arrhythmias in a simulated human heart. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1189–1196. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d21.pdf>
- [Gao & Culberson, 2001] Gao, Y. & Culberson, J. (2001). The phase transition in nk landscapes is easy. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1227–1234. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d23.pdf>
- [Gargano & Edelson, 2001] Gargano, M. L. & Edelson, W. (2001). Optimal sequenced matroid bases solved by ga’s with feasible search space including applications. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1447. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d25.pdf>
- [Garzon & Oehmen, 2001] Garzon, M. H. & Oehmen, C. (2001). Distributed virtual test tubes. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 997–1004. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d11.pdf>
- [Gen & Lee, 2001] Gen, M. & Lee, C. (2001). Reliability optimization design using hybrid nn-ga with fuzzy logic controller. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1448. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d25.pdf>
- [Gerard & Sigaud, 2001] Gerard, P. & Sigaud, O. (2001). Adding a generalization mechanism to yacs. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 951–957. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d09.pdf>
- [Globus et al., 2001] Globus, A., Lawton, J., & Wipke, T. (2001). Graph crossover. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 761. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Goldbarg & Gouvea, 2001] Goldbarg, M. C. & Gouvea, E. F. (2001). Extra-intracellular transgenetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 762. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Goldberg & Sastry, 2001] Goldberg, D. E. & Sastry, K. (2001). A practical schema theorem for genetic algorithm design and tuning. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 328–335. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Goldberg et al., 2001] Goldberg, D. E., Sastry, K., & Latoza, T. (2001). On the supply of building blocks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 336–342. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Goto & Sato, 2001] Goto, R. & Sato, Y. (2001). Motion analysis of moving objects with genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1276–1283.
- [Gottlieb et al., 2001] Gottlieb, J., Julstrom, B. A., Raidl, G. R., , & Rothlauf, F. (2001). Prufer numbers: A poor representation of spanning trees for evolutionary search. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 343–350. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Greene, 2001] Greene, W. A. (2001). Non-linear bit arrangements in genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 763. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Guntsch et al., 2001] Guntsch, M., Middendorf, M., & Schmeck, H. (2001). An ant colony optimization approach to dynamic tsp. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 860–867. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>

- [Handa et al., 2001] Handa, H., Horiuchi, T., Katai, O., Kaneko, T., Konishi, T., & Baba, M. (2001). Fusion of coevolutionary ga and machine learning techniques through effective schema extraction. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 764. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Hart, 2001] Hart, W. E. (2001). Self-adaptive evolutionary pattern search algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1076. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d14.pdf>
- [Hartke, 2001] Hartke, B. (2001). Global geometry optimization of atomic and molecular clusters by genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1284–1291. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Heckendorn, 2001] Heckendorn, R. B. (2001). Of heisenberg and epistasis. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 765. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Hernandez et al., 2001] Hernandez, J. C., Ribagorda, A., Isasi, P., & Sierra, J. M. (2001). Finding near optimal parameters for linear congruential pseudorandom number generators by means of evolutionary computation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1292–1298. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Hingston, 2001] Hingston, P. (2001). A genetic algorithm for regular inference. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1299–1306. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/WFG2001a.pdf>
- [Hornby & Pollack, 2001] Hornby, G. S. & Pollack, J. B. (2001). Body-brain co-evolution using l-systems as a generative encoding. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 868–875. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [Horng et al., 2001] Horng, J.-T., Jin, M.-H., & Kao, C.-Y. (2001). Solving fixed channel assignment problems by an evolutionary approach. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 351–358. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Howard & Roberts, 2001] Howard, D. & Roberts, S. C. (2001). Genetic programming solution of the convection-diffusion equation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 34–41. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Hsu & Hsu, 2001] Hsu, W. W. & Hsu, C.-C. (2001). The spontaneous evolution genetic algorithm for solving the traveling salesman problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 359–366. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Huang, 2001a] Huang, C.-F. (2001a). An analysis of mate selection in genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 766. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Huang, 2001b] Huang, C.-F. (2001b). Independent sampling genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 367–374. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Huber, 2001] Huber, R. (2001). Estimation of mixture parameters by a hybrid ga/em method: Application to radar remote sensing data. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1449. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d25.pdf>
- [Huber & Schell, 2001] Huber, R. & Schell, T. (2001). Mixed size tournament selection. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 767. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>

- [Huhse & Zell, 2001] Huhse, J. & Zell, A. (2001). Evolution strategy with neighborhood attraction - a robust evolution strategy. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1026–1033. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d13.pdf>
- [Igel & Kreutz, 2001] Igel, C. & Kreutz, M. (2001). Operator adaptation in structure optimization of neural networks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1094. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d16.pdf>
- [Imamura & Foster, 2001] Imamura, K. & Foster, J. A. (2001). Fault-tolerant computing with n-version genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 178. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Jain et al., 2001] Jain, B. J., Pohlheim, H., & Wegener, J. (2001). On termination criteria of evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 768. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Jansen & Wegener, 2001a] Jansen, T. & Wegener, I. (2001a). On the utility of populations in evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1034–1041. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d13.pdf>
- [Jansen & Wegener, 2001b] Jansen, T. & Wegener, I. (2001b). Real royal road functions - where crossover provably is essential. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 375–382. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Jensen, 2001a] Jensen, M. T. (2001a). Finding worst-case flexible schedules using coevolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1144–1151. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d19.pdf>
- [Jensen, 2001b] Jensen, M. T. (2001b). A remark on solving minimax problems with coevolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 769. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Jiang et al., 2001] Jiang, R., Szeto, K. Y., Luo, Y., & Hu, D. (2001). A genetic algorithm architecture by coordinating exploration and exploitation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 383–390. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Jimenez et al., 2001] Jimenez, J. A., Abderraman, J. C., Cuesta, P. D., & Winter, G. (2001). Solving elliptical partial differential equations in a natural way. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1307–1313.
- [Jin et al., 2001a] Jin, H.-D., Leung, K.-S., & Wong, M.-L. (2001a). Genetic-guided model-based clustering analysis. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 770. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Jin et al., 2001b] Jin, Y., Olhofer, M., & Sendhoff, B. (2001b). Dynamic weighted aggregation for evolutionary multi-objective optimization: Why does it work and how? *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1042–1049. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d13.pdf>
- [Johnson, 2001] Johnson, E. L. (2001). Genetic algorithms as algorithm adversaries. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1314–1321. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Katagiri et al., 2001] Katagiri, H., Hirasawa, K., Hu, J., & Murata, J. (2001). Network structure oriented evolutionary model – genetic network programming–and its comparison with. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 179. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Kee et al., 2001] Kee, E., Airey, S., & Cyre, W. (2001). An adaptive genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 391–397. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>



- [Keijzer et al., 2001] Keijzer, M., Babovic, V., Ryan, C., O'Neill, M., & Cattolico, M. (2001). Adaptive logic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 42–49. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Keller & Banzhaf, 2001] Keller, R. E. & Banzhaf, W. (2001). Evolution of genetic code on a hard problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 50–56. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Kennedy & Osborn, 2001] Kennedy, P. J. & Osborn, T. R. (2001). A double-stranded encoding scheme with inversion operator for genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 398–407. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Keymeulen et al., 2001] Keymeulen, D., Stoica, A., Buehler, M., Zebulum, R., & Duong, V. (2001). Evolutionary mechanisms for smart on-board adaptive sensing applied to the meca electrometer. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1197–1204. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d21.pdf>
- [Kim & Bentley, 2001] Kim, J. & Bentley, P. J. (2001). An evaluation of negative selection in an artificial immune system for network intrusion detection. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1330–1337. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Kim & Moon, 2001a] Kim, J.-H. & Moon, B.-R. (2001a). Adaptive and dynamic elevator group control with a genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1322–1329. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Kim & Moon, 2001b] Kim, J.-P. & Moon, B.-R. (2001b). A hybrid genetic search for multi-way graph partitioning based on direct partitioning. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 408–415. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Kim et al., 2001] Kim, S.-H., Kim, Y.-H., & Moon, B.-R. (2001). A hybrid genetic algorithm for the max cut problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 416–423. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Knowles & Corne, 2001] Knowles, J. D. & Corne, D. W. (2001). Benchmark problem generators and results for the multiobjective degree-constrained minimum spanning tree problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 424–431. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Koizumi et al., 2001] Koizumi, S., Wakabayashi, S., Koide, T., Fujiwara, K., & Imura, N. (2001). A risc processor for high-speed execution of genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1338–1345. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Kordon & Smits, 2001] Kordon, A. K. & Smits, G. F. (2001). Soft sensor development using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1346–1351. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Korkmaz & Ucoluk, 2001] Korkmaz, E. E. & Ucoluk, G. (2001). Controlling the genetic programming search. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 180. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Kosorukoff et al., 2001] Kosorukoff, A., Mittenthal, J., & Goldberg, D. (2001). Modeling of evolution of signaling networks in living cells by evolutionary computation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 905. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d08.pdf>

- [Koza et al., 2001] Koza, J. R., Mydlowec, W., Lanza, G., Yu, J., & Keane, M. A. (2001). Automatic synthesis of both the topology and sizing of metabolic pathways using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 57–65. [http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/koza\\_gecco2001.pdf](http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/koza_gecco2001.pdf)
- [Krasnogor & Smith, 2001] Krasnogor, N. & Smith, J. (2001). Emergence of profitable search strategies based on a simple inheritance mechanism. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 432–439. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Krink et al., 2001] Krink, T., Ursem, R. K., & Filipic, B. (2001). Evolutionary algorithms in control optimization: The greenhouse problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 440–447. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Kwon & Moon, 2001] Kwon, Y.-K. & Moon, B.-R. (2001). Personalized email marketing with a genetic programming circuit model. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1352–1358. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Langdon & Buxton, 2001] Langdon, W. B. & Buxton, B. F. (2001). Genetic programming for combining classifiers. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 66–73. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Lanzi, 2001] Lanzi, P. L. (2001). Mining interesting knowledge from data with the xcs classifier system. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 958–965. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d09.pdf>
- [Lee & Antonsson, 2001] Lee, C.-Y. & Antonsson, E. K. (2001). Adaptive evolvability via non-coding segment induced linkage. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 448–453. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Li & Kwan, 2001] Li, J. & Kwan, R. S. K. (2001). A fuzzy theory based evolutionary approach for driver scheduling. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1152–1158. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d19.pdf>
- [Li et al., 2001] Li, Y., Xin, X., Kikuchi, N., & Saitou, K. (2001). Optimal shape and location of piezoelectric materials for topology optimization of flextensional actuators. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1085–1090. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d15.pdf>
- [Liu et al., 2001] Liu, X., Swift, S., & Tucker, A. (2001). Using evolutionary algorithms to tackle large scale grouping problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 454–460. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Liu, 2001] Liu, Y. (2001). How to evolve a cooperative population by minimizing mutual information. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1095. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d16.pdf>
- [Llora & Garrell, 2001] Llora, X. & Garrell, J. M. (2001). Knowledge-independent data mining with fine-grained parallel evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 461–468. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03a.pdf>
- [Lorenc, 2001] Lorenc, B. (2001). Multidimensional scaling using evolutionary computation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1450. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d25.pdf>
- [Lovbjerg et al., 2001] Lovbjerg, M., Rasmussen, T. K., & Krink, T. (2001). Hybrid particle swarm optimiser with breeding and subpopulations. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 469–476. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>

- [Luke, 2001] Luke, S. (2001). When short runs beat long runs. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 74–80. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Luke & Panait, 2001] Luke, S. & Panait, L. (2001). A survey and comparison of tree generation algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 81–88. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Mao et al., 2001] Mao, J., Hirasawa, K., Hu, J., & Murata, J. (2001). Genetic symbiosis algorithm for multiobjective optimization problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 771. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Martin, 2001a] Martin, M. C. (2001a). Visual obstacle avoidance using genetic programming: First results. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1107–1113. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d17.pdf>
- [Martin, 2001b] Martin, P. (2001b). Building a taxonomy of genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 182. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Matsui & ichi Tokoro, 2001] Matsui, S. & ichi Tokoro, K. (2001). Improving the performance of a genetic algorithm for minimum span frequency assignment problem with an adaptive mutation rate and a new initialization method. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1359–1366. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Mehrotra et al., 2001] Mehrotra, R., Karr, C. L., & Zeiler, T. A. (2001). Application of genetic algorithm to determining worst-case gust loads and the dynamic response of aircraft structures. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1451. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d25.pdf>
- [Mendes et al., 2001] Mendes, R. R. F., de B. Voznika, F., Nievola, J. C., & Freitas, A. A. (2001). Discovering fuzzy classification rules with genetic programming and co-evolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 183. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Menon, 2001] Menon, A. (2001). Building blocks: A combinatorial road to greed. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 477–484. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Michaud et al., 2001] Michaud, S. R., Zydallis, J. B., Lamont, G. B., Harmer, P. K., & Pachter, R. (2001). Protein structure prediction with ea immunological computation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1367–1374. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Miconi, 2001] Miconi, T. (2001). A collective genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 876–883. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [Miki et al., 2001] Miki, M., Hiroyasu, T., & Mizuta, T. (2001). A new parallel distributed genetic algorithm applied to traveling salesman problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 772. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Miller, 2001] Miller, J. (2001). Evolution of program size in cartesian genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 184. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Monsieurs & Flerackers, 2001] Monsieurs, P. & Flerackers, E. (2001). Increasing the diversity of a population in genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 185. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>

- [Montana, 2001] Montana, D. J. (2001). A reconfigurable optimizing scheduler. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1159–1166. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d19.pdf>
- [Moore & Hahn, 2001] Moore, J. H. & Hahn, L. W. (2001). Multilocus pattern recognition using cellular automata and parallel genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1452. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d25.pdf>
- [Murata et al., 2001] Murata, T., Kawakami, S., Nozawa, H., Gen, M., & Ishibuchi, H. (2001). Three-objective genetic algorithms for designing compact fuzzy rule-based systems for pattern classification problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 485–492. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Naudts et al., 2001] Naudts, B., Schoofs, L., & Verschoren, A. (2001). Moments of schema fitness distributions for multary alphabets. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 773. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Nawa et al., 2001] Nawa, N. E., Shimohara, K., & Katai, O. (2001). Equilibrium selection in a sequential multi-issue bargaining model using evolutionary algorithms: A preliminary study. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 906. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d08.pdf>
- [Neri, 2001] Neri, F. (2001). Relating two cooperative learning strategies to the features of the found concept description. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 986. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d10.pdf>
- [Nikolaev & Iba, 2001] Nikolaev, N. & Iba, H. (2001). Genetic programming using chebishev polynomials. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 89–96. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Noble & Watson, 2001] Noble, J. & Watson, R. A. (2001). Pareto coevolution: Using performance against coevolved opponents in a game as dimensions for pareto selection. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 493–500. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Nomura, 2001] Nomura, T. (2001). Behavior analysis of real-valued evolutionary algorithms for independent loci in an infinite population. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 774. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Oliveira et al., 2001] Oliveira, G. M. B., de Oliveira, P. P. B., & Omar, N. (2001). Using heuristics related to cellular automata behavior forecast to improve genetic search for a grouping task. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 181. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [O’Neill et al., 2001a] O’Neill, M., Brabazon, T., Ryan, C., & Collins, J. J. (2001a). Developing a market timing system using grammatical evolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1375–1381. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [O’Neill et al., 2001b] O’Neill, M., Ryan, C., & Nicolau, M. (2001b). Grammar defined introns: An investigation into grammars, introns, and bias in grammatical evolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 97–103. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Ortmann & Weber, 2001] Ortmann, M. & Weber, W. (2001). Calculating robot trajectories with parallel evolutionary strategies. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1453. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d25.pdf>

- [Parker, 2001] Parker, G. B. (2001). The incremental evolution of gaits for hexapod robots. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1114–1121. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d17.pdf>
- [Parpinelli et al., 2001] Parpinelli, R. S., Lopes, H. S., & Freitas, A. A. (2001). An ant colony based system for data mining: Applications to medical data. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 791–797. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/GECCO-2001-Raf.ps>
- [Parthasarathy et al., 2001] Parthasarathy, P. V., Goldberg, D. E., & Burns, S. A. (2001). Tackling multimodal problems in hybrid genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 775. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Paton, 2001] Paton, A. R. (2001). Computing with membranes: P systems with dna-worms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1016. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d12.pdf>
- [Patrignani, 2001] Patrignani, M. (2001). Stability of arbitrary genes: a new approach to cooperation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 907. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d08.pdf>
- [Pech-Gourg & Hao, 2001] Pech-Gourg, N. & Hao, J.-K. (2001). A genetic algorithm for the classification of natural corks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1382–1388. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Pedrycz & Reformat, 2001] Pedrycz, W. & Reformat, M. (2001). Evolutionary optimization of logic-oriented systems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1389–1396. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Pei & Goodman, 2001] Pei, H. & Goodman, E. (2001). A comparison of cohort genetic algorithms with canonical serial and island-model distributed ga's. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 501–510. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/GA125.pdf>
- [Pelikan & Goldberg, 2001] Pelikan, M. & Goldberg, D. E. (2001). Escaping hierarchical traps with competent genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 511–518. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Pelikan et al., 2001] Pelikan, M., Goldberg, D. E., & Sastry, K. (2001). Bayesian optimization algorithm, decision graphs, and occam's razor. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 519–526. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Pereira & Costa, 2001] Pereira, F. B. & Costa, E. (2001). Understanding the role of learning in the evolution of busy beavers: a comparison between the baldwin effect and a lamarckian strategy. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 884–891. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [Pesic et al., 2001] Pesic, B., Durand, N., & Alliot, J.-M. (2001). Aircraft ground traffic optimisation using a genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1397–1404. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Pindor, 2001] Pindor, A. J. (2001). Ga313 genetic algorithm for systems with 2d genotype. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 776. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Poland & Zell, 2001] Poland, J. & Zell, A. (2001). Main vector adaptation: A cma variant with linear time and space complexity. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1050–1055. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d13.pdf>



- [Poli & McPhee, 2001] Poli, R. & McPhee, N. F. (2001). Exact schema theory for gp and variable-length gas with homologous crossover. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 104–111. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Poli et al., 2001] Poli, R., Rowe, J. E., & McPhee, N. F. (2001). Markov chain models for gp and variable-length gas with homologous crossover. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 112–119. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Poon & Prasher, 2001] Poon, J. & Prasher, S. (2001). A hybrid approach to support interactive data mining. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 527–534. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Portmann & Aloulou, 2001] Portmann, M.-C. & Aloulou, M.-A. (2001). Data oriented genetic operators for one-machine scheduling problems'. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1184. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d20.pdf>
- [Potvin & De Ladurantaye, 2001] Potvin, J.-Y. & De Ladurantaye, D. (2001). A hybrid genetic algorithm for the generalized traveling salesman problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1167–1172. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d19.pdf>
- [Poupaert & Deville, 2001] Poupaert, E. & Deville, Y. (2001). Acceptance driven local search and evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1173–1180. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d19.pdf>
- [Qi & Sun, 2001] Qi, D. & Sun, R. (2001). Ga-based multi-agent reinforcement learning for playing backgammon. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 777. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Reed et al., 2001] Reed, P. M., Minsker, B. S., & Goldberg, D. E. (2001). Designing a new elitist nondominated sorted genetic algorithm for a multiobjective long term groundwater monitoring application. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1454. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d25.pdf>
- [Rhyne, II & Smith, III, 2001] Rhyne, II, R. D. & Smith, III, J. F. (2001). A game based approach to co-evolutionary optimization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 908. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d08.pdf>
- [Riopka & Bock, 2001] Riopka, T. P. & Bock, P. (2001). The relevance of genotypic learning in the clga. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 778. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Roberts et al., 2001] Roberts, S. C., Howard, D., & Koza, J. R. (2001). Subtree encapsulation versus adfs in gp for parity problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 186. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Roos, 2001] Roos, R. S. (2001). The patchy ga and domination problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 779. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Ross, 2001] Ross, B. J. (2001). The evaluation of a stochastic regular motif language for protein sequences. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 120–128. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Rowe & McPhee, 2001] Rowe, J. E. & McPhee, N. F. (2001). The effects of crossover and mutation operators on variable length linear structures. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 535–542. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>

- [Ryan et al., 2001] Ryan, C., O'Neill, M., & Azad, A. (2001). No coercion and no prohibition - a position independent encoding scheme for evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 187. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Rychtyckyj & Reynolds, 2001] Rychtyckyj, N. & Reynolds, R. G. (2001). Using cultural algorithms to improve knowledge base maintainability. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1405–1412. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Rylander et al., 2001] Rylander, B., Soule, T., Foster, J., & Alves-Foss, J. (2001). Quantum evolutionary programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1005–1011. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d11.pdf>
- [Sait et al., 2001] Sait, S. M., Youssef, H., & Khan, J. A. (2001). Fuzzy evolutionary algorithm for vlsi placement. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1056–1063. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d13.pdf>
- [Santana et al., 2001a] Santana, R., Ochoa-Rodriguez, A., & Soto, M. R. (2001a). A factorized distribution algorithm for problems with integer representation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 780. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Santana et al., 2001b] Santana, R., Ochoa-Rodriguez, A., & Soto, M. R. (2001b). The mixture of trees factorized distribution algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 543–550. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Sastry & Goldberg, 2001] Sastry, K. & Goldberg, D. E. (2001). Modeling tournament selection with replacement using apparent added noise. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 781. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Sastry et al., 2001] Sastry, K., Goldberg, D. E., & Pelikan, M. (2001). Don't evaluate, inherit. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 551–558. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Sato, 2001] Sato, Y. (2001). Proposal for a register transfer level evolution on a microprocessor incorporated flash memory. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1216. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d22.pdf>
- [Sbalzarini et al., 2001] Sbalzarini, I. F., Muller, S. D., Koumoutsakos, P. D., & Cottet, G.-H. (2001). Evolution strategies for computational and experimental fluid dynamic applications. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1064–1071. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/ES186.ps>
- [Schloman & Blackford, 2001] Schloman, J. & Blackford, B. (2001). Genetic programming evolves a human-competitive player for a complex, on-line, interactive, multi-player game of strategy. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 188. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Schmiedle et al., 2001] Schmiedle, F., Drechsler, N., Grosse, D., & Drechsler, R. (2001). Priorities in multi-objective optimization for genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 129–136. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Schmitt & Rothlauf, 2001] Schmitt, F. & Rothlauf, F. (2001). On the importance of the second largest eigenvalue on the convergence rate of genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 559–564. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>

- [Schumacher et al., 2001] Schumacher, C., Vose, M. D., & Whitley, L. D. (2001). The no free lunch and problem description length. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 565–570. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Sehitoglu & Ucoluk, 2001] Sehitoglu, O. T. & Ucoluk, G. (2001). A building block favoring reordering method for gene positions in genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 571–575. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Seo et al., 2001] Seo, K., Goodman, E. D., & Rosenberg, R. C. (2001). First steps toward automated design of mechatronic systems using bond graphs and genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 189. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Shibata & Fujii, 2001] Shibata, H. & Fujii, N. (2001). Analog circuit synthesis based on reuse of topological features of prototype circuits. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1205–1214.
- [Shimodaira, 2001] Shimodaira, H. (2001). A diversity-control-oriented genetic algorithm (dcga): Performance improvement by the reinitialization of the population. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 576–583. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Simoës & Costa, 2001] Simoës, A. & Costa, E. (2001). On biologically inspired genetic operators: Transformation in the standard genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 584–591. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Sinha & Goldberg, 2001] Sinha, A. & Goldberg, D. E. (2001). Verification and extension of the theory of global-local hybrids. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 592–598. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Smith, 2001] Smith, J. (2001). Modelling gas with self adaptive mutation rates. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 599–606. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Soh et al., 2001] Soh, L.-K., Tsatsoulis, C., Jones, M. E., & Agah, A. (2001). Evolving cases for case-based reasoning multiagent negotiations. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 909. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d08.pdf>
- [Someya & Yamamura, 2001] Someya, H. & Yamamura, M. (2001). Toroidal search space conversion for robust real-coded genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 782. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Soper & Walshaw, 2001] Soper, A. & Walshaw, C. (2001). A generational scheme for partitioning graphs. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 607–614. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Soule, 2001] Soule, T. (2001). Using genetic algorithms to evolve cooperative teams. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 783. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Soule & Ball, 2001] Soule, T. & Ball, A. E. (2001). A genetic algorithm with multiple reading frames. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 615–622. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Soule & Heckendorn, 2001] Soule, T. & Heckendorn, R. B. (2001). Function sets in genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 190. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>

- [Spector, 2001] Spector, L. (2001). Autoconstructive evolution: Push, pushgp, and pushpop. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 137–146. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Spector et al., 2001] (2001). *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*. Morgan Kaufmann.
- [Srivastava & Goldberg, 2001] Srivastava, R. P. & Goldberg, D. E. (2001). Verification of the theory of genetic algorithm continuation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 623–630. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Stephens, 2001] Stephens, C. R. (2001). Some exact results from a coarse grained formulation of genetic dynamics. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 631–638. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/GA230.ps>
- [Streeter & Becker, 2001] Streeter, M. & Becker, L. A. (2001). Automated discovery of numerical approximation formulae via genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 147–154. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Suzuki & Sawai, 2001] Suzuki, H. & Sawai, H. (2001). Schema evolution equation using quasi-schema representation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 784. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Tamaddoni-Nezhad & Muggleton, 2001] Tamaddoni-Nezhad, A. & Muggleton, S. (2001). Using genetic algorithms for learning clauses in first-order logic. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 639–646. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Tan et al., 2001a] Tan, K. C., Khor, E. F., Heng, C. M., & Lee, T. H. (2001a). Exploratory multi-objective evolutionary algorithm: Performance study and comparisons. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 647–654. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Tan et al., 2001b] Tan, K. C., Lee, T. H., Khor, E. F., Heng, C. M., & Khoo, D. (2001b). Nonlinear constraint handling technique via angular transformation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 655–662. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Teich et al., 2001a] Teich, T., Fischer, M., Vogel, A., & Fischer, J. (2001a). A new ant colony algorithm for the job shop scheduling problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 803. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d06.pdf>
- [Teich et al., 2001b] Teich, T., Meier, H., & Schallner, H. (2001b). Application service providing for shop floor scheduling in non-hierarchical regional production networks using genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1455. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d25.pdf>
- [Thierens & Bosman, 2001] Thierens, D. & Bosman, P. A. N. (2001). Multi-objective mixture-based iterated density estimation evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 663–670. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Tiwari et al., 2001] Tiwari, A., Roy, R., Jared, G., & Munaux, O. (2001). Interaction and multi-objective optimisation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 671–678. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Tomlinson & Bull, 2001] Tomlinson, A. & Bull, L. (2001). Cxcs: Improvements and corporate generalization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 966–973. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d09.pdf>

- [Topchy & Punch, 2001] Topchy, A. & Punch, W. F. (2001). Faster genetic programming based on local gradient search of numeric leaf values. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 155–162. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d01.pdf>
- [Toshine et al., 2001] Toshine, N., Iwauchi, N., Wakabayashi, S., Koide, T., & Nishimura, I. (2001). A parallel genetic algorithm with adaptive adjustment of genetic parameters. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 679–686. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Tsai et al., 2001] Tsai, H.-K., Yang, J.-M., & Kao, C.-Y. (2001). A genetic algorithm for traveling salesman problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 687–693. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Tsutsui et al., 2001] Tsutsui, S., Goldberg, D. E., & Sastry, K. (2001). Simplex crossover and linkage learning in real-coded gas. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 785. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Tyni & Ylinen, 2001] Tyni, T. & Ylinen, J. (2001). Genetic algorithms in elevator car routing problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1413–1422.
- [Uchibe et al., 2001] Uchibe, E., Yanase, M., & Asada, M. (2001). Evolution for behavior selection accelerated by activation/termination constraints. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1122–1129. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d17.pdf>
- [van Bragt & La Poutre, 2001] van Bragt, D. D. B. & La Poutre, J. A. (2001). Generating efficient automata for negotiations - an exploration with evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1093. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d16.pdf>
- [van den Bergh & Engelbrecht, 2001] van den Bergh, F. & Engelbrecht, A. P. (2001). Effects of swarm size on cooperative particle swarm optimisers. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 892–899. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d07.pdf>
- [van Hemert & Jansen, 2001] van Hemert, J. I. & Jansen, M. L. M. (2001). An engineering approach to evolutionary art. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 177. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>
- [Van Hoyweghen et al., 2001] Van Hoyweghen, C., Goldberg, D. E., & Naudts, B. (2001). Building block superiority, multimodality and synchronization problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 694–701. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Vanyi, 2001] Vanyi, R. (2001). Fitness functions for generated binary images. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 786. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Vanyi & Kokai, 2001] Vanyi, R. & Kokai, G. (2001). Giving structural descriptions of tree-like objects from binary images using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 163–172. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/GP174.ps>
- [Vazquez, 2001] Vazquez, M. (2001). A comparison of genetic algorithms and tabu search techniques for the resource-constrained project scheduling problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1185. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d20.pdf>



- [Vitrano & Povinelli, 2001] Vitrano, J. B. & Povinelli, R. J. (2001). Selecting dimensions and delay values for a time-delay embedding using a genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1423–1430. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Vrajitoru, 2001] Vrajitoru, D. (2001). Nested genetic algorithms with problem division. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 787. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d04.pdf>
- [Wakabayashi & Ohsako, 2001] Wakabayashi, S. & Ohsako, M. (2001). A genetic algorithm for generating a steiner tree with wire sizing and buffer insertion. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1431–1438. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Watson & Pollack, 2001] Watson, R. A. & Pollack, J. B. (2001). Coevolutionary dynamics in a minimal substrate. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 702–709. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Weinert & Stautner, 2001] Weinert, K. & Stautner, M. (2001). Reconstruction of particle flow mechanisms with symbolic regression via genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1439–1443. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d24.pdf>
- [Weinert et al., 2001] Weinert, K., Surmann, T., & Mehnen, J. (2001). Evolutionary surface reconstruction using csg-nurbs-hybrids. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1456. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d25.pdf>
- [Wiegand et al., 2001] Wiegand, R. P., Liles, W. C., & De Jong, K. A. (2001). An empirical analysis of collaboration methods in cooperative coevolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 1235–1242. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d23.pdf>
- [Wiles et al., 2001] Wiles, J., Schulz, R., Hallinan, J., Bolland, S., & Tonkes, B. (2001). Probing the persistent question marks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 710–717. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Wilson, 2001] Wilson, S. W. (2001). Function approximation with a classifier system. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 974–981. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d09.pdf>
- [Wright & Agapie, 2001] Wright, A. H. & Agapie, A. (2001). Cyclic and chaotic behavior in genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 718–724. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Wright & Farmani, 2001] Wright, J. A. & Farmani, R. (2001). Genetic algorithms: A fitness formulation for constrained minimization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 725–732. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Wu et al., 2001] Wu, A. S., Jin, S., Schiavone, G., & Lin, K.-C. (2001). An incremental fitness function for partitioning parallel tasks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 733–740. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Wu & Azarm, 2001] Wu, J. & Azarm, S. (2001). On a new constraint handling technique for multi-objective genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 741–748. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d03b.pdf>
- [Yeh & Chen, 2001] Yeh, C.-H. & Chen, S.-H. (2001). The differences between social and individual learning on the time series properties: The approach based on genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2001)*, 191. <http://www.cs.bham.ac.uk/~wbl/biblio/gecco2001/d02.pdf>