

Stat 235

Lab 1

By: Arun Woosaree

Lab EL12

TA: Jessa Marley

September 22, 2018

# 1 Histograms

## 1.a Histograms of Thickness: 400°C, 600°C, and 800°C




Figure 1: INSERT CAPTION HERE




Figure 2: INSERT CAPTION HERE




Figure 3: INSERT CAPTION HERE

### 1.b Shapes

All the histograms above appear to be slightly left-skewed. Figure 1 appears to be very slightly left-skewed, while Figure 2 appears to be a little more left-skewed. Figure 3 also visually looks left-skewed as well. All histograms have one obvious peak, but at first glance, Figure 3 might seem to have a second smaller peak in bin 38, but upon further inspection, the frequency count only has a difference of 1 compared to its surroundings, which does not seem significant enough to count as a second peak. So, each histogram above is single-peaked. There don't seem to be any obvious outliers judging from the 3 histograms above. When taking a step back and squinting, nothing seems to be visually away from the bulk of the data.

### 1.c Centers and Spreads

The first histogram (Figure 1) has a center at bin 44, and a spread (range) of 10. The second histogram (Figure 2) has a center at bin 41 and a spread of 10 as well. The third histogram (Figure 3) has a center around 40, and has a spread of 9. For all 3 histograms, the means are slightly less than their respective medians, or visually, the means are slightly to the left of the medians, which seems to partially confirm the left skewness of the histograms. (Although the difference between the medians and their respective means is not huge.) The mean and median for each distribution can be found in Table 1 on page 3.

### 1.d Effect of Temperature on Thickness

It would appear that increased temperature tends to result in overall lower thickness of the films deposited. It can be noted that increasing the temperature from 400 °C to 600 °C seems to result in a more significant decrease in thickness overall, compared to the difference between the process happening at 600 °C and 800 °C.

## 2 Summary Statistics

### 2.a Mean, Std. Deviation, Variance for each Temperature Level

Statistics	Temperature Levels (°C)		
	400	600	800
Mean	0	0	0
Median	0	0	0
Std. Deviation	0	0	0
Variance	0	0	0

Table 1: My caption

### 2.b Quartiles

Statistics	Temperature Levels (°C)		
	400	600	800
Lower Quartile	0	0	0
Median	0	0	0
Upper Quartile	0	0	0
IQR	0	0	0

Table 2: My caption

Wait check this The 400 one doesn't seem to match, but for 600 and 800 , the positions of the quartiles seem to support the conclusion that these histograms are left-skewed, since Q1 is further from the median than Q3 is.

### 2.c Mean & Std. Deviation at each pressure value

Pressure	Mean	Std. Deviation	Mean Change
0	0	0	0
Average			0

Table 3: My caption

### 3 Relationships

#### 3.a Thickness vs. Temperature




Figure 4: INSERT CAPTION HERE

#### 3.b Thickness vs. Pressure by Temperature




Figure 5: INSERT CAPTION HERE

### **3.c Relationship Between Thickness and Pressure for each Temperature Level**

From Figure 5, we can see very clearly that as pressure is increased, the thickness of the film decreases

## **4 How should the temperature and pressure be selected to produce the thinnest possible film for the LPCVD process?**