Description

You just became the manager of a call centre. There are many variables to take into account to run an efficient call centre. To make these decisions, you need good data.

Your call centre is huge. Typically, many new calls are made every second. Your system logs each incoming call.

To get started with data analytics, you want to answer simple questions like the following: Between time s and time t, how many new calls were made to our call centre?

Input

The first line of input consists of two integers n and q. Here, $1 \le n \le 86,400$ is the number of seconds your call centre is open for each day and $1 \le q \le 50,000$ is the number of queries you want to make.

The next line contains n integers, each between 0 and 100. Consecutive integers will be separated by a single space. The ith integer on this line indicates how many new calls were received by your call centre yesterday in the ith second of operation.

Finally, q lines follow. Each consists of two integers $1 \le s \le t \le n$ separated by a single space.

Output

Output consists of q lines, one for each query. For each query with integers s, t, you should output the total number of calls your call centre received yesterday between the sth and tth second of operation (including the calls received exactly at second s and at second t).

Sample Input 1

```
13 7
5 3 13 0 0 1 4 3 12 1 0 0 17
1 3
1 4
1 13
3 3
4 4
2 7
8 11
```

Sample Output 1

```
21
21
```

59	
13	
0	
21	
16	

Explanation for Some Queries

The first query is 1 3, which is asking how many calls were received between the 1st and 3th second of operation (inclusive). This is 5+3+13=21.

The second query is 1 4. There were 5+3+13+0=21 calls made between seconds 1 and 3.

The third query is 1 13, which is asking how many calls were made in total through all 13 seconds, which is 59.

The fourth query is **3** 3: 13 calls were made during the 3rd second of operation.