

Evaluating Russia's Response to the COVID-19 Pandemic: An Analysis of High Excess Death Rates Despite High GHS Index*

Aryaman Sharma

Aviral Bhardwaj

Janel Gilani

February 15, 2024

This study investigates the unexpected surge in death rates during the COVID-19 pandemic in Russia, a country considered well-prepared according to the Global Health Security (GHS) Index. Building upon Nuzzo and Ledesma's work, we analyze the impact of COVID-19 in Russia, incorporating factors such as the GHS Index and excess death rates. Our findings reveal a substantial increase in excess death rates in Russia, diverging from the lower rates observed in nations deemed well-prepared. This research contributes to our understanding of the repercussions of the COVID-19 outbreak in Russia, highlighting areas for improvement in prepared countries to mitigate the effects of future pandemics.

Table of contents

1	Introduction	2
2	Data	3
2.1	Raw Data	3
2.2	Cleaned Data	4
2.3	Measurement	5
3	Results	7
3.1	Global Distribution of Global Health Security Index (GHS) in 2021	7
3.2	Trend in Death Rates for Russia, India, South Korea and United States	8
3.3	Excess Death Rates	9

*Code and data are available at: <https://github.com/Ary4m3n/covid-effect-russia.git>; Replication on Social Science Reproduction platform available at: <https://www.socialsciencereproduction.org/reproductions/8938b287-6681-4a5e-8993-42011a51be58/index>

3.4 Relationship between the Excess Death Rate and Global Health Security Index (GHS)	10
4 Discussion	10
4.1 Findings: Russia, Excess Deaths, and Challenges during the COVID-19 Pandemic	10
4.2 Russia and Improvements for the future	12
4.3 Accounting for Bias and Ethical Implications	12
4.4 Weaknesses and Further Scope	13
Appendix	14
A Additional data details	14
References	15

1 Introduction

The global impact of the COVID-19 pandemic on public health, foreign policy, and economies has been profound, resulting in an unprecedented loss of life worldwide over the past five years (Chriscaden 2020). With over 774 million confirmed cases and more than 7 million reported deaths, these figures, considered to be undercounted, suggest an actual death toll ranging from 18.2 to 33.5 million based on excess mortality estimates (Wikipedia 2024). The staggering number of deaths has prompted a critical examination of countries presumed to be well-prepared to handle such outbreaks and the factors contributing to their extensive impact.

Among the most severely affected nations, including India, the United States of America, Brazil and Mexico, Russia, a nation deemed well-prepared according to various metrics, was specifically chosen for this study due to its unexpected and disproportionately high death toll in the face of the pandemic. With over 230,000 reported COVID-19-related deaths, Russia holds the highest mortality rate in Europe and the second-highest in Asia (Pašović et al. 2021); (Stronski 2021). This selection aims to uncover unique insights into the challenges faced by ostensibly prepared nations.

This paper replicates the methodology employed by Jennifer B. Nuzzo and Jorge R. Ledesma in their study, utilizing the Global Health Security (GHS) Index as an indicator of a country’s preparedness against epidemics or pandemics like COVID-19 (Nuzzo and Ledesma 2023). The choice of GHS is deliberate, considering its comprehensive evaluation of various health security capacities. This metric offers a nuanced understanding of a country’s ability to prevent, detect, and respond to public health emergencies, making it a suitable choice over other metrics. However, our focus extends to Russia, providing insights into the impact of the outbreak and proposing improvements for future pandemic mitigation efforts. Despite Russia’s apparent preparedness, our reproduction reveals an unprecedented rise in the death rate compared to

other countries, with one of the highest excess death rates globally. This prompts a crucial assessment that better planning and regulations are imperative to mitigate the impact of such outbreaks, a key aspect explored in this paper.

The structure of this paper comprises three sections: Data, Results, and Discussion. In the Data section (Section 2), we discuss the data source and the process of measuring and cleaning the datasets from the replicated paper (Nuzzo and Ledesma 2023). The Results section (Section 3) summarizes the findings, presenting maps and plots to illustrate trends. The Discussion section (Section 4) delves into the analysis of our findings, exploring measures to prevent extensive effects of future pandemics on the country. Additionally, we discuss limitations and propose avenues for further research, concluding the paper.

2 Data

The dataset under examination in this study originates from the replication package associated with Nuzzo and Ledesma’s paper (Nuzzo and Ledesma 2023). Employing the open-source R programming language (R Core Team 2023), we conducted the cleaning and analysis procedures, leveraging several R libraries and packages such as `tidyverse` (Wickham et al. 2019), `janitor` (Firke 2023), `ggplot2` (Wickham 2016), `knitr` (Xie 2023), `readr` (Wickham, Hester, and Bryan 2023), `dplyr` (Wickham et al. 2023), `rnatualearth` (Massicotte and South 2023), and `sf` (Pebesma 2018).

Our data cleaning and analysis processes replicate those of the original paper, ensuring consistency in the datasets used. In terms of estimand, the primary focus of this analysis is to assess the preparedness of countries, specifically Russia, in addressing pandemics, and to gauge their success in controlling the associated impact. Key estimators include the Global Health Security (GHS) Index, offering insights into overall preparedness, and the excess death rate, serving as an indicator of the pandemic’s impact.

The subsequent sections will provide a comprehensive overview of the raw data in (Section 2.1), delve into the intricacies of the data cleaning process in (Section 2.2), and subsequently, explore the measurement aspects in (Section 2.3).

2.1 Raw Data

This study replicates the data sourced from the replication package of Nuzzo and Ledesma’s paper (Nuzzo and Ledesma 2023). Specifically, we utilize three datasets to investigate the assertion that Russia struggled to effectively manage the surge of the COVID-19 pandemic. Despite the wealth of data available on the global impact of COVID-19, the comprehensive datasets provided by Nuzzo and Ledesma serve as the primary source for our analysis.

The first raw dataset encompasses the Global Health Security index for all countries, offering a wide array of indices, some of which are not pertinent to our study. Notably, this dataset

spans the years 2019 and 2021; however, our analysis focuses exclusively on the GHS index for the year 2021.

The second raw dataset provides data on all-cause death rates for all countries from 1960 to 2021. The “all-cause death rate” refers to the overall mortality rate in a given population, considering deaths from all possible causes. It is a comprehensive measure that includes deaths from various diseases, accidents, and other factors. While this dataset contains extensive information, we restrict our analysis to data from 2010 onwards, as earlier years are deemed unnecessary for our COVID-19-focused investigation.

The third raw dataset, sourced from the Institute of Health Metrics and Evaluation (IHME), provides us information on COVID death rates, excess deaths, excess death rates, and the ratio of excess death rates to COVID death rates for countries globally. Similar to the preceding datasets, unnecessary information was present, requiring thorough data cleaning, a process detailed in Section Section 2.2.

The subsequent section (Section 2.2) will show the data cleaning process, elucidating the structure of the refined dataset employed in our analysis.

2.2 Cleaned Data

As outlined in Section 2.1, our initial step involves the first dataset concerning Global Health Security (GHS) indices for all countries globally. Presented in Table 1 are the first six countries along with their corresponding GHS indices. The dataset has been refined to include only two variables, namely Country Name and the respective GHS index. Cleaning involved the selection of these two columns and filtering the data specifically for the year 2021.

Table 1: Cleaned Data showing GHS indices for first 6 countries

Country Name	GHS Index
Afghanistan	28.8
Albania	45.0
Algeria	26.2
Andorra	34.7
Angola	29.1
Antigua and Barbuda	30.0

Moving to the second dataset covering all-cause death rates for countries from 1960 to 2021, the cleaned version is showcased in Table 2. To analyze Russia’s position relative to other nations in terms of death rates, we filtered this dataset for the years 2010-2021, focusing on countries like India, South Korea, Russia, and the United States. The refined dataset structure is highlighted, enabling a clearer examination of death rate trends.

Table 2: Cleaned Data showing all cause death rates for 4 countries

Country Name	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
India	7.385	7.267	7.118	6.960	6.790	6.67	6.603	6.593	6.644	6.71	7.35	9.448
South Korea	5.100	5.100	5.300	5.300	5.300	5.40	5.500	5.600	5.800	5.70	5.90	6.200
Russia	14.200	13.500	13.300	13.000	13.100	13.00	12.900	12.400	12.500	12.30	14.60	16.700
United States	7.995	8.073	8.102	8.215	8.237	8.44	8.493	8.638	8.678	8.70	10.30	10.400

The last raw dataset, detailed in Section 2.1, originates from the Institute of Health Metrics and Evaluation (IHME), providing data on COVID death rates, excess deaths, excess death rates, and the ratio of excess death rates to COVID death rates for countries worldwide. While our primary interest was in the excess death rate and the country name, for a more comprehensive analysis of Russia’s pandemic management, we integrated this data with the respective GHS index, showcased in Table 3. Consequently, this dataset comprises three variables: the country name, the respective excess death rate, and the GHS index.

Table 3: Cleaned Data showing Excess Death Rate and GHS index for first 6 chosen countries

Country Name	Excess Death Rate	GHS Index
Australia	-37.6	71.1
Austria	107.5	56.9
Brazil	186.9	51.2
Canada	60.5	69.8
Denmark	94.1	64.4
France	124.2	61.9

With the completion of the data cleaning phase and the generation of refined tables for analysis, our next section will delve into the Measurement (Section 2.3), offering an in-depth exploration of how the phenomena observed translated into entries in our dataset. Understanding this process is crucial for interpreting patterns and drawing meaningful conclusions from the data analysis results.

2.3 Measurement

With respect to measurement and accounting for the GHS index, it encompasses various measurements grouped into six broad categories: (1) prevention, (2) detection and reporting, (3) rapid response, (4) health system, (5) compliance with international norms, and (6) risk

environment. These values are calculated based on the data available for each country which are self-reported and are then used to calculate the overall GHS index (Impact 2021).

A crucial data point for the COVID-19 pandemic is the excess death rate, representing the number of deaths occurring within a specific period above the expected baseline. The process of collecting this data is primarily overseen by Institute for Health Metrics and Evaluation (IHME), which collates information from various sources available for each country. Deaths included in the excess death rate calculation consists of those directly attributed to COVID-19, or in which COVID-19 appeared on the death certificates. For instance, deaths resulting from delayed treatment due to healthcare system strain caused by the pandemic are also accounted for.

Observation of deaths involves various mechanisms. Initially, healthcare facilities and authorities report COVID-19-related deaths through diagnostic tests and medical records. Deaths with an underlying cause of death of COVID-19 are not included in these estimates. For example, in some cases, COVID-19 may have contributed to the death, but the underlying cause of death was another cause, such as terminal cancer. Additionally, mortality statistics are compiled from death certificates and official registries. Tallying these deaths are then put into the Government’s official records.

However, discussions surrounding COVID-19 present several challenges, including: (1) issues related to underreported or missing data, which can occur due to societal stigma at the local level, or countries intentionally concealing data to portray preparedness; (2) the absence of a universally accepted definition for COVID-19 deaths, leading to potential measurement inaccuracies; (3) the vast geographical expanse of countries, posing logistical hurdles in data collection and reporting efforts; and (4) disparities in testing methodologies and resource availability across regions, further complicating data interpretation.

Many countries, particularly nations such as India, Brazil, and Russia, which had the highest death count, faced the aforementioned challenges. This presents a significant obstacle in accurately gauging the pandemic’s toll within a country. For instance, the excess death rate, a key metric in our analysis, serves to estimate the pandemic’s impact. However, due to data truncation and measurement errors, the actual death rate may not always be precisely captured. Consequently, inaccuracies arise in calculating the excess death rate, introducing measurement errors that undermine the reliability of both the actual death rate and the excess death rate in data analysis.

The subsequent section (Section 3) will present the results of our analysis, offering insights into Russia’s preparedness and response to the COVID-19 pandemic, and the implications of the findings.

3 Results

The results section is divided into four parts where all together we aim to look at Russia's capability according to the GHS index to tackle pandemics (Section 3.1), then compare Russia's all-causes mortality rate trends with those of other countries like India, South Korea and the United states (Section 3.2), then using those trends we dive into Russia's excess death rates while comparing them with other countries (Section 3.3) and finally study the relationship between the excess death rate and GHS index for Russia along with a subset of countries in the world (Section 3.4).

3.1 Global Distribution of Global Health Security Index (GHS) in 2021

As outlined in Section 2.1, the Global Health Security (GHS) index serves as a metric indicating a country's preparedness to address epidemics or pandemics, such as the COVID-19 outbreak. Reflecting both the robustness of the healthcare system and the regulatory framework, a higher GHS index suggests a more secure and well-prepared nation. Figure 1 presents a world map illustrating countries shaded based on their GHS indices. This replication of figure 1 from Nuzzo and Ledesma's paper (Nuzzo and Ledesma 2023) provides an overview of global preparedness.




Figure 1: Global Distribution of Global Health Security (GHS) Index Scores in 2021

Noteworthy observations reveal countries like the United States and Australia boasting some of the highest GHS indices, indicating exceptional preparedness for epidemics. Countries like Russia and China, while moderately prepared compared to the former, still exhibit a substantial level of readiness. Conversely, nations such as Venezuela and Yemen rank among the least secure.

Figure 1 provides us essential contextual information on Russia’s preparedness in the face of epidemics and pandemics. Positioned favorably, Russia emerges as well-prepared compared to numerous countries deemed less secure. This background sets the stage for meaningful analyses throughout the paper, particularly in Section 3.2 and Section 4.

3.2 Trend in Death Rates for Russia, India, South Korea and United States

We proceed to examine the trends in all-cause death rates per 1000 population from 2010 to 2021, encompassing both COVID-related deaths and non-COVID-related fatalities, as well as the trend in excess death rates per 100 population in 2020 and 2021 in the subsequent section. Figure 2 presents the trends in all-cause death rates per 1000 population from 2010 to 2021 for India, South Korea, Russia, and the United States, utilizing data from Table 2. From 2010 to 2019, a general gradual decrease in death rates is evident for Russia and India, juxtaposed with a gradual increase observed in South Korea and the United States. The dashed line represents the line of best fit for the years 2010-2019.




Figure 2: All Cause Death Rates per 1000 Population for India, South Korea, Russia and United States (2010-2021)

From Figure 2, a notable surge in death rates is observed in 2020 and 2021, particularly pronounced in Russia compared to other countries. It is noteworthy that despite India’s lower GHS index compared to Russia, the observed increase in death rates during 2020 and 2021 was not as substantial as in Russia. The dotted line represents the trend line for the years 2010-2021. Comparing Russia to South Korea, the dashed (2010-2019) and dotted (2010-2021) lines closely align for South Korea, indicating a relatively consistent trend without a significant increase in

unexpected deaths during COVID-19. Conversely, for Russia, the divergence between the two lines implies a notable increase in unforeseen deaths during this period.

3.3 Excess Death Rates

Considering the likelihood of undercounting COVID-19 deaths, our focus shifted to analyzing excess death rates for the years 2020 and 2021 to provide a comprehensive measure of the pandemic’s overall mortality impact. Drawing inspiration from Nuzzo and Ledesma’s methodology (Nuzzo and Ledesma 2023), which compared observed deaths during the pandemic to expected deaths extrapolated from historical trends, we utilized a similar model. Extrapolating the dashed line of best-fit from 2010-2019 to 2020 and 2021 allowed us to determine the expected death rate for each country. The subsequent plotting of the difference between expected and actual death rates, termed the excess death rate, unveiled insights into the pandemic’s impact on mortality.

Our calculated values of excess death rates are presented in the figure labeled “Excess Death Rate” (Figure 3), showcasing the rates for Russia, India, South Korea, and the United States in 2020 and 2021. Simultaneously, the figure labeled “All-Cause Death Rate” (Figure 2) illustrates the trend in all-cause death rates for the same period. This simple models provides a nuanced understanding of the excess death rates, contributing valuable insights into the broader mortality implications of the COVID-19 pandemic.




Figure 3: Excess Death Rates per 1000 Population for India, South Korea, Russia and United States, 2020 and 2021

In Figure 3, a considerable contrast is evident, particularly highlighting the substantial difference in excess death rates for Russia compared to other countries. The comparison with South Korea, as depicted in Figure 2, reinforces the minimal impact of the COVID-19 pandemic on South Korea, while Russia experienced a notable surge in deaths from 2019 to 2021. Comparing Russia to India, designated as less secure in the context of epidemics, the excess death rates for Russia in both 2020 and 2021 significantly exceed those for India. This observation will serve as a crucial point of reference in our ensuing discussions in Section 4.

3.4 Relationship between the Excess Death Rate and Global Health Security Index (GHS)

Finally, we delve into the relationship between the excess death rate and the Global Health Security (GHS) index for a subset of countries per 100,000 population. Figure 4 visually represents this subset of countries scattered on the plot based on their excess death rate and GHS index, as detailed in Appendix Table 4. The green line signifies a general decreasing trend, suggesting that as the GHS index increases, the excess death rate tends to decrease – indicating that more “secure” or well-prepared countries generally experience lower excess death rates.

Russia, highlighted in red, stands notably above the line of best fit, indicating that its excess death rate exceeded expectations. In contrast, countries like Brazil and Indonesia, with comparable GHS indices to Russia, align more closely with the line of best fit. India, despite having a lower GHS index than Russia, exhibits a substantially lower excess death rate.

Figure 4 prompts further exploration in Section 4, where we will delve into the implications and potential factors contributing to Russia’s disproportionately higher excess death rate compared to countries with similar or even lower GHS indices.

4 Discussion

4.1 Findings: Russia, Excess Deaths, and Challenges during the COVID-19 Pandemic

This study, inspired by Nuzzo and Ledesma’s work (Nuzzo and Ledesma 2023), which scrutinized the United States’ pandemic response, redirects the focus towards Russia, a globally influential and reasonably well-prepared nation. Our examination revealed that, in comparison to a subset of other countries, Russia experienced (1) a substantial increase in the all-cause death rate in 2020 and (2) one of the highest excess death rates attributed to the pandemic in 2020 and 2021, as illustrated in Figure 2 and Figure 3. The exploration of the relationship between a country’s Global Health Security (GHS) index and its excess death rate in Figure 4




Figure 4: Relationship between the Excess Death Rate and the Global Health Security Index (GHS) per 100,000 Population for a subset of countries, 2020-2021

identified Russia as an outlier, significantly surpassing the line of best fit, indicating a higher excess death rate relative to countries with similar GHS indices.

The primary inquiry arising from this paper pertains to understanding the shortcomings in Russia's pandemic response, especially considering its early deployment of a vaccine. Reports from the Carnegie Endowment for International Peace indicate that, by late October 2021, only one-third of the Russian population had received full vaccination, trailing behind countries like Argentina and China with 56% and 76% vaccination coverage, respectively (Stronski 2021). Vaccine skepticism among the Russian populace, fueled by concerns about efficacy and safety, contributed to hesitancy, exacerbated by President Putin's delay in personally receiving the Sputnik V vaccine (Stronski 2021). This hesitancy likely impeded the vaccination rate, potentially leading to the unprecedented death toll.

Another plausible factor contributing to Russia's pandemic challenges was the implementation of sporadic and short-lived quarantine measures in 2020 and 2021, as reported by (Yaffa 2021). Lockdown restrictions, initiated when daily positive cases reached nearly ten thousand, were only enforced for a brief week before being lifted. This lax approach to containment measures may have facilitated widespread transmission, particularly given the low vaccination coverage at that time, amplifying the impact on the population.

In Section 4.2, we will delve into potential strategies Russia could have employed for a more effective pandemic response and discuss broader measures for addressing future pandemics.

4.2 Russia and Improvements for the future

While Russia demonstrated swiftness in developing a vaccine, it could have augmented its efforts in mass production and promotion, emphasizing the vaccine’s necessity. Addressing vaccine skepticism is crucial, as public perception significantly influences vaccination rates. To foster trust, the government must transparently demonstrate the vaccine’s efficacy and safety, mitigating ethical concerns and bolstering public confidence.

Initial attempts to downplay the virus’s severity may have hindered the country’s response, as acknowledged later (Stronski 2021). Recognizing the gravity of an epidemic is pivotal, prompting proactive legislation and regulations to swiftly contain outbreaks. Despite the logistical challenges posed by Russia’s vast population, effective measures and protocols can be established to manage such situations. Robust laws and regulations, coupled with stringent quarantine and lockdown protocols, are imperative, particularly in the absence of a vaccine during the early stages of an outbreak. Countries that implemented strict measures during the COVID-19 pandemic experienced lower mortality rates compared to those with more lenient approaches. For Russia to proactively manage future outbreaks, the establishment of enhanced and stringent regulations is paramount.

4.3 Accounting for Bias and Ethical Implications

Recognizing the potential for unintended biases in our analysis is imperative. In constructing Figure 2, Figure 3, and Figure 4, there is a possibility of selection bias influencing our decision on which countries to include. The choice of countries, including Russia, in these figures might impact the observed trends. A different set of countries could yield alternative patterns and potentially alter our conclusions. However, it is crucial to note that the selection was mostly random, with consistent inclusion of countries like India and the United States to draw meaningful parallels between the pandemic’s impact on various nations.

It is essential to acknowledge the inherent variability in how countries report data, including mortality and excess death rates. This study heavily relies on observational data, necessitating an understanding of potential biases. Variations in reporting practices, such as underreporting or overreporting deaths, introduce nuances that directly influence the analysis.

Moreover, the implementation of COVID-19 policies occurred predominantly at the state and local levels, introducing additional complexity and potential unmeasured differences. The diverse approaches among communities make drawing definitive causal inferences challenging.

Ethical considerations also come into play, particularly concerning incomplete or concealed data. Incomplete information can be misleading, impacting the evaluation of a country’s pandemic response. This ethical concern extends beyond Russia, encompassing any country with missing or incomplete data, highlighting the need for transparency and accuracy in reporting to ensure robust and unbiased analyses.

4.4 Weaknesses and Further Scope

During the course of this paper, several weaknesses were identified that could be addressed to enhance its robustness. One notable limitation is the potential for selection bias in country inclusion for analysis. While attempting to mitigate this bias, selecting a random subset of countries excluding Russia could have reduced its impact. However, it’s important to note that comparisons with countries of similar infrastructure and global stature provide more meaningful insights. Random selection might have compromised the analytical depth and informativeness of the paper.

Another weakness pertains to the availability of data. In the construction of Figure 1, it was evident that the dataset lacked GHS indices for certain countries, such as Greenland, leading to incomplete shading in the figure. A comprehensive dataset would have strengthened the analysis and provided more nuanced insights into global health security preparedness.

As a future scope, incorporating vaccination rates into the analysis for 2021 could offer valuable insights into pandemic control efforts. Examining the proportion of vaccinated population across countries would help elucidate factors contributing to Russia’s challenges in containing the pandemic. Additionally, flipping the focus to countries with lower GHS indices that managed the outbreak effectively could provide lessons in effective pandemic management. Understanding the strategies and interventions that facilitated success in these countries could inform future preparedness and response efforts.

Regarding the selection of countries for comparison, our criteria primarily focused on countries with diverse demographics, varied GHS indices, and significant global influence. While biases may exist, the inclusion of countries like the United States and India aimed to provide a comprehensive analysis of pandemic responses across different contexts. However, future research could explore comparisons with countries of smaller populations and lower GDPs to further enrich the analysis and mitigate potential biases.

In conclusion, the analysis underscores Russia’s shortcomings in controlling the COVID-19 pandemic, particularly in vaccination efforts and containment measures. Moving forward, implementing stringent regulations and proactive strategies are imperative to prevent widespread transmission and mitigate the impact of future epidemics and outbreaks.

Appendix

A Additional data details

Table 4: Cleaned Data showing Excess Death Rate and GHS index for a subset of countries

Country Name	Excess Death Rate	GHS Index
Australia	-37.6	71.1
Austria	107.5	56.9
Brazil	186.9	51.2
Canada	60.5	69.8
Denmark	94.1	64.4
France	124.2	61.9
Germany	120.5	65.5
Hungary	297.8	54.4
India	152.5	42.8
Indonesia	140.7	50.4
Japan	44.1	60.5
Netherlands	140.0	64.7
Russia	374.6	49.1
Spain	186.7	60.9
UK	126.8	67.2
USA	179.3	75.9

References

- Chriscaden, Kimberly. 2020. *Impact of Covid-19 on People's Livelihoods, Their Health and Our Food Systems*. World Health Organization. <https://www.who.int/news/item/13-10-2020-impact-of-covid-19-on-people%27s-livelihoods-their-health-and-our-food-systems#:~:text=The%20economic%20and%20social%20disruption,the%20end%20of%20the%20year.>
- Firke, Sam. 2023. *Janitor: Simple Tools for Examining and Cleaning Dirty Data*. <https://CRAN.R-project.org/package=janitor>.
- Impact, Economist. 2021. "GHS INDEX METHODOLOGY." https://www.nti.org/wp-content/uploads/2021/12/2021_GHSindex_Methodology_FINAL.pdf.
- Massicotte, Philippe, and Andy South. 2023. *Rnaturalearth: World Map Data from Natural Earth*. <https://CRAN.R-project.org/package=rnaturalearth>.
- Nuzzo, Jennifer B., and Jorge R. Ledesma. 2023. "Why did the best prepared country in the world fare so poorly during COVID?" *Journal of Economic Perspectives* 37 (4): 3–22. <https://doi.org/10.1257/jep.37.4.3>.
- Pašović, Maja, Katherine Leach-Kemon, Christopher Troeger, Theo Vos, and Rafael Lozano. 2021. *Countries Hit Hardest by COVID-19: Think Global Health*. Think Global Health. <https://www.thinkglobalhealth.org/article/countries-hit-hardest-covid-19>.
- Pebesma, Edzer. 2018. "Simple Features for R: Standardized Support for Spatial Vector Data." *The R Journal* 10 (1): 439–46. <https://doi.org/10.32614/RJ-2018-009>.
- R Core Team. 2023. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Stronski, Paul. 2021. *Russia's Response to Its Spiraling COVID-19 Crisis Is Too Little, Too Late*. Carnegie Endowment for International Peace. <https://carnegieendowment.org/2021/10/28/russia-s-response-to-its-spiraling-covid-19-crisis-is-too-little-too-late-pub-85677#:~:text=According%20to%20official%20data%2C%20Russia%27s,rate%20in%20Asia%2C%20after%20India.>
- Wickham, Hadley. 2016. *Ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York. <https://ggplot2.tidyverse.org>.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D'Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. "Welcome to the tidyverse." *Journal of Open Source Software* 4 (43): 1686. <https://doi.org/10.21105/joss.01686>.
- Wickham, Hadley, Romain François, Lionel Henry, Kirill Müller, and Davis Vaughan. 2023. *Dplyr: A Grammar of Data Manipulation*. <https://CRAN.R-project.org/package=dplyr>.
- Wickham, Hadley, Jim Hester, and Jennifer Bryan. 2023. *Readr: Read Rectangular Text Data*. <https://CRAN.R-project.org/package=readr>.
- Wikipedia. 2024. *Covid-19*. Wikimedia Foundation. <https://en.wikipedia.org/wiki/COVID-19>.
- Xie, Yihui. 2023. *Knitr: A General-Purpose Package for Dynamic Report Generation in r*. <https://yihui.org/knitr/>.
- Yaffa, Joshua. 2021. *Why Russia Hasn't Cracked down on Covid-19*. The New Yorker. <https://www.newyorker.com/news/dispatch/why-russia-hasnt-cracked-down-on-covid-19>.