

1

GE 2022: Geomatics Engineering


EE25BTECH11064 - Yojit Manral





5) Which one of the groups given below can be assembled to get the shape that is shown above using each piece only once without overlapping with each other? (rotation and translation operations may be used).

(GATE GE 2022)



6) Fish belonging to species S in the deep sea have ultra-black skin that are extremely black (ultra-black skin). This helps them not only to avoid predators but also sneakily attack their prey. However, having this extra layer of black pigment results in lower collagen on their skin, making their skin more fragile. Which one of the following is the CORRECT logical inference based on the information in the above passage?

(GATE GE 2022)

- a) Having ultra-black skin is only advantageous to species S
- b) Species S with lower collagen in their skin are at an advantage because it helps them avoid predators
- c) Having ultra-black skin has both advantages and disadvantages to species S
- d) Having ultra-black skin is only disadvantageous to species S but advantageous only to their predators
- 7) For the past *m* days, the average daily production was 100 units/day. If today's production of 180 units changes the average to 110 units/day, what is the value of *m*?

(GATE GE 2022)

- a) 18
- b) 10

c) 7

d) 5

8) Consider the following functions for non-zero positive integers, p and q.

$$f(p,q) = \underbrace{p \times p \times p \times \dots \dots \times p}_{q \text{ terms}} = p^q; \quad f(p,1) = p$$

Which one of the following options is correct based on the above?

(GATE GE 2022)


a)
$$f(2,2) = g(2,2)$$

c)
$$g(2,1) \neq f(2,1)$$

b)
$$f(g(2,2),2) < f(2,g(2,2))$$

d)
$$f(3,2) > g(3,2)$$

9) Four cities P, Q, R, S are connected through one-way routes as shown in the figure. The travel time between any two connected cities is one hour. The boxes beside each city name describe the starting time of first train of the day and their frequency of operation. For example, from city P, the first trains of the day start at 8 AM with a frequency of 90 minutes to each of R and S. A person does not spend additional time at any city other than the waiting time for the next connecting train. If the person starts from R at 7 AM, visits S and returns to R, what is the minimum time required?



(GATE GE 2022)


a) 6 hours 30 minutes


c) 4 hours 30 minutes

b) 3 hours 45 minutes

d) 5 hours 15 minutes

10) Equal sized circular regions are shaded in a square sheet of side 1 cm side length. Two cases, case M and case N, are considered as shown in the figures below. In the case M, four circles are shaded in the square sheet and in the case N, nine circles are shaded in the square sheet as shown. What is the ratio of the unshaded regions (M:N)?





case M

case N

(GATE GE 2022)

a) 2:3

b) 1:1

c) 3:2

d) 2:1

PART A: Common FOR ALL CANDIDATES

11) Most probable value of a quantity:

(GATE GE 2022)

- a) always increases with increase in True value
- b) always decreases with decrease in True value
- c) is always equal to True value
- d) is nearest to True value
- 12) Two surveyors **P** and **Q** measured a 20 m distance six times each, as given below(in m). Surveyor **P**: 19.97, 20.02, 20.04, 19.98, 19.96, 20.03 Surveyor **Q**: 20.05, 20.07, 20.05, 20.06, 20.07, 20.07 On the basis of accuracy and precision of the measured values, choose the CORRECT statement.

(GATE GE 2022)

- a) Observed values of Surveyor P are less precise and observed values of Surveyor Q are more accurate.
- b) Observed values of Surveyor P are more precise and observed values of Surveyor Q are less accurate.
- c) Observed values of Surveyor P are more accurate and observed values of Surveyor Q are more precise.
- d) Observed values of Surveyor P are less accurate and observed values of Surveyor Q are less precise.
- 13) Identify the error, which has all the following characteristics:
 - 1) Caused by observer's misunderstanding and carelessness
 - 2) Reading an angle counter-clockwise, but recording it as clockwise angle
 - 3) Sighting the wrong target
 - 4) Poor judgment by the observer

	a) Mistake	c) Probable error
	b) Cumulative error	d) Accidental error
14)	Electromagnetic Spectrum can be be	padly divided as (in order of increasing wavelength):
		(GATE GE 2022)
	a) X-rays, Gamma rays, Infrared, U	raviolet, Visible, Radiowave, Microwave
	b) Gamma rays, X-rays, Radiowave,	Microwave, Ultraviolet, Infrared, Visible
	c) X-rays, Gamma rays, Microwave,	Radiowave, Ultraviolet, Infrared, Visible
	d) Gamma rays, X-rays, Ultraviolet,	Visible, Infrared, Microwave, Radiowave
15)	Relationship between wavelength (A	, frequency (v) , and velocity (c) of EM waves is:
		(GATE GE 2022)
	a) $c = v^2/\lambda$ b) $c = v/\lambda$	c) $c = v\lambda$ d) $c = v\lambda^2$
16)	Spectral signature of an object in a	atellite image does NOT depend on:
		(GATE GE 2022)
	a) season of the year	c) swath width of the satellite
	b) wavelength of EM spectrum	d) reflectance value from the object
		,
17)	Component of GPS signal deciphered	d by all types of GPS receivers is:
		(GATE GE 2022)
	a) Coarse-Acquisition code	c) Link-1 frequency
	b) Precision code	d) Link-2C frequency
18)	For 3D-positioning, GLobal Naviga satellites.	cional Satellite System (GNSS) requires a minimum of
	suchites.	(GATE GE 2022)
	a) 3 b) 4	c) 5 d) 2
19)	Basic objective of NAVSTAR GPS	s to provide services for:
		(GATE GE 2022)
	a) Positioning, Velocity and Timing	c) Velocity, Navigation and Timing
	b) Positioning, Navigation and Timi	
	, 6, 6 , 11111.	<u> </u>
20)	A satellite image with 6-bit radiome	tric resolution has gray levels.
		(GATE GE 2022)

a) 16	b) 32	c) 64	d) 128
21) Thermal Infrared	images are provided by		
			(GATE GE 2022)
a) LANDSAT MS	SS and IRS LISS-II sensors	c) IKONOS and QU	ICKBIRD
b) SPOT and CA	RTOSAT	d) LANDSAT TM ar	nd NOAA AVHRR sensors
22) Which of the foll	lowing gets mitigated in DG	SPS positioning?	
		-	(GATE GE 2022)
a) Atmospheric en	rror b) Multi-path error	c) Cycle-slip error	d) Topographic error
23) In GIS database	which type of attribute may	he used to represent are	a?
23) III OIS database,	which type of autionic may	be used to represent are	(GATE GE 2022)
a) Nominal	b) Interval	c) Ratio	d) Ordinal
,		,	,
24) What is attribute	uncertainty?		(0.177.07.000)
) D		• , , , •	(GATE GE 2022)
	nprecision in coordinate reg		
b) Error due to in	correct labelling or quantific	cation of features	
c) Error in the so	urce document due to carto	graphic bias	
d) Error associate	d with displacement of the	object from its true locati	on
	triangulation is a proxime three nodes of a triangle of		the requirement that a circle
			(GATE GE 2022)
a) Dalhousie	b) Delaunay	c) David	d) Davenport
26) In GIS, reclassific	cation is performed to		
			(GATE GE 2022)
a) group ranges o	of values into a single value	within a data layer	
b) segment a data	layer into multiple data lay	vers	
c) combine multip	ple data layers to a single d	ata layer	
d) classify a data	layer using many attributes		
27) For the following integer).	g observation equation: 2α =	= 124°52′22″ (weight 4),	the weight of $\frac{\alpha}{3}$ is (in

28) Following observation equations are obtained in a survey task: x + y = 3 2x + y = 6 x + 2y = 4 Using least square method, the most probable values of x and y will be:

(GATE GE 2022)

a)
$$x = 2.10, y = 0.90$$

c)
$$x = 2.51, y = 0.51$$

b)
$$x = 2.64, y = 0.64$$

d)
$$x = 2.75, y = 0.75$$

29) The internal angles P, Q, R of a triangle are observed in degree minute second ($^{\circ}$ ' ") using a Total Station. The angles along with their probable errors are given below: P = $40^{\circ}30'01'' \pm 02''$ Q = $60^{\circ}00'02'' \pm 03''$ R = $79^{\circ}30'05'' \pm 04''$ The corrected values of the angles P, Q and R are:

(GATE GE 2022)

- a) $P = 40^{\circ}30'01''$, $Q = 60^{\circ}00'02''$, $R = 79^{\circ}30'05''$
- b) $P = 40^{\circ}29'59.6''$, $Q = 59^{\circ}59'59.5''$, $R = 79^{\circ}30'0.9''$
- c) $P = 40^{\circ}29'59.9''$, $Q = 59^{\circ}59'59.5''$, $R = 79^{\circ}30'0.6''$
- d) $P = 40^{\circ}29'59''$, $Q = 59^{\circ}59'59''$, $R = 79^{\circ}30'02''$
- 30) How many number of cells of a 30 m spatial resolution DEM would be required to cover a 1:50,000 topographic map of Survey of India, assuming that 1 minute = 1.85 km?

(GATE GE 2022)

- a) 855,625
- b) 855,525
- c) 855,425
- d) 855,325

31) Choose the CORRECT statement(s):

(GATE GE 2022)

- a) True Color Composite is produced by superimposing Red band in Red, Green band in Green, and Blue band in Blue color.
- b) True Color Composite is produced by superimposing Blue band in Red, Green band in Green, and Red band in Blue color.
- c) Standard False Color Composite is produced by superimposing Near Infrared band in Red, Red band in Green, and Green band in Blue color.
- d) Standard False Color Composite is produced by superimposing Green band in Red, Green band in Green, and Near Infrared band in Blue color.
- 32) Choose the CORRECT statement(s) in case of visual image interpretation:

- a) Tone/Color is a primary element while Size, Shape and Texture are secondary elements.
- b) Size, Shape and Texture are primary elements while Tone/Color is a secondary element.
- c) Texture refers to the frequency of tonal changes in an area of image.
- d) Tone/Color is a primary element while Pattern and Association are secondary elements.
- 33) The spatial resolution of a satellite image **P** is 80 m and another satellite image **Q** is 20 m; each of 512×512 pixel size. Choose the CORRECT option(s):

	A 7		α	7 7	α	101
U	ΑJ	ГΕ	Gl	Ξ2	IJΖ	4Z I

- a) Image P will cover four times the area of image Q.
- b) Image P will cover sixteen times the area of image Q.
- c) Minor details will be more clear in image Q as compared to image P.
- d) Image P is higher resolution and image Q is lower resolution.
- 34) Which statement(s) is/are CORRECT for Hyperspectral images?

a) Bandwidth is large.

c) Number of bands are more.

b) Bandwidth is narrow.

- d) Bands are contiguous.
- 35) Satellite-Based NAVSTAR GPS Augmentation System(s) is/are:

(GATE GE 2022)

- a) EGNOS
- b) WAAS
- c) GAGAN
- d) DGPS

36) Identify the CORRECT statement(s):

(GATE GE 2022)

- a) NAVSTAR GPS consists of minimum 24 satellites.
- b) Precision of GPS positioning is being defined by its standard deviation.
- c) DGPS method provides more accurate 3D-position than Relative Static post-processing method.
- d) GPS observations from geodetic GPS receiver provide less accurate position than GPS code receiver.
- 37) Identify the CORRECT statement(s):

(GATE GE 2022)

- a) For accurate GPS positioning, Geometric Dilution of Precision should be as large as possible.
- b) Integer ambiguity is associated with carrier frequency observation of GPS signal.
- c) GPS is one way ranging system for user.
- d) GPS is two way ranging system for user.
- 38) During GPS Surveying, initialization of rover receiver is required for:

(GATE GE 2022)

a) Relative Static method

c) Stop and Go method

b) Relative Kinematic method

d) Kinematic On Fly method

39) Centroid of a polygon is:

	a) geometric center of the polygon		
	b) arithmetic mean position of all its vertices in	n two coordinate directions	
	c) the point at which a cutout of the polygon c	ould be perfectly balanced on the	tip of a pin
	d) center of polyline		
40)	The area of a buffer of 50 m around a propose construction is sq. m. (in integer). (Take	2	restrict any future
			(GATE GE 2022)
41)	The Degree of Accuracy of a traverse having (round off to 3 decimal places).	error of closure of 0.5 m and period	imeter of 100 m is
			(GATE GE 2022)
42)	Using the following regression equations, the c and y will be (round off to 2 decimal pl		v 1
			(GATE GE 2022)
43)	If population variance is 14.8, sample variance then Chi-square value is (round off to 2	9	s of freedom is 10,
			(GATE GE 2022)
44)	Height of a station determined by Global Nav the geoid height of the station is -30.052 m. To decimal places).	• ,	
			(GATE GE 2022)
45)	Number of cells required to cover an area of 9	sq. km of ASTER-GDEM are	(in integer).
			(GATE GE 2022)
46)	If a 1:50,000 scale map is digitized to an acc expected in ground is \pm m (in integer).	uracy of \pm 0.5 mm, the level of ϵ	error that might be
			(GATE GE 2022)
	PART B: FOR Section I CANDIDATES ON	VLY	
47)	The main principle of Surveying is to work from	om	
			(GATE GE 2022)
	a) whole to part	c) higher elevation to lower ele	vation
	b) part to whole	d) lower elevation to higher ele	vation
40)			4
48)	The type of survey carried out to define the pro-	perty boundaries for transfer of land	
			(GATE GE 2022)
	a) city survey b) cadastral survey	c) municipality survey d) geod	detic survey
49)	Departure of a line of a traverse is obtained b bearing of the line.	y multiplying its length by the	of the reduced

				10
			(GATE (GE 2022)
a) Sine	b) Cosine	c) Tangent	d) Cotangent	
50) The multiplying the stadia hairs,		er, where f is the focal len	i is the distance	e between
			(GATE 0	GE 2022)
a) <i>i/f</i>	b) f^2/i	c) <i>f</i> / <i>i</i>	d) $f \times i$	
51) The camera axi	s of an aerial camera is d	efined as		

(GATE GE 2022)

- a) the line joining the optical centres of the objective and eyepiece lens
- b) the perpendicular line between the photographic centre and optical centre of the objective lens
- c) the line passing through the centre of the camera lens and perpendicular to the camera plane and the photo plane
- d) the line perpendicular to the plumb line
- 52) Bowditch rule for adjusting a closed traverse of perimeter l is based on the assumption that the probable error is proportional to

(GATE GE 2022)

a) *l*

b) \sqrt{l}

c) l^2

d) $1/\sqrt{l}$

53) Select the INCORRECT statement:

(GATE GE 2022)

- a) Scale of a tilted photograph is uniform throughout its extent
- b) The relief displacement of any point will be radial from nadir point of the tilted photograph
- c) The bisector of the angle of tilt intersects the tilted photograph at a point known as isocentre
- d) A line perpendicular to the principal line and passing through the isocentre is known as the axis of tilt
- 54) A topographic map prepared by Survey of India covers 1 degree by 1 degree area on a single map. The minimum ground distance which can be represented on this map is _____ m (round off to 2 decimal places).

(GATE GE 2022)

55) In a closed traverse, the sum of the latitudes is 1.39 m and the sum of the departures is 2.17 m. The Length and Whole Circle Bearing of the closing error are

- a) Length = 2.57 m, Whole Circle Bearing = 58°
- b) Length = 2.57 m, Whole Circle Bearing = 57°

c) Length = 2.67 m, Whole Circle Bearing = 58°
d) Length = 2.67 m, Whole Circle Bearing = 57°
56) In surveying, an odometer is used for measuring
(GATE GE 2022)
a) azimuth b) horizontal angle c) vertical angle d) distance
57) Choose the CORRECT statement(s):
(GATE GE 2022)
a) The spheroid is a mathematical surface of the Earth
b) Geoid is an equipotential reference surface of the Earth
c) True shape of the Earth is perfect spheroid
d) The WGS-84 datum varies from country to country
58) Choose the CORRECT statement(s):
(GATE GE 2022)
a) Latitude of a place varies from $0\hat{A}^\circ$ to $90\hat{A}^\circ$ North or South, and Longitude varies from $0\hat{A}^\circ$ to $180\hat{A}^\circ$ East or West of Greenwich Meridian
b) Latitude of a place varies from $0\hat{A}^\circ$ to $180\hat{A}^\circ$ East or West of Greenwich Meridian, and Longitude varies from $0\hat{A}^\circ$ to $90\hat{A}^\circ$ North or South
c) Longitude of a point is the angle between the Greenwich Meridian and the meridian passing through that point
d) Latitude and Longitude of a place are subject to change with time
59) A map projection is
(GATE GE 2022)
a) a systematic representation of latitude and longitude lines on a plane (paper) map
b) a representation of 3D shape of Earth on 2D plane
c) dependent on the location of area on the Earth
d) required for taking theodolite observations of horizontal angles
(GATE GE 2022)
60) Face Left and Face Right observations using a vernier theodolite will eliminate
(GATE GE 2022)
a) index error b) graduation error c) eccentricity error d) atmospheric error
61) The parallax of a point 'a' on a pair of successive overlapping photographs is 73.22 mm and the micrometer reading of a parallax bar of point 'a' is 12.10 mm. Similarly, the micrometer reading of the parallax bar of point 'b' is 9.65 mm, then the parallax of the point 'b' is mm (round off to 2 decimal places).

cm	n. If the longitudinal	overlap is 65% and side	lap is 20%, the number	photograph is 23 cm \times 23 of photographs required to ght line is along the longer
				(GATE GE 2022)
of	the staff held at Q is bund off to 3 decimal	$5\hat{A}^{\circ}$. The horizontal dist	ance PQ is 300 m. The I	ane, 1.20 m above the foot R.L. of point Q is m vation 436.050 m) is 2.865
				(GATE GE 2022)
wit m, ins	th a Tacheometer and respectively. The the	d staff intercepts, with the eodolite is set over a sta	e telescope kept horizon tion having a RL of 950	ly. Observations are taken tal, are 0.990 m and 3.000 0.500 m and the height of is (round off to 2
				(GATE GE 2022)
		aphic sheet is 53G/12. A alent to 4 degree by 4 de		s of toposheets that would).
				(GATE GE 2022)
PA	ART B: FOR Section	II CANDIDATES ON	LY	
	ne correlation coefficient	ent between two bands of	f remote sensing data that	at would yield good classi-
				(GATE GE 2022)
a) (close to one	b) close to zero	c) close to ten	d) between one to ten
67) In	a covariance matrix,	the main diagonal shows	the of each band	
				(GATE GE 2022)
a) :	standard deviation	b) variance	c) mean	d) median
68) Ch	noose the INCORREC	CT statement about image	e segmentation in digital	image processing.
				(GATE GE 2022)
a) :	Segmentation divides	an image into different	regions	

- a) Segmentation divides an image into different regions
- b) Image segmentation does not help in image classification
- c) Segmentation helps to identify objects or boundaries
- d) Segmentation is a process of partitioning an image into multiple sets of similar pixels
- 69) When the histogram of an image is non-Gaussian in nature, the type of linear contrast enhancement preferred is

a) Piece-wise Li	near Contrast Stretching	c) Percentage Line	ear Contrast Stretching
b) Min-max Line	ear Contrast Stretching	d) Standard Devia	tion Contrast Stretching
70) Spinning of the	Earth, as viewed from the N	orth pole, appears to b	e from
			(GATE GE 2022)
a) West to East	in anti-clockwise direction	c) East to West in	anti-clockwise direction
b) West to East	in clockwise direction	d) East to West in	clockwise direction
71) In case of Prince spread of its val		PCA), the variance of	a single variable expresses the
			(GATE GE 2022)
a) Mode	b) Median	c) Mean	d) Standard Deviation
72) Select the COR	RECT sequence for supervise	ed classification of sate	llite image:
			(GATE GE 2022)
a) Classification	, Training, Accuracy assessm	ent, Radiometric/geom	etric correction
b) Radiometric/g	geometric correction, Training	, Classification, Accur	acy assessment
c) Radiometric/g	geometric correction, Accurac	y assessment, Training	, Classification
d) Classification	, Radiometric/geometric corre	ection, Training, Accur	acy assessment
73) The sum of all	the values of a normalized hi	stogram is equal to	(in integer).
			(GATE GE 2022)
*	, ,	-	d-4, band-5 and band-10 are 80, me pixel (round off to 3 decimal
•			(GATE GE 2022)
a) 0.111	b) 0.222	c) 0.556	d) 0.889
75) For a given set	of radiance values, which am	ongst the following is/	are unitless?
			(GATE GE 2022)
a) Skewness	b) Kurtosis	c) Mean	d) Standard Deviation
76) Identify the CO	RRECT statement(s):		
			(GATE GE 2022)
a) External geor mathematical		ges can be corrected	using GCPs and an appropriate

- b) During rectification, transformation coefficients are used to rectify remote sensing images to a standard datum and map projection
- c) Spatial interpolation models take care of four kinds of distortions in the remote sensing images
- d) Registration is done between a satellite image and field data
- 77) Choose the CORRECT statement(s):

- a) Higher frequencies in an original image predominantly appear around the center of its Fourier Spectrum
- b) Higher frequencies in an original image predominantly appear progressively along the outer edge of its Fourier Spectrum
- c) Horizontal features in an original image appear as vertical components in its Fourier Spectrum
- d) Vertical features in an original image appear as vertical components in its Fourier Spectrum
- 78) Match the CORRECT option(s) for the types of filters given in (I), (II), (III), and (IV) with their kernels given in (P), (Q), (R) and (S).

(I) Low Frequency Filter		(II) High Frequency Filter		(III) Laplacian Filter		(IV) Sobel Operator Filter					
	(P)			(Q)			(R)			(S)	
1	1	1	-1	-2	-1	1	-2	1	0	1	0
1	1	1	0	0	0	-2	5	-2	1	-4	1
1	1	1	1	2	1	1	-2	1	0	1	0

(GATE GE 2022)

79) Band ratio in satellite images interpretation is applied to

- a) enhance the spectral separation
- c) enhance the effects of topography
- b) reduce the effects of topography
- d) increase spatial differences between bands
- 80) The decorrelation stretch enhances colour differences and removes inter-band _____.

a) decorrelation

b) contradiction

c) correlation

d) relationship

81) The overall image classification accuracy (in percentage) calculated from the following error matrix is _____ (in integer).

		Grou	Total		
		SOIL	WATER	CROP	Iotai
	SOIL	40	1	4	45
Thematic Map Classes	WATER	7	25	3	35
	CROP	1	2	17	20
Number of ground truth pixels		48	28	24	

(GATE GE 2022)

82) Number of bytes required to store an 8-bit uncompressed image of size 512×512 pixels is _____ (in integer).

(GATE GE 2022)

83) The minimum and maximum Digital Number (DN) values of an image are 30 and 55, respectively. If the input DN value of a pixel is 35, the output DN value after linear contrast stretch of an 8-bit data is _____ (in integer).

(GATE GE 2022)

84) The FOV of a sensor (for a scene) placed at a nadir height of 6 km is $90\hat{A}^{\circ}$. The ground swath width of the scene is _____ km (in integer).