## **CS23336-Introduction to Python Programming**

**Started on** Wednesday, 4 September 2024, 1:33 PM

State Finished

Completed on Wednesday, 4 September 2024, 2:37 PM

**Time taken** 1 hour 3 mins **Marks** 10.00/10.00

**Grade 100.00** out of 100.00

## **Question 1**

Correct Mark 1.00 out of 1.00 Flag question

#### **Question text**

Write python program to print the following pattern based on input size.

Input:

3

Output:

1 23 456

For example:

#### **Input Result**

```
1
4 23
456
78910
```

Answer:(penalty regime: 0 %)

```
1    a=int(input())
2    b=1
3    for i in range(0,a):
4         for j in range(a-i-1,0,-1):
5             print(" ",end="")
6         for k in range(0,i+1):
7             print(b,end=" ")
8             b=b+1
9             print()
```

## **Input Expected** Got

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

## **Question 2**

Correct Mark 1.00 out of 1.00 Flag question

## **Question text**

Write a program to find the count of the number of prime numbers in a specified range.

The starting and ending number of the range will be provided as input to the program.

Assumption: 2 <= starting number of the range <= ending number of the range <= 7919

Example1: If the starting and ending number or the range is given as 2 and 20, the program must return 8, because there are 8 prime numbers in the specified range from 2 to 20. namely (2. 3. 5, 7, 11, 13, 17, 19)

Example2: If the starting and ending number of the range is given as 700 and 725, the program must return 3, because there are 3 prime numbers in the specified range from 700 to 725, namely (701, 709, 719)

For example:

## **Input Result**

```
2
20
8
700
725
```

Answer:(penalty regime: 0 %)

```
1 a=int(input())
b=int(input())
3
   C=0
4 for i in range(a,b+1):
5
6 🕌
       for j in range(2,i):
7 .
           if(i%j==0):
8
               d=1
9 🚚
       if(d==0):
10
           c=c+1
11
   print(c)
```

## Feedback

## **Input Expected Got**

<sup>2</sup>
<sub>20</sub>
<sup>8</sup>
<sup>8</sup>
<sup>8</sup>
<sup>700</sup>
<sub>725</sub>
<sup>3</sup>
<sup>3</sup>

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

## Question 3

Correct Mark 1.00 out of 1.00 Flag question

## **Question text**

W Output: WB BW Answer:(penalty regime: 0 %) 1 a=int(input()) b=str(input()) 3 + for i in range(0, a): 4 . for j in range(0,a): 5 🕌 if( b=='W'): 6 💂 if(i+j)%2==0: 7 print('W', end='') 8 💂 else: 9 print("B", end="") 10 🕌 else: 11 if(i+j)%2==0: print("B", end="") 12 13 else: print("W", end="") 14 15 print(end="\n") **Feedback** 

Integer N(represents the rows and columns of a chessboard) and also the starting character of the chessboard

Let's print a chessboard!

**Output Format** 

Input:

2

Sample Input / Output

**Input Expected Got** 

WB

BW

WB

BW

2

W

Write a program that takes input:

Print the chessboard as per the given examples

## BWB BWB 3 WBW WBW В **BWB** BWB Passed all tests! Correct Marks for this submission: 1.00/1.00. **Question 4** Correct Mark 1.00 out of 1.00 Flag question **Question text** Write a program that given an integer 'n', prints the number of integers that are less than or equal to 'n' and co-prime to 'n' Two integers a and b are said to be relatively prime or co-prime if the only positive integer that evenly divides both of them is 1. That is, the only common positive factor of the two numbers is 1. This is equivalent to their greatest common divisor being 1. Input Format: One line containing the value of 'n', where 1<=n<=10,000 Output Format: One line containing the number of integers that are co-prime to n and less than or equal to 'n' Sample Test Cases Test Case 1 Input 10

**Input Expected Got** 

Test Case 2	
Input	
23	
Output	
22	
Test Case 3	
Input	
11	
Output	
10	
Answer:(penalty regime: 0 %)  1	

Output

4

#### **Input Expected Got**

10 4 423 22 22

Passed all tests!

10

Correct

11

Marks for this submission: 1.00/1.00.

10

## **Question 5**

Correct Mark 1.00 out of 1.00 Flag question

#### **Question text**

You are choreographing a circus show with various animals. For one act, you are given two kangaroos on a number line ready to jump in the positive direction.

- •The first kangaroo starts at position x1 and moves at a speed v1 meters per jump.
- •The second kangaroo starts at position  $x^2$  and moves at a speed of  $x^2$  meters per jump and  $x^2 > x^2$
- •You have to figure out to get both kangaroos at the same position at the same time as part of the show before k jumps. If it is possible, return YES, otherwise return NO.

#### **Input Format:**

x1-position of kangaroo1 v1-Speed of kangaroo1 x2-position of kangaroo2 v2-Speed of kangaroo2 k-jumps

#### **Output Format:**

Both kangaroos are at the same position within k jumps, YES, otherwise NO.

For example:

## **Input Result**

```
3
4 YES
2
```

Answer:(penalty regime: 0 %)

## Feedback

## **Input Expected Got**

```
0 3 4 YES YES 2 6 0 3 2 NO NO 4 8
```

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

## **Question 6**

Correct Mark 1.00 out of 1.00 Flag question

## **Question text**

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number  $\geq 1$  and  $\leq 25000$ .

Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 non-repeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 non-repeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO non-repeated digits in this number.

## For example:

#### **Input Result**

292 1

1015 2

108 3

22 0

## Answer:(penalty regime: 0 %)

## **Input Expected Got**

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

## **Question 7**

Correct Mark 1.00 out of 1.00 Flag question

#### **Question text**

Write a program to find the count of the number of prime numbers in a specified range.

The starting and ending number of the range will be provided as input to the program.

Assumption: 2 <= starting number of the range <= ending number of the range <= 7919

Example1: If the starting and ending number or the range is given as 2 and 20, the program must return 8, because there are 8 prime numbers in the specified range from 2 to 20. namely (2. 3. 5, 7, 11, 13, 17, 19)

Example2: If the starting and ending number of the range is given as 700 and 725, the program must return 3, because there are 3 prime numbers in the specified range from 700 to 725, namely (701, 709, 719)

For example:

#### **Input Result**

2 20 8

700 735

Answer:(penalty regime: 0 %)

1 a=int(input())

b=int(input())

```
3
   C=0
4 + for i in range(a,b+1):
5
        d=0
6 -
        for j in range(2,i):
7 .
             if(i%j==0):
8
                 d=1
9 ...
        if(d==0):
10
            c=c+1
11
    print(c)
```

## **Input Expected Got**

<sup>2</sup><sub>20</sub> 8 8 8 <sup>700</sup><sub>725</sub> 3 3

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

## **Question 8**

Correct Mark 1.00 out of 1.00 Flag question

#### **Question text**

An e-commerce company plans to give their customers a special discount for Christmas. They are planning to offer a flat discount. The discount value is calculated as the sum of all the prime digits in the total bill amount.

Write an algorithm to find the discount value for the given total bill amount.

Input

The input consists of an integer order value, representing the total bill amount.

Output

Print an integer representing the discount value for the given total bill amount.

Example Input

578

Output

12

Explanation:

Since 5 and 7 are the prime digits, then sum of 5+7=12

Answer:(penalty regime: 0 %)

```
1 a=int(input())
2 b=str(a)
3 sum=0
4 for i in b:
5 if(i=='2' or i=='3' or i=='7'):
6 sum=int(i)+sum
print(sum)
```

## Feedback

## **Input Expected Got**

578 12 12
 456 5 5
 7032 12 12

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

## **Question 9**

Correct Mark 1.00 out of 1.00 Flag question

# Given an integer N, check whether N the given number can be made a perfect square after adding to it. Input Format: Single integer input. Output Format: Yes or No. Example Input: 24 Output: Yes Example Input: 26 Output: No For example: **Input Result** 24 Yes Answer:(penalty regime: 0 %) 1 a=int(input()) 2 b=a+1 3 $c=int(b^{**}(1/2))$ 4 - if(b == c\*\*2):5 print("Yes") 6 - else: 7 print("No")

## Feedback

**Question text** 

Input Expected Got				
24 Yes Yes				
26 No No				
Passed all tests!				
Correct Marks for this submission: 1.00/1.00.				
Question 10				
Correct Mark 1.00 out of 1.00 Flag question				
Question text				
An automorphic number is a number whose square ends with the number itself.				
For example, 5 is an automorphic number because $5*5 = 25$ . The last digit is 5 which same as				
the given number.				
If it is an automorphic number display "Automorphic" else display "Not Automorphic".				
Input Format:				
Take a Integer from Keyboard				
Output Format:				
Print Automorphic if given number is Automorphic number, otherwise Not Automorphic				
Example input:				
5				
Output:				
Automorphic				
Example input:				
25				
Output:				
Automorphic				
Example input:				
7				
Output:				

Not Automorphic

#### **Feedback**

Input	t Expected	Got
5	Automorphic	Automorphic
625	Automorphic	Automorphic
7	Not Automorphic	:Not Automorphic

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Finish review

Skip Quiz navigation

#### **Quiz navigation**

Question 1 This page Question 2 This page Question 3 This page Question 4 This page Question 5 This page Question 6 This page Question 7 This page Question 8 This page Question 9 This page Question 10 This page Show one page at a time Finish review