

# Cucumber Report

27-Mar-2024, 11:26:48 am

Start : Mar 27, 11:26:09.239 am

End : Mar 27, 11:26:47.313 am

Duration : 38.074 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 11




| Feature  |          | Scenario |   |   |   | Step |   |   |    |
|--|----------|----------|---|---|---|------|---|---|----|
| Name   | Duration | T        | P | F | S | T    | P | F | S  |
| <u>File Management Feature</u>                                     | 12.873 s | 1        | 1 | 0 | 0 | 2    | 2 | 0 | 0  |
| <u>Calendar Event Creation with Recurring and Reminder Options</u> | 38.074 s | 1        | 0 | 1 | 0 | 14   | 2 | 1 | 11 |

| <b>Tag</b>  | <b>Scenario</b> |                 |                 |                 | <b>Feature</b>  |                 |                 |                 |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| <b>Name</b> | <b><i>T</i></b> | <b><i>P</i></b> | <b><i>F</i></b> | <b><i>S</i></b> | <b><i>T</i></b> | <b><i>P</i></b> | <b><i>F</i></b> | <b><i>S</i></b> |
| @pdf        | 1               | 1               | 0               | 0               | 1               | 1               | 0               | 0               |
| @feature    | 2               | 1               | 1               | 0               | 2               | 1               | 1               | 0               |





| # | Feature Name   | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>File Management Feature</u>                                     | 1 | 1 | 0 | 0 | 12.873 s |
| 2 | <u>Calendar Event Creation with Recurring and Reminder Options</u> | 1 | 0 | 1 | 0 | 38.074 s |





| # | Feature Name   | Scenario Name   | T  | P | F | S  | Duration |
|---|--|---|----|---|---|----|----------|
| 1 | <u>File Management Feature</u>                                     | <u>Add a Custom Folder and Upload PDF Files of Small, Medium and Large init</u> | 2  | 2 | 0 | 0  | 12.866 s |
| 2 | <u>Calendar Event Creation with Recurring and Reminder Options</u> | <u>User Creates Monthly Recurring Calendar Event with Reminder</u>              | 14 | 2 | 1 | 11 | 38.067 s |

## File Management Feature



|  |                     |           |   |           |   |
|--|---------------------|-----------|---|-----------|---|
| <b>PASSED</b>                          | DURATION - 12.873 s | Scenarios |  | Steps     |  |
| / 11:26:09.239 am // 11:26:22.112 am / |                     | Total - 1 |   | Total - 2 |   |
|  |                     | Pass - 1  |   | Pass - 2  |   |
|  |                     | Fail - 0  |   | Fail - 0  |   |
|  |                     | Skip - 0  |   | Skip - 0  |   |

## Add a Custom Folder and Upload PDF Files of Small, Medium and Large init



|   |                                |   |           |  |
|---|--------------------------------|---|-----------|--|
| <div>PASSED</div>                                 | <div>DURATION - 12.866 s</div> | <div></div> | Steps     | <div></div> |
| <div>/ 11:26:09.246 am // 11:26:22.112 am /</div> |                                |   | Total - 2 |  |
| <div>File Management Feature</div>                |                                |   | Pass - 2  |  |
| <div>@pdf @feature</div>                          |                                |   | Fail - 0  |  |
|   |                                |   | Skip - 0  |  |

| # | Step / Hook Details                            | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is already logged in to application | PASSED | 9.445 s  |
|   | username                                       |        |          |
|   | ashokmarch12@yopmail.com                       |        |          |
| 2 | Given the User clicks on Family Access Files   | PASSED | 0.000 s  |

## Calendar Event Creation with Recurring and Reminder Options

|  |                     |           |   |            |   |
|--|---------------------|-----------|---|------------|---|
| <b>FAILED</b>                          | DURATION - 38.074 s | Scenarios |  | Steps      |  |
| / 11:26:09.239 am // 11:26:47.313 am / |                     | Total - 1 |   | Total - 14 |   |
|  |                     | Pass - 0  |   | Pass - 2   |   |
|  |                     | Fail - 1  |   | Fail - 1   |   |
|  |                     | Skip - 0  |   | Skip - 11  |   |

## User Creates Monthly Recurring Calendar Event with Reminder

|   |  |   |   |  |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 38.067 s</div>            |  | <div></div> | <div>Steps</div> <div>Total - 14</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 11</div> | <div></div> |
| / 11:26:09.246 am // 11:26:47.313 am /                      |  |   |   |  |
| Calendar Event Creation with Recurring and Reminder Options |  |   |   |  |
| @feature  |  |   |   |  |

| #                        | Step / Hook Details  | Status | Duration |          |
|--------------------------|--|--------|----------|----------|
| 1                        | Given User is already logged in to application   | PASSED | 9.719 s  |          |
|                          | <table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table>  |        |          | username |
| username                 | password   |        |          |          |
| ashokmarch12@yopmail.com | Password@123   |        |          |          |
| 2                        | When the user is on the Calendar page  | PASSED | 6.255 s  |          |
| 3                        | When the user clicks on New Event  | FAILED | 20.032 s |          |
|                          | <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //button[normalize-space()='New Event +'] (tried for 20 second(s) with 500 milliseconds interval)     at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)     at com.qa.Utills.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:36)     at com.Pages.Calendar_NewEvent.clickOnNewEvent(Calendar_NewEvent.java:86)     at parallel.Calendar_NewEventSteps.the_user_clicks_on_new_event(Calendar_NewEventSteps.java:23)     at ?.the user clicks on New Event(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Calendar_NewEvent.feature:12) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dbe220491a3808d5f7222ca44245f7d2, findElement {using=xpath, value=//button[normalize-space()='New Event +']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52070}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52070/devtoo..., se.cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dbe220491a3808d5f7222ca44245f7d2     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre> |        |          |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)<br>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)<br>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)<br>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)<br>at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:627)<br>at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:624)<br>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)<br>at com.qa.Utills.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:36)<br>at com.Pages.Calendar_NewEvent.clickOnNewEvent(Calendar_NewEvent.java:86)<br>at parallel.Calendar_NewEventSteps.the_user_clicks_on_new_event(Calendar_NewEventSteps.java:23)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:580)<br>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:580)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) |        |          |



| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)<br>at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)<br>at java.base/java.lang.Thread.run(Thread.java:1583)<br>* Not displayable characters are replaced by '?'.  |         |          |
| 4  | And User enters "Event001" into EventTitle   | SKIPPED | 0.001 s  |
| 5  | And selects the start date on the calendar   | SKIPPED | 0.000 s  |
| 6  | And User sets the start time to "01:00"  | SKIPPED | 0.000 s  |
| 7  | And User sets the end time to "14:00"  | SKIPPED | 0.000 s  |
| 8  | And chooses to set a recurring event   | SKIPPED | 0.002 s  |
| 9  | And User sets the recurrence to Monthly  | SKIPPED | 0.000 s  |
| 10 | And selects the End date on the calendar   | SKIPPED | 0.000 s  |
| 11 | And assigns the event to family member   | SKIPPED | 0.000 s  |
| 12 | And enters someText into the description   | SKIPPED | 0.000 s  |
| 13 | And clicks on save   | SKIPPED | 0.001 s  |
| 14 | Then the user should see the message "Your event has been created"   | SKIPPED | 0.000 s  |
|    | AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  | FAILED  | 0.006 s  |
|    | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found<br>(Session info: chrome=123.0.6312.59) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dbe220491a3808d5f7222ca44245f7d2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52070}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52070/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dbe220491a3808d5f7222ca44245f7d2<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) |         |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)<br>at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45) |        |          |