**Duration: 31.324 s** Start: Mar 23, 8:23:35.419 pm End: Mar 23, 8:24:06.743 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 13 14 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Calendar Event Creation with Recurring and Reminder Options	31.324 s	1	0	1	0	14	0	1	13

Tag	Scenario				Feature				
Name	T	P	F	S	Т	P	F	S	
@feature	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 4




#	Feature Name	T	P	F	S	Duration
1	Calendar Event Creation with Recurring and Reminder Options	1	0	1	0	31.324 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Calendar Event Creation with Recurring	User Creates Monthly Recurring Calendar Event with	14	0	1	13	31.317 s
	and Reminder Options	Reminder					

DETAILED SECTION -- 6 --

## **Calendar Event Creation with Recurring and Reminder Options**



## **User Creates Monthly Recurring Calendar Event with Reminder**



#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	FAILED	29.622 s
	username     password       ashokmarch12@yopmail.com     Password@123		
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //a[text()='Log In'] (tried for 20 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)		
	at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:37) at com.Pages.LoginPage.doLogin(LoginPage.java:76)		
	at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:39)		
	at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FC_BDD_Git_Jenkins/src/test/resources/features/Calendar_NewEvent.feature:7)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
	[2194e021f1d3da3081ee7d263f7c5dc5, findElement {using=xpath, value=//a[text()='Log In']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb, userDataDir: C:\Users\Ashok\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52380},		

#	Step / Hook Details	Status	Duration
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52380/devtoo, se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2194e021f1d3da3081ee7d263f7c5dc5		
	at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:627)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:624)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)		
	at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:37)		
	at com.Pages.LoginPage.doLogin(LoginPage.java:76)		
	at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:39)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	$at\ or g. testng. in ternal. invokers. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 139)$		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
2	When the user is on the Calendar page	SKIPPED	0.001 s
3	When the user clicks on New Event	SKIPPED	0.001 s

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
4	And User enters "Event001" into EventTitle	SKIPPED	0.001 s
5	And selects the start date on the calendar	SKIPPED	0.001 s
6	And User sets the start time to "01:00"	SKIPPED	0.002 s
7	And User sets the end time to "14:00"	SKIPPED	0.000 s
8	And chooses to set a recurring event	SKIPPED	0.001 s
9	And User sets the recurrence to Monthly	SKIPPED	0.000 s
10	And selects the End date on the calendar	SKIPPED	0.000 s
11	And assigns the event to family member	SKIPPED	0.000 s
12	And enters someText into the description	SKIPPED	0.000 s
13	And clicks on save	SKIPPED	0.001 s
14	Then the user should see the message "Your event has been created"	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [2194e021f1d3da3081ee7d263f7c5dc5, screenshot {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58, openations: userDatability.chromeDriver.ComnectionEnablect false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52380/devtoo, se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2194e021f1d3da3081ee7d263f7c5dc5  at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.enternote.e		