



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
login page feature	1 m 55.572 s	5	0	5	0	102	9	5	88

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	login page feature	5	0	5	0	1 m 55.572 s


SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	login page feature	Disaster planning in Emergency prep	18	5	1	12	29.534 s
2	login page feature	Supply kit	21	1	1	19	20.635 s
3	login page feature	Meeting Places	21	1	1	19	20.967 s
4	login page feature	Home Evacuation	21	1	1	19	22.960 s
5	login page feature	Commuter Plan	21	1	1	19	21.136 s

DETAILED SECTION -- 5 --

login page feature



Disaster planning in Emergency prep




#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	10.453 s
	usernamepasswordashokmarch12@yopmail.comPassword@123		
2	When user click on emergency prep	PASSED	6.515 s
3	Then user clicks on the Disaster planning	PASSED	5.242 s
4	And user clicks on add option	PASSED	0.334 s
5	And user clicks on upload file1	PASSED	1.087 s
6	Then User should see the "Uploaded Successfully" Message	FAILED	0.050 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //div[contains(text(),'successfully ')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa. selenium.firefox.FirefoxDriver Command: [91bf8ad9-886e-4d13-90dc-552c5a893a28, findElement {using=xpath, value=//div[contains(text(),'successfully ')]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:24957, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8656, moz:profile: C:\Users\Ashok\AppData\Loca, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:24957/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 91bf8ad9-886e-4d13-90dc-552c5a893a28		
	at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.codec.wsc.wsc.wsc.httpResponseCodec.decode(wsc.nttpResponseCodec.java.sz) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.rntpcommandExecutor.execute(httpcommandExecutor.java.191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)		
	at com.Pages.GeneralLegalPage_PersonalVault.verify(GeneralLegalPage_PersonalVault.java:44)		
	at parallel.GeneralLegalPage_PersonalVaultSteps.user_should_see_the_message(GeneralLegalPage_PersonalVaultSteps.java:45)		
	at ?.User should see the "Uploaded Successfully" Message(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:18)		
	* Not displayable characters are replaced by '?'.		
7	And user clicks on add option	SKIPPED	0.001 s
8	And user clicks on upload file2	SKIPPED	0.001 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
10	And user clicks on add option	SKIPPED	0.001 s
11	And user clicks on upload file3	SKIPPED	0.001 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
13	And user clicks on add option	SKIPPED	0.001 s
14	And user clicks on upload file4	SKIPPED	0.001 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.001 s
17	And user clicks on upload file5	SKIPPED	0.001 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.254 s
	<u>Disaster planning in Emergency prep</u>	1	

#	Step / Hook Details	Status	Duration
	Section 1 and 1 an		

Supply kit




#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.384 s
2	Then user clicks on the Disaster planning	FAILED	20.036 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptlnsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:24957, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8656, moz:profile: C:\Users\shok\AppData\Loca, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:24957/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 91bf8ad9-886e-4d13-90dc-552c5a893a28 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44) at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22) at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:50) * Not displayable characters are replaced by '?'.		
3	And user clicks on the supply kit	SKIPPED	0.001 s
4	And user clicks on add option	SKIPPED	0.001 s
5	And user clicks on upload file	SKIPPED	0.001 s

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.001 s
7	And user clicks on add option	SKIPPED	0.000 s
8	And user clicks on upload file1	SKIPPED	0.001 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
10	And user clicks on add option	SKIPPED	0.001 s
11	And user clicks on upload file2	SKIPPED	0.000 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
13	And user clicks on add option	SKIPPED	0.001 s
14	And user clicks on upload file3	SKIPPED	0.001 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.001 s
17	And user clicks on upload file4	SKIPPED	0.000 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
19	And user clicks on add option	SKIPPED	0.001 s
20	And user clicks on upload file5	SKIPPED	0.000 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.183 s
	_S_u_p_p yk_i t_		
	Security Sec		


Meeting Places



#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.452 s
2	Then user clicks on the Disaster planning	FAILED	20.384 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptlnsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:24957, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8656, moz:profile: C:\Users\Ashok\AppData\Loca, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:24957/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 91bf8ad9-886e-4d13-90dc-552c5a893a28 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44) at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22) at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:93) * Not displayable characters are replaced by '?'.		
3	And user clicks on the Meeting Places	SKIPPED	0.001 s
4	And user clicks on add option	SKIPPED	0.001 s
5	And user clicks on upload file	SKIPPED	0.001 s
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.000 s
7	And user clicks on add option	SKIPPED	0.000 s
8	And user clicks on upload file1	SKIPPED	0.000 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
10	And user clicks on add option	SKIPPED	0.000 s
11	And user clicks on upload file2	SKIPPED	0.000 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
13	And user clicks on add option	SKIPPED	0.001 s
14	And user clicks on upload file3	SKIPPED	0.000 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.000 s
17	And user clicks on upload file4	SKIPPED	0.001 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
19	And user clicks on add option	SKIPPED	0.001 s
20	And user clicks on upload file5	SKIPPED	0.000 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.111 s
	_M_e_e_tin_g_P_la_c_e_s_		
	Section 1 Sectio		

Home Evacuation




#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	1.589 s
2	Then user clicks on the Disaster planning	FAILED	20.296 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:24957, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8656, moz:profile: C:\Users\Ashok\AppData\Loca, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:24957/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 91bf8ad9-886e-4d13-90dc-552c5a893a28 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.WebDriverWait.imeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44) at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22) at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:138)		
3	And user clicks on the HomeEvacuation	SKIPPED	0.001 s
4	And user clicks on add option	SKIPPED	0.001 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
5	And user clicks on upload file	SKIPPED	0.002 s
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.000 s
7	And user clicks on add option	SKIPPED	0.000 s
8	And user clicks on upload file1	SKIPPED	0.000 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
10	And user clicks on add option	SKIPPED	0.001 s
11	And user clicks on upload file2	SKIPPED	0.001 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
13	And user clicks on add option	SKIPPED	0.000 s
14	And user clicks on upload file3	SKIPPED	0.001 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.000 s
17	And user clicks on upload file4	SKIPPED	0.000 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
19	And user clicks on add option	SKIPPED	0.001 s
20	And user clicks on upload file5	SKIPPED	0.001 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.048 s
	Home_Evacuation_		
	Section 1 to 1		

Commuter Plan



DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.615 s
2	Then user clicks on the Disaster planning	FAILED	20.398 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:24957, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 8656, moz:profile: C:\Users\Ashok\AppData\Loca, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:24957/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 91bf8ad9-886e-4d13-90dc-552c5a893a28 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44) at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22) at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:182) * Not displayable characters are replaced by '?'.		
3	And user clicks on the Commuterplan	SKIPPED	0.000 s
4	And user clicks on add option	SKIPPED	0.000 s
5	And user clicks on upload file	SKIPPED	0.001 s
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.001 s
7	And user clicks on add option	SKIPPED	0.000 s
8	And user clicks on upload file1	SKIPPED	0.000 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
10	And user clicks on add option	SKIPPED	0.000 s
11	And user clicks on upload file2	SKIPPED	0.000 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
13	And user clicks on add option	SKIPPED	0.000 s
14	And user clicks on upload file3	SKIPPED	0.001 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
16	And user clicks on add option	SKIPPED	0.001 s
17	And user clicks on upload file4	SKIPPED	0.001 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
19	And user clicks on add option	SKIPPED	0.000 s
20	And user clicks on upload file5	SKIPPED	0.000 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.101 s
	_C_o_m_m_u_t_e_rP_l_a_n_		
	Section 1 to 1		