


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Calendar Event Creation with Recurring and Reminder Options	41.070 s	1	0	1	0	14	2	1	11

Tag	Scenario Feature			ture	re			
Name	T	P	F	S	Т	P	F	S
@feature	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4




 #	Feature Name	T	P	F	S	Duration
1	Calendar Event Creation with Recurring and Reminder Options	1	0	1	0	41.070 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Calendar Event Creation with Recurring	User Creates Monthly Recurring Calendar Event with	14	2	1	11	41.067 s
	and Reminder Options	Reminder					

DETAILED SECTION -- 6 --

Calendar Event Creation with Recurring and Reminder Options



User Creates Monthly Recurring Calendar Event with Reminder



#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	11.728 s
	usernamepasswordashokmarch12@yopmail.comPassword@123		
2	When the user is on the Calendar page	PASSED	6.817 s
3	When the user clicks on New Event	FAILED	20.256 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //button[normalize-space()='New Event +'] (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:37) at com.Pages.Calendar_NewEvent.clickOnNewEvent(Calendar_NewEvent.java:86) at parallel.Calendar_NewEventSteps.the_user_clicks_on_new_event(Calendar_NewEventSteps.java:23) at ?.the user clicks on New Event(file:///C:/Users/Ashok/eclipse-workspace/FC_BDD_Git_Jenkins/src/test/resources/features/ Calendar_NewEvent.feature:12) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration
	[0c967c21f43f734daaa8ba752cde7891, findElement {using=xpath, value=//button[normalize-space()='New Event +']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb, userDataDir: C:\Users\Ashok\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63121}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63121/devtoo, se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0c967c21f43f734daaa8ba752cde7891		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:627)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:624)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)		
	at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:37)		
	at com.Pages.Calendar_NewEvent.clickOnNewEvent(Calendar_NewEvent.java:86)		
	at parallel.Calendar_NewEventSteps.the_user_clicks_on_new_event(Calendar_NewEventSteps.java:23)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.core.runner.CucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.Rethrowing ThrowableCollector.executeAndThrow(Rethrowing ThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jaki.nternal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestInvoker.invokeTestMethodTestInvoker.java:227) at org.testng.internal.invokers.TestInvoker.MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker.invokeTestMethodS(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethodS(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethodWorker.java:128) at java.base/java.util.concurrent.ThreadPoolExecutor.TymWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor.Worker(ThreadPoolExecutor.java:642) at java.base/java.util.concurrent.ThreadPoolExecutor.Worker.run(ThreadPoolExecutor.java:642) at java.base/java.util.concurrent.ThreadPoolExecutor.Sworker.run(ThreadPoolExecutor.java:642)		
4	And User enters "Event001" into EventTitle	SKIPPED	0.002 s
5	And selects the start date on the calendar	SKIPPED	0.001 s
6	And User sets the start time to "01:00"	SKIPPED	0.001 s
7	And User sets the end time to "14:00"	SKIPPED	0.001 s
8	And chooses to set a recurring event	SKIPPED	0.002 s
9	And User sets the recurrence to Monthly	SKIPPED	0.001 s
10	And selects the End date on the calendar	SKIPPED	0.001 s
11	And assigns the event to family member	SKIPPED	0.001 s
12	And enters someText into the description	SKIPPED	0.000 s
13	And clicks on save	SKIPPED	0.001 s
14	Then the user should see the message "Your event has been created"	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	[0c967c21f43f734daaa8ba752cde7891, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb, userDataDir: C:\Users\Ashok\AppData\Loca},		
	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63121}, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63121/devtoo, se:cdpVersion: 123.0.6312.59, setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0c967c21f43f734daaa8ba752cde7891		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)		
	at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)		