

Cucumber Report

25-Mar-2024, 12:47:42 PM

Start : Mar 25, 12:47:03.917 PM

End : Mar 25, 12:47:41.466 PM

Duration : 37.549 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Calendar Event Creation with Recurring and Reminder Options</u>	37.549 s	1	0	1	0	14	2	1	11

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@feature	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Calendar Event Creation with Recurring and Reminder Options</u>	1	0	1	0	37.549 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Calendar Event Creation with Recurring and Reminder Options</u>	<u>User Creates Monthly Recurring Calendar Event with Reminder</u>	14	2	1	11	37.546 s

Calendar Event Creation with Recurring and Reminder Options

FAILED	DURATION - 37.549 s	Scenarios		Steps	
/ 12:47:03.917 PM // 12:47:41.466 PM /		Total - 1	1	Total - 14	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

User Creates Monthly Recurring Calendar Event with Reminder

<div>FAILED</div> <div>DURATION - 37.546 s</div>			Steps	
/ 12:47:03.920 PM // 12:47:41.466 PM /			Total - 14	
Calendar Event Creation with Recurring and Reminder Options			Pass - 2	
@feature			Fail - 1	
			Skip - 11	

#	Step / Hook Details	Status	Duration	
1	Given User is already logged in to application	PASSED	9.000 s	
	username			password
	ashokmarch12@yopmail.com			Password@123
2	When the user is on the Calendar page	PASSED	6.807 s	
3	When the user clicks on New Event	FAILED	20.180 s	
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //button[normalize-space()='New Event +'] (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.qa.Utills.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:37) at com.Pages.Calendar_NewEvent.clickOnNewEvent(Calendar_NewEvent.java:86) at parallel.Calendar_NewEventSteps.the_user_clicks_on_new_event(Calendar_NewEventSteps.java:23) at ?.the user clicks on New Event(file:///C:/Users/Ashok/eclipse-workspace/FC_BDD_Git_Jenkins/src/test/resources/features/Calendar_NewEvent.feature:12) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:				

#	Step / Hook Details	Status	Duration
	<p>[0e785bc1e569d24e077ff633ae1a5e96, findElement {using=xpath, value=//button[normalize-space()='New Event +']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53189}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53189/devtoo..., se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0e785bc1e569d24e077ff633ae1a5e96</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor13.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:627)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:624)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)</p> <p>at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:37)</p> <p>at com.Pages.Calendar_NewEvent.clickOnNewEvent(Calendar_NewEvent.java:86)</p> <p>at parallel.Calendar_NewEventSteps.the_user_clicks_on_new_event(Calendar_NewEventSteps.java:23)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1128) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:628) at java.base/java.lang.Thread.run(Thread.java:834) * Not displayable characters are replaced by '?'.		
4	And User enters "Event001" into EventTitle	SKIPPED	0.001 s
5	And selects the start date on the calendar	SKIPPED	0.001 s
6	And User sets the start time to "01:00"	SKIPPED	0.001 s
7	And User sets the end time to "14:00"	SKIPPED	0.000 s
8	And chooses to set a recurring event	SKIPPED	0.000 s
9	And User sets the recurrence to Monthly	SKIPPED	0.000 s
10	And selects the End date on the calendar	SKIPPED	0.001 s
11	And assigns the event to family member	SKIPPED	0.001 s
12	And enters someText into the description	SKIPPED	0.001 s
13	And clicks on save	SKIPPED	0.000 s
14	Then the user should see the message "Your event has been created"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0e785bc1e569d24e077ff633ae1a5e96, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53189}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53189/devtoo..., se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0e785bc1e569d24e077ff633ae1a5e96 at jdk.internal.reflect.GeneratedConstructorAccessor13.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45) </pre>	FAILED	0.010 s