

Geometric Constructions through Python



1

G V V Sharma*

5

CONTENTS

1	Triangle	1
2	Circle	4

3 Quadrilaterals

Abstract—This manual shows how to construct geometric figures using Python. Exercises are based on NCERT math textbooks of Class 9 and 10.

Download all codes for this manual from

svn co

1 Triangle

1.1 Draw a line segement of length 7.6 cm and divide it in the ratio 5 : 8.

Solution: Let the end points of the line be

$$\mathbf{A} = \begin{pmatrix} 0 \\ 0 \end{pmatrix}, \mathbf{B} = \begin{pmatrix} 7.6 \\ 0 \end{pmatrix} \tag{1}$$

Then the point C

$$\mathbf{C} = \frac{k\mathbf{A} + \mathbf{B}}{k+1} \tag{2}$$

divides AB in the ration k: 1. For the given problem, $k = \frac{5}{8}$. The following code plots Fig. 1.1

codes/draw section.py

1.2 Draw $\triangle ABC$ where $\angle B = 90^{\circ}$, a = 4 and b = 3. **Solution:** The vertices of $\triangle ABC$ are

$$\mathbf{A} = \begin{pmatrix} 0 \\ 3 \end{pmatrix}, \mathbf{B} = \begin{pmatrix} 0 \\ 0 \end{pmatrix}, \mathbf{C} = \begin{pmatrix} 4 \\ 0 \end{pmatrix} \tag{3}$$

The following code plots Fig. 1.2

*The author is with the Department of Electrical Engineering, Indian Institute of Technology, Hyderabad 502285 India e-mail: gadepall@iith.ac.in. All solutions in this manual is released under GNU GPL. Free and open source.




Fig. 1.1

codes/rt triangle.py




Fig. 1.2

1.3 Construct a triangle of sides a = 4, b = 5 and c = 6.

Solution: Let the vertices of $\triangle ABC$ be

$$\mathbf{A} = \begin{pmatrix} p \\ q \end{pmatrix}, \mathbf{B} = \begin{pmatrix} 0 \\ 0 \end{pmatrix}, \mathbf{C} = \begin{pmatrix} a \\ 0 \end{pmatrix} \tag{4}$$

Then

$$\|\mathbf{A} - \mathbf{B}\|^2 = \|\mathbf{A}\|^2 = c^2 \tag{5}$$

$$\|\mathbf{C} - \mathbf{B}\|^2 = \|\mathbf{C}\|^2 = a^2$$
 (6)

$$\|\mathbf{A} - \mathbf{C}\|^2 = b^2 \tag{7}$$

From (7), yielding

$$b^{2} = \|\mathbf{A} - \mathbf{C}\|^{2} = \|\mathbf{A} - \mathbf{C}\|^{T} \|\mathbf{A} - \mathbf{C}\|$$
 (8)

$$= ||\mathbf{A}||^2 + ||\mathbf{C}||^2 - 2\mathbf{A}^T\mathbf{C}$$
 (9)

$$= a^2 + c^2 - 2ap \tag{10}$$

yielding

$$p = \frac{a^2 + c^2 - b^2}{2a} \tag{11}$$

From (6),

$$\|\mathbf{A}\|^2 = c^2 = p^2 + q^2 \tag{12}$$

$$\implies q = \sqrt{c^2 - p^2} \qquad (13)$$

The following code plots Fig. 1.3

codes/draw_triangle.py




Fig. 1.3

1.4 Construct a triangle of sides a = 5, b = 6 and c = 7. Construct a similar triangle whose sides are $\frac{7}{5}$ times the corresponding sides of the first triangle.

Solution: The sides of the similar triangle are $\frac{7}{5}a, \frac{7}{5}b$ and $\frac{7}{5}c$.

1.5 Construct an isosceles triangle whose base is a = 8 cm and altitude AD = p = 4 cm

Solution: Using Baudhayana's theorem,

$$b = c = \sqrt{p^2 + \left(\frac{a}{2}\right)^2} \tag{14}$$

1.6 Draw $\triangle ABC$ with a = 6, c = 5 and $\angle B = 60^{\circ}$.

Solution: In Fig. (1.6), $AD \perp BC$.

$$\cos C = \frac{y}{b},\tag{15}$$

$$\cos B = \frac{x}{b},\tag{16}$$

Thus,

$$a = x + y = b\cos C + c\cos B,$$
 (17)

$$b = c\cos A + a\cos C \tag{18}$$

$$c = b\cos A + a\cos B \tag{19}$$

The above equations can be expressed in matrix form as

$$\begin{pmatrix} 0 & c & b \\ c & 0 & a \\ b & a & 0 \end{pmatrix} \begin{pmatrix} \cos A \\ \cos B \\ \cos C \end{pmatrix} = \begin{pmatrix} a \\ b \\ c \end{pmatrix} \tag{20}$$

Using the properties of determinants,

$$\cos A = \frac{\begin{vmatrix} a & c & b \\ b & 0 & a \\ c & a & 0 \end{vmatrix}}{\begin{vmatrix} 0 & c & b \\ c & 0 & a \\ b & a & 0 \end{vmatrix}} = \frac{ab^2 + ac^2 - a^3}{abc + abc}$$
 (21)

$$=\frac{b^2+c^2-a^2}{2bc}$$
 (22)

From (22)

$$b^2 = c^2 + a^2 - 2ca\cos B \tag{23}$$

which is computed by the following code

codes/cos form.py

1.7 Draw $\triangle ABC$ with $a = 7, \angle B = 45^{\circ}$ and $\angle A = 105^{\circ}$.

Solution: In Fig. (1.6),

$$\sin B = \frac{h}{c} \tag{24}$$

$$\sin C = \frac{h}{h} \tag{25}$$




Fig. 1.6: The cosine formula

which can be used to show that

$$\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c} \tag{26}$$

Thus,

$$c = \frac{a \sin C}{\sin A} \tag{27}$$

where

$$C = 180 - A - B \tag{28}$$

1.8 $\triangle ABC$ is right angled at **B**. If a = 12 and b+c = 18, find b, c and draw the triangle.

Solution: From Baudhayana's theorem,

$$b^2 = a^2 + c^2 \tag{29}$$

$$\implies (18 - c)^2 = 12^2 + c^2 \tag{30}$$

which can be simplified to obtain

$$c^2 + 36c^2 - 180 = 0 (31)$$

$$\implies$$
 $(c+18)^2 - 18^2 - 180 = 0$ (32)

which can be simplified as

$$\implies (c+18)^2 = (18^2 + 180) \tag{34}$$

$$\implies c = -18 \pm \sqrt{18^2 + 180}$$
 (35)

- 1.9 In $\triangle ABC$, a = 7, $\angle B = 75^{\circ}$ and b + c = 13. Find b and c and sketch $\triangle ABC$.
- 1.10 In $\triangle ABC$, a = 8, $\angle B = 45^{\circ}$ and c b = 3.5. Sketch $\triangle ABC$.

Solution: The general solution of a quadratic equation

$$\alpha x^2 + \beta x + \gamma = 0 \tag{36}$$

is

$$x = \frac{-\beta \pm \sqrt{\beta^2 - 4\alpha\gamma}}{2\alpha} \tag{37}$$

Using this and (23), b and c can be obtained.

- 1.11 In $\triangle ABC$, a = 6, $\angle B = 60^{\circ}$ and b-c = 2. Sketch $\triangle ABC$.
- 1.12 In $\triangle ABC$, given that a + b + c = 11, $\angle B = 45^{\circ}$ and $\angle C = 45^{\circ}$, find a, b, c.

Solution: We have

$$a = b\cos C + c\cos B \tag{38}$$

$$b\sin C = c\sin B \tag{39}$$

$$a + b + c = 11$$
 (40)

resulting in the matrix equation

$$\begin{pmatrix} 1 & -\cos C & -\cos B \\ 0 & \sin C & -\sin B \\ 1 & 1 & 1 \end{pmatrix} \begin{pmatrix} a \\ b \\ c \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 11 \end{pmatrix} \tag{41}$$

Solving the equivalent matrix equation gives the desired answer.

- 1.13 Draw $\triangle ABC$, given that a+b+c=11, $\angle B=30^{\circ}$ and $\angle C=90^{\circ}$.
- 1.14 Construct $\triangle xyz$ where xy = 4.5, yz = 5 and zx = 6.
- 1.15 Draw an equilateral triangle of side 5.5.
- 1.16 Draw $\triangle PQR$ with PQ = 4, QR = 3.5 and PR = 4. What type of triangle is this?
- 1.17 Construct $\triangle ABC$ such that AB = 2.5, BC = 6 and AC = 6.5. Find $\angle B$.
- 1.18 Construct $\triangle PQR$, given that PQ = 3, QR = 5.5 and $\angle PQR = 60^{\circ}$.
- 1.19 Draw $\triangle ABC$ if AB = 3, AC = 5 and $\angle C = 30^{\circ}$.
- 1.20 Construct $\triangle DEF$ such that DE = 5, DF = 3 and $\angle D = 90^{\circ}$.
- 1.21 Construct an isosceles triangle in which the lengths of the equal sides is 6.5 and the angle between them is 110°.
- 1.22 Construct $\triangle ABC$ with BC = 7.5, AC = 5 and $\angle C = 60^{\circ}$.
- 1.23 Construct $\triangle XYZ$ if XY = 6, $\angle X = 30^{\circ}$ and $\angle Y = 100^{\circ}$.
- 1.24 If AC = 7, $\angle A = 60^{\circ}$ and $\angle B = 50^{\circ}$, can you draw the triangle?
- 1.25 Construct $\triangle ABC$ given that $\angle A = 60^{\circ}$, $\angle B = 30^{\circ}$ and AB = 5.8.
- 1.26 Construct $\triangle PQR$ if $PQ = 5, \angle Q = 105^{\circ}$ and $\angle R = 40^{\circ}$.
- 1.27 Can you construct $\triangle DEF$ such that EF =

 $7.2, \angle E = 110^{\circ} \text{ and } \angle F = 180^{\circ}?$

- 1.28 Construct $\triangle LMN$ right angled at M such that LN = 5 and MN = 3.
- 1.29 Construct $\triangle PQR$ right angled at Q such that QR = 8 and PR = 10.
- 1.30 Construct right angled \triangle whose hypotenuse is 6 and one of the legs is 4.
- 1.31 Construct an isoscelese right angled $\triangle ABC$ right angled at C such AC = 6.
- 1.32 Construct the triangles in Table 1.32.

S.NoTriangle		Given Measurements		
1	∆ABC	$\angle A = 85^{\circ}$	$\angle B = 115^{\circ}$	$^{\circ}$ AB = 5
2	△PQR	$\angle Q = 30^{\circ}$	$\angle R = 60^{\circ}$	QR = 4.7
3	∆ABC	$\angle A = 70^{\circ}$	$\angle B = 50^{\circ}$	AC = 3
4	△LMN	$\angle L = 60^{\circ}$	$\angle N = 120^{\circ}$	LM = 5
5	∆ABC	BC = 2	AB = 4	AC = 2
6	△PQR	PQ = 2.5	QR = 4	PR = 3.5
7	$\triangle XYZ$	XY = 3	YZ = 4	XZ = 5
8	△DEF	DE = 4.5	EF = 5.5	DF = 4

TABLE 1.32

2 CIRCLE

2.1 Draw a circle with centre **B** and radius 6. If **C** be a point 10 units away from its centre, construct the pair of tangents *AC* and *CD* to the circle.

Solution: The tangent is perpendicular to the radius. From the given information, in $\triangle ABC$, $AC \perp AB$, a = 10 and c = 6.

$$b = \sqrt{a^2 - c^2} \tag{42}$$

The following code plots Fig. 2.1

- 2.2 Draw a circle of diamter 6.1
- 2.3 Draw a circle of radius 3. Mark any point **A** on the circle, point **B** inside the circle and point **C** outside the circle.

For any angle θ , a point on the circle with radius 3 has coordinates

$$3\begin{pmatrix} \cos\theta\\ \sin\theta \end{pmatrix} \tag{43}$$

2.4 With the same centre **O**, draw two circles of radii 4 and 2.5




Fig. 2.1

- 2.5 Draw a circle of radius 3 and any two of its diameters. draw the ends of these diameters. What figure do you get?
- 2.6 Let **A** and **B** be two circles of equal radii 3 such that each one of them passes through the centre of the other. Let them intersect at **C** and **D**. Is $AB \perp CD$?
- 2.7 Construct a tangent to a circle of radius 4 units from a point on the concentric circle of radius 6 units.

Solution: Take the centre of both circles to be at the origin.

2.8 Draw a circle of radius 3 units. Take two points P and Q on one of its extended diameter each at a distance of 7 units from its centre. Draw tangents to the circle from these two points P and Q.

Solution: Take the diameter to be on the *x*-axis.

2.9 Draw a pair of tangents to a circle of radius 5 units which are inclined to each other at an angle of 60° .

Solution: The tangent is perpendicular to the radius.

2.10 Draw a line segment AB of length 8 units. Taking A as centre, draw a circle of radius 4 units and taking B as centre, draw another circle of radius 3 units. Construct tangents to each circle from the centre of the other circle.

Solution: Let

$$\mathbf{A} = \begin{pmatrix} 0 \\ 0 \end{pmatrix}, \mathbf{B} = \begin{pmatrix} 8 \\ 0 \end{pmatrix}. \tag{44}$$

- 2.11 Let ABC be a right triangle in which a = 8, c = 6 and $\angle B = 90^{\circ}$. BD is the perpendicular from **B** on AC. The circle through **B**, **C**, **D** is drawn. Construct the tangents from **A** to this circle.
- 2.12 Draw a circle with centre **C** and radius 3.4. Draw any chord. Construct the perpendicular bisector of the chord and examine if it passes through **C**

3 Quadrilaterals

3.1 Draw ABCD with AB = a = 4.5, BC == b = 5.5, CD = c = 4, AD = d = 6 and AC = e = 7. **Solution:** Fig. 3.1 shows a rough sketch of ABCD. Letting

$$\mathbf{C} = \begin{pmatrix} p \\ q \end{pmatrix}, \mathbf{A} = \begin{pmatrix} 0 \\ 0 \end{pmatrix}, \mathbf{B} = \begin{pmatrix} a \\ 0 \end{pmatrix} \tag{45}$$

it is trivial to sketch $\triangle ABC$ from Problem 1.3. $\triangle ACD$ is can be obtained by rotating an equivalent triangle with AC on the x-axis by an angle θ with

$$\mathbf{D} = \begin{pmatrix} p \\ q \end{pmatrix}, \mathbf{A} = \begin{pmatrix} 0 \\ 0 \end{pmatrix}, \mathbf{C} = \begin{pmatrix} e \\ 0 \end{pmatrix} \tag{46}$$

and

$$\cos \theta = \frac{a^2 + e^2 - b^2}{2ae} \tag{47}$$

$$\sin \theta = \sqrt{1 - \cos^2 \theta} \tag{48}$$

The coordinates of the rotated triangle ACD are

$$\mathbf{D} = \mathbf{P} \begin{pmatrix} p \\ q \end{pmatrix} \tag{49}$$

$$\mathbf{A} = \mathbf{P} \begin{pmatrix} 0 \\ 0 \end{pmatrix} \tag{50}$$

$$\mathbf{C} = \mathbf{P} \begin{pmatrix} e \\ 0 \end{pmatrix} \tag{51}$$

where

$$\mathbf{P} = \begin{pmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{pmatrix} \tag{52}$$

The following code plots quadrilateral *ABCD* in Fig. 3.1

codes/draw quad.py

3.2 Construct a quadrilateral *ABCD* such that AB = 5, $\angle A = 50^{\circ}$, AC = 4, BD = 5 and AD = 6.




Fig. 3.1




Fig. 3.1

- 3.3 Construct PQRS where PQ = 4, QR = 6, RS = 5, PS = 5.5 and PR = 7.
- 3.4 Draw JUMP with JU = 3.5, UM = 4, MP = 5, PJ = 4.5 and <math>PU = 6.5
- 3.5 Draw the parallelogram MORE with OR = 6, RE = 4.5 and EO = 7.5.

Solution: Diagonals of a parallelogram bisect each other. Opposite sides of a parallelogram are equal and parallel .

3.6 Draw the rhombus BEST with BE = 4.5 and ET = 6.

Solution: Diagonals of a rhombus bisect each other at right angles.

- 3.7 Construct a quadrilateral ABCD such that BC = 4.5, AC = 5.5, CD = 5, BD = 7 and AD = 5.5.
- 3.8 Can you construct a quadrilateral PQRS with PQ = 3, RS = 3, PS = 7.5, PR = 8 and SQ = 4?

- 3.9 Construct *LIFT* such that LI = 4, IF = 3, TL = 2.5, LF = 4.5, IT = 4.
- 3.10 Draw GOLD such that OL = 7.5, GL = 6, GD = 6, LD = 5, OD = 10.
- 3.11 DRAW rhombus BEND such that BN = 5.6, DE = 6.5.
- 3.12 construct a quadrilateral MIST where MI = 3.5, IS = 6.5, $\angle M = 75^{\circ}$, $\angle I = 105^{\circ}$ and $\angle S = 120^{\circ}$.
- 3.13 Can you construct the above quadrilateral MIST if $\angle M = 100^{\circ}$ instead of 75°.
- 3.14 Can you construct the quadrilateral PLAN if PL = 6, LA = 9.5, $\angle P = 75^{\circ}$, $\angle L = 150^{\circ}$ and $\angle A = 140^{\circ}$?
- 3.15 Construct *MORE* where MO = 6, OR = 4.5, $\angle M = 60^{\circ}$, $\angle O = 105^{\circ}$, $\angle R = 105^{\circ}$.
- 3.16 Construct *PLAN* where *PL* = 4, *LA* = 6.5, $\angle P = 90^{\circ}$, $\angle A = 110^{\circ}$ and $\angle N = 85^{\circ}$.
- 3.17 Construct parallelogram HEAR where HE = 5, EA = 6, $\angle R = 85^{\circ}$.
- 3.18 Draw rectangle OKAY with OK = 7 and KA = 5.
- 3.19 Construct ABCd, where AB = 4, BC = 5, Cd = 6.5, $\angle B = 105^{\circ}$ and $\angle C = 80^{\circ}$.
- 3.20 Construct *DEAR* with DE = 4, EA = 5, AR = 4.5, $\angle E = 60^{\circ}$ and $\angle A = 90^{\circ}$.
- 3.21 Construct TRUE with $TR = 3.5, RU = 3, UE = 4 \angle R = 75^{\circ}$ and $\angle U = 120^{\circ}$.
- 3.22 Draw a square of side 4.5.
- 3.23 Can you construct a rhombus ABCD with AC = 6 and BD = 7?
- 3.24 Construct a kite EASY if AY = 8, EY = 4 and SY = 6.

Solution: The diagonals of a kite are perpendicular to each other.

- 3.25 Draw a square READ with RE = 5.1.
- 3.26 Draw a rhombus who diagonals are 5.2 and 6.4.
- 3.27 Draw a rectangle with adjacent sides 5 and 4.
- 3.28 Draw a parallelogram OKAY with OK = 5.5 and KA = 4.2.