

Line

1

2

Python with Linear Algebra: 2D



1

G V V Sharma*

1

2

3 Medians of a Triangle 3 4 Angle Bisectors of a Triangle 4 Abstract—This manual introduces matrix computations using python and the properties of a triangle. 1 Line 1.1 Let $\mathbf{A} = \begin{pmatrix} -2 \\ -2 \end{pmatrix}, \mathbf{B} = \begin{pmatrix} 1 \\ 3 \end{pmatrix}, \mathbf{C} = \begin{pmatrix} 4 \\ -1 \end{pmatrix}.$ (1)Draw $\triangle ABC$. Solution: The following code yields the desired plot in Fig. 1.1 #Code by GVV Sharma #January 28, 2019 #released under GNU GPL import numpy as np import matplotlib.pyplot as plt #if using termux import subprocess import shlex #end if A = np.array([-2,-2])B = np.array([1,3])C = np.array([4,-1])len = 10*The author is with the Department of Electrical Engineering,

Indian Institute of Technology, Hyderabad 502285 India e-mail:

gadepall@iith.ac.in. All content in this manual is released under GNU

GPL. Free and open source.

CONTENTS

Altitudes of a Triangle

```
x AB = np.zeros((2,len))
x BC = np.zeros((2,len))
x CA = np.zeros((2,len))
for i in range(len):
  temp1 = A + lam 1[i]*(B-A)
  x AB[:,i] = temp1.T
  temp2 = B + lam 1[i]*(C-B)
  x BC[:,i] = temp2.T
  temp3 = C + lam 1[i]*(A-C)
  x CA[:,i] = temp3.T
\#print(x \ AB[0,:],x \ AB[1,:])
plt.plot(x AB[0,:],x AB[1,:],label='$AB$')
plt.plot(x BC[0,:],x BC[1,:],label='$BC$')
plt.plot(x CA[0,:],x CA[1,:],label='$CA$')
plt.plot(A[0], A[1], 'o')
plt.text(A[0] * (1 + 0.1), A[1] * (1 - 0.1),
plt.plot(B[0], B[1], 'o')
plt.text(B[0] * (1 - 0.2), B[1] * (1), 'B')
plt.plot(C[0], C[1], 'o')
plt.text(C[0] * (1 + 0.03), C[1] * (1 - 0.1),
    'C')
plt.xlabel('$x$')
plt.ylabel('$y$')
plt.legend(loc='best')
plt.grid() # minor
#if using termux
plt.savefig('../figs/triangle.pdf')
plt.savefig('../figs/triangle.eps')
subprocess.run(shlex.split("termux-open ../
    figs/triangle.pdf"))
#else
#plt.show()
```

lam 1 = np.linspace(0,1,len)




Fig. 1.1

1.2 Find the equation of AB.

Solution: The desired equation is obtained as

$$AB: \quad \mathbf{x} = \mathbf{A} + \lambda_1 \left(\mathbf{B} - \mathbf{A} \right) \tag{2}$$

$$= -\binom{2}{2} + \lambda_1 \binom{3}{5} \tag{3}$$

1.3 Find the direction vector and the normal vector for *AB*

Solution: Let

$$T_{AB} = \begin{pmatrix} \mathbf{A} & \mathbf{B} \end{pmatrix} = \begin{pmatrix} -2 & 1 \\ -2 & 3 \end{pmatrix} \tag{4}$$

The direction vector of AB is

$$\mathbf{m} = \mathbf{B} - \mathbf{A} = T_{AB} \begin{pmatrix} -1 \\ 1 \end{pmatrix} = \begin{pmatrix} 3 \\ 5 \end{pmatrix} \tag{5}$$

The normal vector \mathbf{n} is defined as

$$\mathbf{n}^T \mathbf{m} = 0 \tag{6}$$

$$\implies \mathbf{n} = \begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix} \mathbf{m} = \begin{pmatrix} 5 \\ -3 \end{pmatrix} \tag{7}$$

1.4 Write a python code for computing the direction and normal vectors.

1.5 Find the equation of the line in terms of the normal vector.

Solution: The desired equation is

$$\mathbf{n}^{T}(\mathbf{x} - \mathbf{A}) = \mathbf{n}^{T}(\mathbf{x} - \mathbf{B}) = 0$$
 (8)

$$\implies (5 \quad -3)\mathbf{x} = -(5 \quad -3)\begin{pmatrix} 2\\2 \end{pmatrix} = -4 \qquad (9)$$

1.6 Find the equations of BC and CA.

2 ALTITUDES OF A TRIANGLE

- 2.1 In $\triangle ABC$, Let **P** be a point on *BC* such that $AP \perp BC$. Then AP is defined to be an *altitude* of $\triangle ABC$.
- 2.2 Find the equation of AP.

Solution: The normal vector of AP is $\mathbf{B} - \mathbf{C}$. From (8), the equation of AP is

$$(\mathbf{B} - \mathbf{C})^T (\mathbf{x} - \mathbf{A}) = 0 \qquad (10)$$

$$\implies \begin{pmatrix} -3 & 4 \end{pmatrix} \mathbf{x} = -\begin{pmatrix} -3 & 4 \end{pmatrix} \begin{pmatrix} 2 \\ 2 \end{pmatrix} = -2 \quad (11)$$

- 2.3 Find the equation of the altitude BQ.
- 2.4 Find the equation of the altitude CR.
- 2.5 Find the point of intersection of AP and BQ.
- 2.6 Find the point of intersection of and BQ and CR. Comment.
- 2.7 Find **P**, **Q**, **R**.
- 2.8 Draw *AP*, *BQ* and *CR* and verify that they meet at a point **H**.

3 Medians of a Triangle

3.1 Find the coordinates of D, E and F of the mid points of AB, BC and CA respectively for ΔABC .

Solution: The coordinates of the mid points are given by

$$D = \frac{B+C}{2}, E = \frac{C+A}{2}, F = \frac{A+B}{2}$$
 (12)

The following code computes the values resulting in

$$D = \begin{pmatrix} 2.5 \\ 1 \end{pmatrix}, E = \begin{pmatrix} 1 \\ -1.5 \end{pmatrix}, F = \begin{pmatrix} -0.5 \\ 0.5 \end{pmatrix}, \quad (13)$$

#This program calculates the mid point between

#any two coordinates

import numpy as np

import matplotlib.pyplot as plt

def mid pt(B,C):

$$D = (B+C)/2$$
 return D

A = np. matrix('-2;-2')

B = np. matrix('1;3')

C = np. matrix('4;-1')

print(mid pt(B,C))

print(mid pt(C,A))

print(mid pt(A,B))

3.2 Find the equations of AD, BE and CF. These lines are the *medians* of $\triangle ABC$

Solution: Use the code in Problem 1.4.

3.3 Find the point of intersection of *AD* and *CF*. **Solution:** Let the respective equations be

$$\mathbf{n}_1^T \mathbf{x} = p_1 \text{ and} \tag{14}$$

$$\mathbf{n}_2^T \mathbf{x} = p_2 \tag{15}$$

This can be written as the matrix equation

$$\begin{pmatrix} \mathbf{n}_1^T \\ \mathbf{n}_2^T \end{pmatrix} \mathbf{x} = \mathbf{p} \tag{16}$$

$$\implies N^T \mathbf{x} = \mathbf{p} \tag{17}$$

where

$$N = \begin{pmatrix} \mathbf{n}_1 & \mathbf{n}_2 \end{pmatrix}, \tag{18}$$

The point of intersection is then obtained as

$$\mathbf{x} = \left(N^T\right)^{-1} \mathbf{p} \tag{19}$$

$$= N^{-T} \mathbf{p} \tag{20}$$

The following code yields the point of intersection

$$\mathbf{G} = \begin{pmatrix} 1 \\ 0 \end{pmatrix} \tag{21}$$

#This program calculates the #intersection of AD and CF

```
import numpy as np
def mid pt(B,C):
  D = (B+C)/2
  return D
def norm vec(AB):
  return np.matmul(omat,np.matmul(AB,dvec
     ))
def line intersect(AD,CF):
  n1=norm vec(AD)
  n2=norm vec(CF)
 N = np.vstack((n1,n2))
 p = np.zeros(2)
 p[0] = np.matmul(n1,AD[:,0])
 p[1] = np.matmul(n2,CF[:,0])
 return np.matmul(np.linalg.inv(N),p)
A = np.array([-2,-2])
B = np.array([1,3])
C = \text{np.array}([4,-1])
D = mid pt(B,C)
F = mid pt(A,B)
AD = np.vstack((A,D)).T
CF = np.vstack((C,F)).T
dvec = np.array([-1,1])
omat = np.array([[0,1],[-1,0]])
print(line intersect(AD,CF))
```

- 3.4 Using the code in Problem 3.3, verify that **G** is the point of intersection of BE, CF as well as AD, BE. **G** is known as the *centroid* of ΔABC .
- 3.5 Graphically show that the medians of $\triangle ABC$ meet at the centroid.
- 3.6 Verify that

$$G = \frac{A+B+C}{3} \tag{22}$$

4 Angle Bisectors of a Triangle

4.1 In $\triangle ABC$, let *U* be a point on *BC* such that $\angle BAU = \angle CAU$. Then *AU* is known as the angle bisector.

4.2 Find the length of AB, BC and CA

Solution: The length of *CA* is given by

$$CA = \|\mathbf{C} - \mathbf{A}\| \tag{23}$$

The following code calculates the respective values as

$$AB = 5.83, BC = 5, CA = 6.08$$
 (24)

#This program calculates the distance between

#two points

import numpy as np

import matplotlib.pyplot as plt

A = np.array([-2,-2])

B = np.array([1,3])

C = np.array([4,-1])

print (np.linalg.norm(A-B))

4.3 If AU, BV and CW are the angle bisectors, find the coordinates of U, V and W.

Solution: Using the section formula,

$$\mathbf{W} = \frac{AW.\mathbf{B} + WB.\mathbf{A}}{AW + WB} = \frac{\frac{AW}{WB}.\mathbf{B} + \mathbf{A}}{\frac{AW}{WB} + 1}$$
(25)

$$=\frac{\frac{CA}{BC} \cdot \mathbf{B} + \mathbf{A}}{\frac{CA}{BC} + 1} \tag{26}$$

$$= \frac{CA \times \mathbf{B} + BC \times \mathbf{A}}{BC + CA}$$

$$= \frac{a \times \mathbf{A} + b \times \mathbf{B}}{a + b}$$
(27)

$$= \frac{a \times \mathbf{A} + b \times \mathbf{B}}{a + b} \tag{28}$$

where a = BC, b = CA, since the angle bisector has the property that

$$\frac{AW}{WB} = \frac{CA}{AB} \tag{29}$$

- 4.4 Write a program to find U, V, W.
- 4.5 Find the intersection of AU and BV.

Solution: Using the code in Problem 3.3, the desired point of intersection is

$$\mathbf{I} = \begin{pmatrix} 1.15\\ 0.14 \end{pmatrix} \tag{30}$$

It is easy to verify that even BV and CW meet at the same point. I is known as the incentre of $\triangle ABC$.

4.6 Draw AU, BV and CW and verify that they

meet at a point **I**.

4.7 Verify that

$$\mathbf{I} = \frac{BC.\mathbf{A} + CA.\mathbf{B} + AB.\mathbf{C}}{AB + BC + CA} \tag{31}$$

4.8 Let the perpendicular from **I** to AB be IX. If the equation of AB is

$$\mathbf{n}^T \left(\mathbf{x} - \mathbf{A} \right) = 0 \tag{32}$$

show that

$$IX = \frac{\left|\mathbf{n}^T \left(\mathbf{I} - \mathbf{A}\right)\right|}{\|\mathbf{n}\|} \tag{33}$$

Verify through a Python script.

4.9 If $IY \perp BC$ and $IZ \perp CA$, verify that

$$IX = IY = IZ = r \tag{34}$$

r is known as the *inradius* of $\triangle ABC$.

- 4.10 Draw the incircle of $\triangle ABC$
- 4.11 Draw the circumcircle of $\triangle ABC$