



# Daffodil International University

Department of Computer Science and Engineering (CSE)

Faculty of Science and Information Technology (FSIT)

## Normal and Exponential Distribution Mathematical Examples Lecture Sheet

Semester: Spring 2024

Course Code and Title: CSE315 – Introduction to Data Science

Course Teacher and Initial: Fahim Faisal (FF)

Section: 61\_L

---

### Normal Distribution Mathematical Examples

**Problem 1:** If  $X \sim N(4, 9)$ , find  $P(X > 6)$  using normal distribution formula.

**Solution:**

We know, when a variable  $X$  follows a normal distribution with mean  $\mu$  and variance  $\sigma^2$ , this is denoted by,

$$X \sim N(\mu, \sigma^2)$$

To use normal distribution formula, let  $Z = \frac{X-\mu}{\sigma} = \frac{X-4}{3}$

Now,

$$P(X > 6) = 1 - P(X < 6)$$

$$\text{Or, } P(X > 6) = 1 - \phi\left(\frac{6-4}{3}\right)$$

$$\text{Or, } P(X > 6) = 1 - \phi(0.67)$$

$$\text{Or, } P(X > 6) = 1 - 0.7486$$

$$\text{Or, } P(X > 6) = 0.2514$$

Answer: The probability of  $P(X > 6)$  is 0.2514 or 25.14%.

**Problem 2:** The working lives of a particular brand of electric light bulb are distributed with a mean of 1200 hours and a standard deviation of 200 hours. What is the probability of a bulb lasting more than 1150 hours? Use normal distribution formula.

**Solution:**

Let  $X$ , the working life, is distributed using normal distribution formula as,

$$X \sim N(\mu, \sigma^2)$$

$$\text{Or, } X \sim N(1200, 200^2)$$

Now,

$$P(X > 1150) = 1 - P(X < 1150)$$

$$\text{Or, } P(X > 6) = 1 - \phi\left(\frac{1150 - 1200}{200}\right)$$

$$\text{Or, } P(X > 6) = 1 - \varphi(-0.25)$$

$$\text{Or, } P(X > 6) = 1 - 0.4013$$

$$\text{Or, } P(X > 6) = 0.5987$$

Answer: The probability of a bulb lasting more than 1150 hours is 0.5987 or 59.87%.

**Problem 3:** What will be the probability density function of normal distribution for the data;  $x = 3$ ,  $\mu = 4$  and  $\sigma = 2$ ?

**Solution:**

Given,

Variable,  $x = 3$

Mean,  $\mu = 4$  and

Standard Deviation,  $\sigma = 2$

We know, probability distribution function for normal distribution,

$$f(x, \mu, \sigma) = \frac{1}{\sigma\sqrt{2\pi}} e^{\frac{-(x-\mu)^2}{2\sigma^2}}$$

$$\text{Or, } f(3, 4, 2) = \frac{1}{2\sqrt{2\pi}} e^{\frac{-(3-4)^2}{2 \times 2^2}}$$

$$\text{Or, } f(3, 4, 2) = 0.1760$$

So, the probability density function,  $f(x, \mu, \sigma) = 0.1760$

(Ans.)

### **Exponential Distribution Mathematical Examples**

**Problem 1:** A postal clerk spends an average of 4 minutes with their customer. The time has exponential distribution. Find the value of the function at  $x = 5$  by using the exponential function formula.

**Solution:**

Given,

Mean,  $\mu = 4$  and

Variable,  $x = 5$

We know,

$$\text{Change Rate, } \lambda = \frac{1}{\mu}$$

$$\text{Or, } \lambda = \frac{1}{4}$$

$$\text{Or, } \lambda = 0.25$$

Again,

$$f(x, \lambda) = \begin{cases} \lambda e^{-\lambda x} & x \geq 0 \\ 0 & x < 0 \end{cases}$$

$$\text{Or, } f(5, 0.25) = 0.25e^{-0.25 \times 5}$$

$$\text{Or, } f(5, 0.25) = 0.0716$$

Answer: The value of the function at  $x = 5$  is 0.0716

**Problem 2:** A person spends an average of 10 minutes on a counter. The time has exponential distribution. Find the value of the function at  $x = 7$  by using the exponential function formula.

**Solution:**

Mean,  $\mu = 10$  and

Variable,  $x = 7$

We know,

$$\text{Change Rate, } \lambda = \frac{1}{\mu}$$

$$\text{Or, } \lambda = \frac{1}{10}$$

$$\text{Or, } \lambda = 0.1$$

Again,

$$f(x, \lambda) = \begin{cases} \lambda e^{-\lambda x} & x \geq 0 \\ 0 & x < 0 \end{cases}$$

$$\text{Or, } f(7, 0.1) = 0.1e^{-0.1 \times 7}$$

$$\text{Or, } f(7, 0.1) = 0.04966$$

Answer: The value of the function at  $x = 7$  is 0.04966